859 .C64 C3756 1/84

U. S. DEPARTMENT OF THE INTERIOR PROTOTYPE OIL SHALE LEASING PROGRAM

OIL SHALE TRACT C-b ENVIRONMENTAL MONITORING REPORT (June 1983 through November 1983)

### Submitted to:


Mr. Robert Elderkin Acting Oil Shale Supervisor Oil Shale Project Office USDI Bureau of Land Management 131 N. 6th Street - Suite 300 Grand Junction, Colorado

By:

### CATHEDRAL BLUFFS SHALE OIL COMPANY

TENNECO SHALE OIL COMPANY OCCIDENTAL OIL SHALE, INC.

January 15, 1984



### VOLUME II

### TABLE OF CONTENTS

### 1.3 Air Quality

- Ambient Air Quality Meteorology 1.3.1
- 1.3.2 Meteorology
  - Climatological Records 1.3.2.1 Precipitation Data 1.3.2.2
  - Wind Fields 1.3.2.3
- 1.3.3 Visibility
- Atmospheric Diffusion Studies 1.3.4
- 1.3.5 Inversion Studies
- Air Quality Assurance 1.3.6
- 1.3.7 Data Reports

June July August September October November

- 1.3.8 Data Corrections
- 1.3.9 Supplemental Data Report

### 1.4 Noise

### STRUCTED TO SIDE

1.2.2 Measure to free to be free

1.3.3 Pictoriate Diffusion Station 5.1.4. American Station 5.1.4. American 5.1. American 5.1. American 5.1. American 5.1. American 5.1. American 5.1. American

destruction of the control of the co

1.5.4 Secretary Constitutions Security Constitutions Security Constitutions Security Constitution Security Con

watter, m.T.

### INTRODUCTION

Regular environmental reporting for Oil Shale Tract C-b during the interim monitoring period consists of six-month data reports submitted February 15, 1983, July 15, 1983, and January 15, 1984. Limited data analyses are included in the February 1983 and January 15, 1984 reports.

The Interim Monitoring Program was initiated in March 1982. The data reported here fulfill the environmental monitoring requirements specified for the interim monitoring period by the OSPO. Data are reported for the period of June 1983 to November 1983. Data stored in the computerized data base and summary tables presented in this report are correct to the best of our knowledge. Any errors found in previously reported data appear in the Data Corrections section.

Data not previously reported for dates prior to this report period are presented in the Supplemental Data Sections for meteorology, air quality, hydrology and lab analyses.

### UNITABILITATIVE

Regular environmental raporting for Oll Shala Tract C-b during the attention monttoring period constats of six-month data reports submitted attention to the submitted data and second to the state of the submitted data and second to the submitted data and second to

The interior fluctuating fragram was initiated in March 1962. The data reperted here fulfill the evolutionate maniforing requirements specified for the period for the first interior maniforing period by the GROO. Sets are respected for the period of data are respected for the period of data 1963 to Howardon 1963. Outs something the first report are convect to the best of our femalistic for the best of our femalisms. Any other in the period form of the section.


Data not previously reported for dates prior to this report provided are preparted in the Supplemental bate sections for networding, air quality, hydrology and the supplemental presentations.



### TABLE OF CONTENTS

### AIR QUALITY AND METEOROLOGY

		PAGE NO
1.3	Air Quality and Meteorology	II-1
1.3.1	Ambient Air Quality	11-5
1.3.2	Meteorology 1.3.2.1 Climatological Records 1.3.2.2 Precipitation Data 1.3.2.3 Wind Fields	II-23 II-25 II-33 II-41
1.3.3	Visibility	II-67
1.3.4	Atmospheric Diffusion Studies	II-173
1.3.4	Inversion Studies	II-175
1.3.6	Air Quality Assurance	II-177
1.3.7	Data Reports June July August September October November	II-183 II-185 II-229 II-273 II-317 II-361 II-405
1.3.8	Data Corrections	11-449
1.3.9	Supplemental Data Report	II-453
1.4	Noise	11-475



### 1.3 Air Quality and Meteorology

The Air Quality Monitoring Program has been developed to measure background levels of atmospheric gaseous and particulate constituents and meteorological processes which affect transport and diffusion.

The air quality monitoring network during the Interim Monitoring Period (shown on Figure 1.3-1) includes the following:

-One air quality trailer at Station AB23 that has been in continuous operation since September, 1974 (prior to the 2 year Baseline Program).

-One 60-meter meteorological tower located at Station AA23 (adjacent to air quality trailer AB23), also operational since September, 1974. Meteorological parameters are monitored at the 10-meter, 30-meter, and 60-meter levels.

-Weighing-bucket rain gauge at Station AB23.

-Weighing-bucket rain gauge at Station AD28 (leachate pile).

Parameters measured at these stations are listed in Table 1.3-1. Missing data codes for air quality and meteorology are listed in Table 1.3-2. These codes are used on the diurnal tables to explain reasons for instrument down time.

Six monthly data reports (June - November 1983) are included in this document. These contain all the basic data used for the summaries and analyses reported in the following sections.

All monitoring stations are referenced by their four-digit computer codes. A cross-reference of the computer code and station I.D. appear in Section 3.0 (Data Automation).



FIGURE 1.3-1

Ambient Air Quality
Interim Monitoring Network

TABLE 1.3-1
AIR QUALITY AND METEOROLOGICAL MEASUREMENTS

Station A	A23	Sampling	Frequency	Mini Reporting	
Tower:	(@ 10m, 30m, 60m) Wind Speed Wind Direction Temperature Delta Temp (60-10m)	5 5 5 5 5	sec sec sec sec	1 Hr 1 Hr 1 Hr	Avg Avg Avg Avg
Station A	B23				
Trailer:	NO NOx NO2 03 SO2 HyS CO Barometric Pressure Solar Radiation Relative Humidity Particul ates Precipitation	5 NO 5 5 5 5 5 5 5 24	sec sec x-NO sec	1 Hi 1 Hi 1 Hi 1 Hi 1 Hi 1 Hi 1 Hi 24 Hi	· Avg · Avg · Avg · Avq
Station A	ND28				
	Precipitation	Co	ntinuous	1 Hr	Total

### TABLE 1.3-2 AIR QUALITY AND METEOROLOGICAL MISSING DATA CODES

Code	Description
CA	Calibration (calibration, system check)
CM	Calm (no wind direction when wind speed = 0
IM	Instrument Malfunction (instrument failures)
IN	Interference (CO <sub>2</sub> interference on sulfur data, SO interference in oxidant readings)
F0	Flame Out (on the GC - THC, HC, CH4, CO)
LI	Local Interference (car nearby)
MT	Maintenance (changing paper, tape, charcoal)
NV	Not Visible (values were not within range of instrument, i.e., inversion heights may exist beyond the full scale of the Acoustic Radar)
0E	Operator Error (Field tech leaves switch in wrong position)
OR	Out for Repair (instrument removed from site with no replacement)
0S	Off Scale
PF	Power Failure (generator failure)
RF	Recording System Failure (chart jams, runs out, clock stop)
SE	Special Experiment
SR	System Removed
TR	Trace of Precipitation
TS	Temporary Monitoring Shutdown due to Operations Conflict
UN	Unlimited Ceiling (reported by NWS Stations)
	Blank (causes a space to be printed as in the beginning of a new month before a component starts)
VA	Variable Wind Direction
WR	Weather Related Malfunction (instrument freezes, temperature readings below instrumental detection)



### 1.3.1 Ambient Air Quality

The monitoring program for air quality was carried out in accordance with the provisions of the Interim Monitoring Plan approved by the Oil Shale Project Office (OSPO). During this reporting period ambient air station AB23 monitored gaseous constituents and particulate concentrations.

Station AB23 data are presented for June - November, 1983. Station AB26 was monitored through July 27, 1982. Data from this station are to be reported on an "as can" basis, and no data have been reported after March 1982. No data are reported in this document.

Following is a list of tables and figures for this section:

Table/Figure No.	Description	Page No.
Table 1.3.1-1 Table 1.3.1-2 Table 1.3.1-3	Quarterly Summary, April - June, 1983 Quarterly Summary, July - September, 1983 Monthly Arithmetic Ambient Gaseous and Particulate Concentrations	II-6 II-7 II-8
Table 1.3.1-4 Table 1.3.1-5 Table 1.3.1-6 Table 1.3.1-7 Table 1.3.1-8 Table 1.3.1-9 Table 1.3.1-10 Table 1.3.1-11	Maximum Concentrations:  NO <sub>X</sub> , 1-hour  NO <sub>3</sub> , 1-hour  NO <sub>3</sub> , 1-hour  O <sub>3</sub> , 1-hour  CO, 1-hour and 8-hour  SO <sub>2</sub> , 1-hour, 3-hour, and 24-hour  H <sub>2</sub> S, 1-hour  Particulate, 24-hour	II-9 II-10 II-11 II-12 II-13 II-14 II-15 II-16
Figure 1.3.1-1 Figure 1.3.1-2 Figure 1.3.1-3 Figure 1.3.1-4	Quarterly Particulate Concentration Rose December, 1982 - February, 1983 March - May, 1983 June - August, 1983 September - November, 1983	II-17 II-18 II-19 II-20
Figure 1.3.1-5	Annual Particulate Concentration Rose December, 1982 - November, 1983	II-21

### TABLE 1.3.1-1

# QUARTERLY SUMMARY (APRIL - JUNE 1983) $(\mu g/m^3)$

					STATIC	STATION AB23							
Parameter	Average*	Val	Maximum 24-hour lue Date T	ur Time	Maxi Value	Maximum 8-hour Value Date Time	Time	Maximum 3-hour Value Date Time	mum 3- Date	Time	Maxi Value	Maximum 1-hour ue Date T	r
H2S	1.8										14	14 06/09/83 1400	1400
202	1.8	6.3	5.9 06/13/83 2200	2200				9.6	04/23/8	9.6 04/23/83 1000	10	(1)	
Particulate	14.0	27.9	05/26/83 0100	0100									
03	78.9										135.4	135.4 06/02/83 1600	1600
NOx	0.3										21	04/22/83	0060
ON	9.0										11	04/22/83	0060
N02	0.2										9	04/06/83	2000
00	52.8				80 (2)	(2)					100 (3)	3)	

Maximum 8-hour concentration occurred >5 times; see June sliding average table for times of occurrences. (2)

(1) Maximum 1-hour SO<sub>2</sub> concentration occurred three times: 04/23/83 @ 1000 and 1200; 04/24/83 @ 1600.

(3) Maximum 1-hour CO concentration occurred two times: 05/04/83 @ 0800 and 05/10/83 @ 0800

\* Arithmetic

II-

## QUARTERLY SUMMARY (JULY - SEPTEMBER 1983) TABLE 1.3.1-2

STATION AB23 (mg/m3)

		Maximum 24-bour	May 1 min 8 - bour	Way Timire & Bour	www.min
Parameter	Average	Value Date Time	Value Date Time Value Date Time Value Date Time	Value Date Time	Value Date Time
H2S	1.4				8 (1)
502	2.5	10.8 08/15/83 2200		13.1 (2)	16 (3)
Particulate	22.5	46.9 09/19/83			
03	70.7				119.7 08/06/83 1700
×0N	1.2				6 (4)
ON	0.7				2 (5)
N02	9.0				(9) 9
9	41.2		80 07/28/83 0100		140 07/28/83 0800

Maximum 1-hour H<sub>2</sub>S concentration occurred 3 times: 08/30/83 @ 1400, 1700, and 09/30/83 @ 1500.

Maximum 3-hour SO<sub>2</sub> concentration occurred 3 times: 08/14/83 @ 0600, 08/16/83 @ 0200, 09/26/83 @ 2400.

Maximum 1-hour SO2 concentration occurred 3 times: 07/28/83 @ 1600, 08/17/83 @ 1300 and 09/27/83 @ 0100.

Maximum 1-hour NO<sub>x</sub> concentration occurred 5 times: 08/17/83 @ 0900, 08/18/83 @ 1100, 08/19/83 @ 0100, 0200 and 2300.

Maximum 1-hour NO concentration occurred >5 times; refer to monthly diurnal tables for times of occurrence.

Maximum 1-hour NO2 concentration occurred 5 times: 08/17/83 @ 0900, 08/18/83 @ 1100, 08/19/83 @ 0100, 0200, and 2300. (9)

II-

NTRATIONS TABLE 1.3.1-3 AMBIENT AHITHMETIC GASEOU STA

CONCE
PARTICULATE AB23
AB23
US AND ATION A

			CON	CONSTITUENT (UG/M3)	CUG/M	3)		
	ON	XON	NOS	03	00	502	HZS	IPARTICI
. HJNOW								
ושטר	o. c		1.9	4.09	32.7	2.6		1.8
FEB	0.1	1.3	1.1	11.9	36.0	2.1	1.3	2.2
Mak	0.0		0.6		50.5	2.1	0.8	
nde	0.0				50.01	2.4	1.5	
~44	0.5				49.1	1.6	1.5	
Z = ,	0.0				59.2	1.3	2.5	
JUL	0.6				47.R	6.5		
416	0.7				4.14	2		
SEP	0.7	1.5	8.0		7	4.1	1.4	
OCT	0.6				19.91	3.9		
NON	0.0				33.2	0.3		
I YEARI Y AVERAGE	-				43.1	0		

TABLE 1.3.1-3
MAXIMUM CONCENTRATIONS OF NOx. 1983
Station AB23

Dec.							
Nov.			6	Ξ			
Oct.			13	10/26/83	1000	327	1
Sept.			9	9/03/83	1000		-
Aug.	-		9	3			
July			4	(2)		170	2
June			4	6/25/83	1800	155	4
May			9	5/02/83	0080	CALM	CALM
Apr.			12	4/22/83	0060	106	-
Mar.			9	3		95	1
Feb.			80	2/03/83	1900	592	-
Jan.			11	1/21/83	1200	325	-
Item		1-Hour Maximum	Value (µg/m³)	Date	Time (MST)	Wind Direction(DEG)	Wind Speed (MPS)

<sup>(1)</sup> Maximum concentration occurred >5 times: refer to monthly diurnal table. (2) Maximum concentration occurred 2 times: 7/21/83 @ 2200 and 7/31/83 @ 0700.

TABLE 1.3.1-4
NAXIMUM CONCENTRATIONS OF NO, 1983

Station AB23

Item	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1-Hour Maximum												
Value (µg/m³)	4	*	4	=	*	*	*	*	*	4	*	
Date	Ξ		3/07/83	4/22/83						10/13/83		
Time			2400	0060						0000		
Wind Direction(DEG)	319		171	106						107		
Wind Speed (MPS)	1		0	-						2		

<sup>\*</sup> Monthly maximum concentration was <25% higher than average daily peaks for the month, and is therefore not reported on this table. Monthly diurnal tables report 1-hour peaks.

<sup>(1)</sup> Maximum concentration occurred 3 times: 1/20/83 @ 1200; 1/21/83 @ 1100 and 1200.

TABLE 1.3.1-5
MAXIMUM CONCENTRATIONS OF NO2, 1983

Station AB23

Item	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1-Hour Maximum												
Value (µg/m³)	6	80	9	9	4	*	*	9	*	6	00	
Date	1/01/83	2/03/83	ε	4/06/83	(2)			(3)		10/26/83	(3)	
Time	1300	1900		2000						1000		
Wind Direction(DEG)	320	566	72	. 19	CALM					327		
Wind Speed (MPS)	1	-	-	-	CALM					-		

<sup>\*</sup> Monthly maximum concentration was <25% higher than average daily peaks for the month, and is therefore not reported on this table. Monthly diurnal tables report 1-hour peaks.

Maximum concentration occurred 2 times: 5/02/83 @ 0800; 5/08/83 @ 0900.

(2)

Maximum concentration occurred 3 times: 3/09/83 @ 1700; 3/10/83 @ 1000; and 3/11/83 @ 0100.

<sup>(3)</sup> Maximum concentration occurred >5 times: refer to monthly diurnal table.

TABLE 1.3.1-6
MAXIMUM CONCENTRATIONS OF 03, 1983
Station AB23

Item	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1-Hour Maximum												
Value (µg/m³)	122	*	120	108	911	135	118	120	116	*	*	
Date	1/19/83		3/29/83	Ê	5/11/83	6/02/83	7/11/83	8/06/83	09/03/83			
Time (MST)	1600		1600		1100	1600	1700	1700	1400			
Wind Direction(DEG)	201		315	161	525	132	339	6	221			
Wind Speed (MPS)	4		-	7	7	1	2	e	S.			

Monthly maximum concentration was <25% higher than average daily peaks for the month and is therefore not reported on this table. Monthly diurnal tables report 1-hour peaks.

(1) Maximum concentration occurred 3 times: 4/18/63 @ 1100, 1200 and 1600.

MAXIMUM CONCENTRATIONS OF CO, 1983 TABLE 1.3.1-7 Station AB23

	Dec.		
	Nov.	60 (1)	(1)
	Oct.	*	*
	Sept.	*	*
	Aug.	80 8/01/83 0700 140	70 8/01/83 0100 129
	July	140 7/28/83 0800 CALM 0	80 7/28/83 0100 99 2
	June	*	* '
	May	100 (2)	* .
	Apr.	*	*
	Mar.	90 3/16/83 1000 CALM CALM	70 3/31/83 1500 346
	Feb.	70 2/17/83 0900 82 1	*
	Jan.	2100	100 (1)
,	Item	1-Hour Maximum Value (ug/m³) Date Time (MST) Wind Direction(DEG)	B-Hour Maximum Value (ug/m³) Date Time (MST) Wind Direction(DEG)

<sup>\*</sup> Monthly maximum concentration was 22% higher than average daily peaks for the month, and is therefore not reported on this table. Monthly durnal tables report labour peaks, Monthly silding average tables report 8-hour maximums. (1) Maximum 00 concentration occurred 5s times: refer to monthly durnal table.

(2) Maximum CO concentration occurred 2 times: 5/04/83 @ 0800 and 5/10/83 @ 0800.

MAXIMUM CONCENTRATIONS OF SO2, 1983 TABLE 1.3.1-8 Station AB23

Dec.			
Nov.	5 11/03/83 1400 244 3	*	*
Oct.	16 (10)	14 10/12/83 0900 320	9.9 10/11/83 1900 66
Sept.	16 9/27/83 0100 185 5	13.1 9/26/83 2400 203 4	10.5 9/26/83 0700 145
Aug.	16 8/17/83 1300 279 1	13.1	10.8 8/15/83 2200 150
ylut	16 7/28/83 0800 CALM 0	8.7	6.5 7/26/83 0200 138 1
June	8 (7) 1	6.1 6/14/83 1600 311	4.7 6/28/83 1400 290 6
May	8 (6) 20 1	7.9 5/24/83 1800 295 4	5.5 5/23/83 0800 CALM CALM
Apr.	10.0 (4)	9.6 4/23/83 1000 222 22 2	5.9 (5) 205
Mar.	10.0 (1) 332 5	10.5 (3) CALM	9.1 3/16/83 1000 CALM CALM
Feb.	10.0 (2) 327 1	9.6 2/04/83 1000 337	2/03/83 1600 335
Jan.	10.0 (1)	9.6 1/05/83 1200 196 5	1,06/83 1200 218 4
Item	1-Hour Maximum Value (wg/m³) Date Time (MST) Wind Direction(DEG)	3-Hour Maximum Value (µg/m³) Date Time (MST) Wind Direction(DEG) Wind Speed (MPS)	24-Hour Maximum Value (ug/m³) Date Time (MST) Wind Direction(DEG)

Monthly maximum concentration was <25% higher than average daily peaks for the month, and is therefore not reported on this table. Monthly sliding tables report 3-hour and 24-hour peaks. average

2/4/83 @ 1000, 1200 and 1500. refer to monthly table. concentration occurred 5 times: 1-hour concentration occurred 3 times: Maximum 1-hour Maximum 5265666666

3/16/83 @ 1000 and 1300. 4/23/83 @ 1000, 1200 and 4/24/83 @ 1600. 4/22/83 @ 2100 and 4/24/83 @ 0600. 3-hour concentration occurred 2 times: 1-hour concentration occurred 3 times: 3-hour Max imum Maximum

6/28/83 @ 1900 and 6/29/83 @ 0300. refer to monthly table. 24-hour concentration occurred 2 times: 1-hour concentration occurred 8 times: Maximum Maximum

concentration occurred 2 times: times: concentration occurred 2 times: concentration occurred 3 1-hour 3-hour 3-hour Maximum Maximum Maximum

concentration occurred 2 times: 3-hour Maximum

7/27/83 @ 1100; 7/28/83 @ 0600, and 7/29/83 @ 1400. 8/14/83 @ 0600 and 8/16/83 @ 0200. 10/12/83 @ 0900 and 1300.

MAXIMUM CONCENTRATIONS OF H2S, 1983 Station AB23 TABLE 1.3.1-9

Item	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1-Hour Maximum												
Value (µg/m³)	80	10	. 7	9	80	00	9	80	80	01	4	
Date	1/51/83	2/22/83	3/31/83	*	ε	(2)	*	(3)	9/30/83	(4)	11/14/83	
Time (MST)	0001	1600	1400						1500		1300	
Wind Direction(DEG)	80	323	345	344	CALM				208		320	
Wind Speed (MPS)	0	-	4	2	CALM				2		es	

\* Maximum concentration occurred 55 times: prefer to monthly diurnal table. (1) Maximum concentration occurred 5 times: \$7,23(83 0 500.6 \$7,4818 0 1200. (2) Maximum concentration occurred 55 times: prefer to monthly diurnal table. (3) Maximum concentration occurred 5 times: profess 9 1700 and 1900. (4) Maximum concentration occurred 2 times: \$40,5818 9 1700 and 1900.

TABLE 1.3.1-10
Z4-HOUR MAXIMUM CONCENTRATIONS OF PARTICULATES, 1983
SEATION AB23

	Jan.	Feb.	Mar.	Apr.	May	June	July	July Aug.	Sept.	Oct.	Nov.	Dec.
24-Hour Maximum												
Value (µg/m³)	2.8	5.3	18.6	19.6	6.72	27.2	34.3	27.8	46.9	18.3	18.5	
	1/10/82	2/03/83	3/03/83	4/24/83	5/26/83	6/23/83	7/05/83	8/10/83	9/19/83	10/29/83	11/02/83	

NORTH



FIGURE 1.3.1-1

AB23 PARTICULATE CONCENTRATION MAR 183 - MAY 183 107AL # 0F DALMS DISTRIBUTED 10-104E



FIGURE 1.3.1-2

FIGURE 1.3.1-3

AB23 PARTICULATE CONCENTRATION SEP '83 - NOV '83 TOTAL X OF CALMS DISTRIBUTED 10.30%\*\*
TOTAL NO. OF DAILY SAMPLES - 22






FIGURE 1.3.1-4

AB23 PARTICULATE CONCENTRATION DEC '82 - NOV'83

TOTAL X OF CALMS DWRIBUTED (0.00X-TOTAL NO. OF DALLY JAMPLES 82

5.57 1.07 1.53 2.03 2.53 3.02



FIGURE 1.3.1-5



## 1.3.2 Meteorology

During this reporting period meteorological parameters were monitored at Station AA23. Station AA23 is a 60-meter meteorological tower, colocated by air quality trailer AB23. Data are collected at the 10-meter, 30-meter, and 60-meter levels.

Monitoring at Station AB26 was discontinued on July 27, 1982. This station is required to be reported on an "as can" basis, and no data have been reported after March 1982. No data from Station AB26 are reported in this document.



## 1.3.2.1 Climatological Records

This section presents low altitude climatological data for temperature, relative humidity, and direct solar radiation. The Colorado climatological data for temperature are also presented here. No data for snowfall and snow depth are available at report time.

Table No.	Description	Page No.
Table 1.3.2.1-1	Temperature and Relative Humidity, Station AA23	II-26
Table 1.3.2.1-2	Direct Solar Radiation at Station AB23	II-27
Table 1.3.2.1-3 Table 1.3.2.1-4 Table 1.3.2.1-5 Table 1.3.2.1-6	Colorado Climatological Data Minimum Temperature, Station WR01 Maximum Temperature, Station WR02 Minimum Temperature, Station WR02 Maximum Temperature, Station WR02	II-28 II-29 II-30 II-31
in this section.	Figure 1.3.2.1-1 shows monitoring station	s presented

SAS

TEMPERATURE AND RELATIVE HUMIDITY SUMBARY - 10 METEM LEVEL 1747-1943 1947-1943 TABLE 1.3.2.1-1

TEMPERATURE (ULGREES C) RELATIVE HUMIDITY (%)

	A MIMINIA	f man the order	AVERAGE	MIMIM	THE RESERVE OF THE RE	VERRESE
MONTH	) 					
DEC 1982	4.6	-20.0	-4.3	100.01	0.0	52.5
JAN 1983	13,3	-16.1	-1.8	98.0	2.0	38.7
FEB	14.4	-15.0	7.1-	100.01	24.0	65.4
MAR	17.8	-11.7	2		54.0	6.99
APK	16.3	-14.4	7		18.0	54.6
MAY	22.8	-3.3	7.9		12.0	52.0
NITO	27.8	9.0	14.0	0.001	20.01	51.7
JUL	31.1	4.4	19.2	10.01		47.1
AUG	32.8	4.	20.2	10.70		52.0
SEP	30.6	-6.7	15.9	100.0	10.01	46.0
ocr	21.1	4.4-	4.8	100.0	, o . o .	53.6
NON	20.01	-16.7	0.6	100.01	18.0	03.1

al/Day of Month	Monthly Lowest	100/9	133/28	131/14	286/1	290/13	247/16	105/12	280/27	283/14	133/30	51/24	44/8
Daily Tot The	Monthly Highest	259/4	269/20	398/24	386/2	628/17	675/7	730/21	737/4	644/6	2/099	407/4	291/4
	Uptime Day- light Hr/Mo.*	81	211	308	24	273	339	442	440	434	390	372	300
	Daylight Hours/ Month	310	310	308	372	390	434	450	465	434	390	372	300
	Average Day- light Hr/Day	10	10	-11	1	12	14	15	15	14	13	12	10
Total	Langleys For Month	1503	4271	7190	701	10750	11562	15736	16918	15175	12641	8537	5005
	Month/ Year	12/82	1/83	2/83	3/83	4/83	5/83	6/83	7/83	8/83	9/83	10/83	11/83

\* Channel "uptime" is given for reference only.

WROL MINIMUM TEMPERATURE (Deg. F) VEAR: 1983

STATIC	N:	WR01		MINIMU	M TEMP	ERATUR	E (Deg	. F)		YEAR	198	33
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
1	-16	12	28		28	34	38	51	39			
2	-17	1	25		29	32	39	49	43			
3	-17	-1	20		26	31	47	51	44			
4	-6	-2	22		24	32	32	51	48			
5	9	14	28		28	33	33	50	37			
6	20	-	25		30	27	44	49	37			
7	20	7	17		24	31	53	53	33			
8	12	15	20		28	30	51	53	37			
9	10	19	18		34	35	53	53	43			
10	4	12	19		20	40	49	53	42			
- 11	5	-	23		30	40	36	56	33			
12	1	0	27		24	41	35	54	31			
13	-1	17	20		19	30	42	50	31			
14	2	25	30		20	26	55	48	32			
15	-	14	23	T A	28	. 33	47	49	34			
16	1	22	13	D A	32	36	36	48	29			
17	13	12	21		28	34	39	49	36			
18	19	18	22	z	23	36	45	49	37			
19	11	25	6		27	38	55	49	55			
20	5	10	7		22	34	55	48	15			
21	9	-	9		26	34	47	44	13			
22	14	0	18		28	38	49	40	16			
23	14	10	24		30	40	55	37	26			
24	6	12	12		30	51	44	37	39			
25	22	16	22		32	49	46	42	31			
26	10.	21	10		32	44	53	43	30			
27	14	20	14		36	52	52	38	41			
28	17	29	.15		35	49	49	43	28			
29	9		15		33	40	46	45	39			
30	12		20		42	39	47	46	41			
31	7	/	24		28		53	40				
AVG	7.0	13.1	19.3		28.3	37.0	46.0	47.4	34.7			

11-28

COLORADO CLIMATOLOGICAL DATA TABLE 1.3.2.1-4
MAXIMIM TEMPERATURE (Deg. F) 1983


STATIC	N: _ W	R01		MAXI	MUM TE	MPERAT	TURE (	eg. F)		YEAR	<b>1</b> 9	83
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
1	21	27	43	47	50	57	77	89	87			
2	23	25	49	38	44	69	76	82	87			
3	28	28	54	49	49	65	77	80	86			
4	28	28	47	36	60	66	72	83	87			
5	39	31	43	33	57	69	75	84	72			
6	44	-	40	34	64	60	85	86	78			
7	49	32	44	39	49	65	93	88	81			
8	37	44	43	38	60	67	84	88	86			
9	47	39	42	41	71	74	79	89	77			
10	36	42	47	50	68	75	80	90	87			
11	40	_	58	55	74	73	75	91	81			
12	45	-	64	51	58	82	74	84	80			
13	40	51	54	40	56	46	81	78	79.			
14	45	51	60	38	50	54	87	82	81			
15	-	35	39	42	48	65	93	85	84			
16	. 40	42	34	48	52	72	90	86	78			
17	38	44	38	53	46	79	86	86	82			
18	41	41	40	61	45	77	86	86	83			
19	35	52	32	56	51	82	91	86	78			
20	35	37	32	58	52	84	84	82	82			
21	37	-	30	59	55	81	91	78	53			
22	40	41	40	48	70	84	84	82	68			
23	35	45	41	52	62	83	81	85	74			
24	35	50	42	66	70	84	71	85	68			
25	37	52	41	68	74	72	81	84	70			
26	36	45	35	-61	76	72	83	82	74			
27	39	28	36	55	76	67	77	84	77			
28	46	45	41	56	77	69	72	86	76			
29	37		35	51	86	77	81	82	72			
30	41		42	51	76	76	86	76	72			
31	36		58	/2	66	71 5	89	84	70.0			
Avg.	37.7	39.8	43.4	49.1	61.0	71.5	82.0	84.3	78.0			

STATIO	)N:	IRO2		MINI	MUM TE	MPERAT	URE (D	eg.F)		YEAR	R:19	33
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
1	-5	15	32	25	32	38	43	54	48			
2	-4	5	31	20	32	40	49	54	53			
3	-1	0	25	21	33	37	52	54	49			
4	9	1	25	16	32	38	39	56	52	1		1 1
5	28	18	32	13	37	40	40	55	44			
6	25	3	30	8	34	35	53	53	40			
7	32	10	19	12	29	36	55	56	43		1	
8	19	15	29	18	30	36	55	58	57			
9	20	27	23	27	39	38	56	56	49			
10	5	15	26	21	27	42	53	55	50			
11	11	6	29	29	41	42	56	57	40			
12	11	8	31	30	33	39	42	57	40			
13	8	16	27	22	27	37	47	53	41			
14	10	31	32	12	27	32	47	54	49			
15	10	12	27	16	27	36	45	57	42			
16	12	24	17	20	33	44	45	52	39			
17	22	11	25	20	31	42	48	56	44			
18	24	20	26	24	26	45	53	57	42			
19	13	29	17	34	34	47	57	53	52			
20	11	19	16	33	28	43	55	52	23			
21	15	5	18	37	32	46	50	50	22			
22	21	9	20	30	34	43	53	47	27			
23	15	_11_	31	23	34	50	. 54	47	39			
24	6	15	16	32	38	51	49	45	50			
25	26	25	25	33	39	52	51	50	38			
26	7	25	21	28	40	45	56	48	38			
27	17	30	16	37	42	55	53	47	46			
28	19	32	31	37	43	48	50	49	38			
29	10		21	34	40	43	52	51	44			
30	21		25	36	45	47	53	51	44			
AVG.	13.7	15.6	30 24.9	24.9	35	42.2	55 50.5	47 52.6	42.8			
AVG.	. 0. /	. 5.0		_ , , ,								

COLORADO CLIMATOLOGICAL DATA

TABLE 1.3.2.1-6

STATIO	N:	WRO2		MAXIM	JM TEMP	ERATUR	E (Deg	. F)		YEAR	198	3
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
I	29	28	52	42	48	63	80	80	87			
2	31	27	55	44	50	72	80	81	87			
3	32	32	54	41	54	_70	75	82	86			
4	43	31	47	38	54	71	78	83	81			
5	45	34	42	37	62	65	89	86	79			
6	50	35	44	37	61	66	91	90	85			
7	49	38	45	40	61	72	87	90	85			
8	43	40	47	41	71	72	83	90	87			
9	43	43	45	52	65	70	80	90	83			
10	38	43	60	56	70	73	79	92	80			
-11	45	38	61	50	68	78	78	90	82			
12	45	47	59	45	55	70	85	80	80			
13	49	49	58	43	55	58	85	83	83			
14	41	45	53	42	56	67	89	83	81			
15	50	42	38	47	55	75	86	86	80			
16	42	48	42	52	53	78	85	87	81			
17	46	48	42	59	47	80	87	85	83			
18	43	53	39	62	51	84	90	86	82			
19	34	49	37	56	53	82	87	83	76			
20	43	42	33	62	56	82	84	82	67			
21	39	42	43	62	65	83	87	84	69			
22	41	45	47	57	65	84	83	87	75			
23	35	45	43	64	72	84	77	83	72			
24	38	51	47	69	78	78	82	82	71			
25	34	49	37	63	77	76	84	83	77			
26	39 .	40	40	57	79	68	72	85	76			
27	50	44	42	54	82	67	76	88	73			
28	39	46	39	54	82	77	82	87	74			
29	42		46	53	80	77	88	76	75			
30	40		52	51	76	79	88	82	68			
31	40 41.2	41.9	57 46.6	51.0	65	74.0	82 83.2	84.9	78.8			
AVG.		41 4	76 6	b 1 ()								



CLIMATOLOGICAL NETWORK OFF-TRACT



## 1.3.2.2 Precipitation

Precipitation was monitored at Stations AB23 and AD28 (leachate pile) during this reporting period.

USGS precipitation data are reported for Stations WR01, WR02, WR05, WR06 and WR07. Data for other stations are not available at report time.

section:

Following is a list of tables included in this

Table No.	Description	Page No.
	Summary of Precipitation	
1.3.2.2-1	Station AB23	11-34
1.3.2.2-2	Station AD28	11-35
1.3.2.2-3	Station WRO1, Little Hills	II-36
1.3.2.2-4	Station WRO2, Meeker 2	II-37
1.3.2.2-5	Station WRO5, JQS	11-38
1.3.2.2-6	Station WRO6, EFP	11-39
1.3.2.2-7	Station WRO7, EMFP	11-40

Figure 1.3.2.1-1 shows locations of monitoring stations presented in this section.

SUMMARY OF PRECIPITATION: STATION AB23 (Measured with Weighing Rain Gauge) TABLE 1.3.2.2-1

					(198	(1982-1983)	By Month					
Item	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.
1-Hour Maximum (cm)	.25	-05	(IM)	(MI)	(IM)	*04	07.	.51	.50	.30	.38	.03
Date	12/9/82	1/11/83				Ξ	6/27/83	7/26/83	8/05/83	9/13/83	10/02/83	11/08/83
Time	2100	2000					1300	1900	0060	0080	0060	1500
24-Hour Maximum(cm)	.53	11.					1.40	1.20	62.	69*	76*	.14
Date	12/23/82	1/11/83					6/27/83	7/23/83	8/18/83	9/13/83	10/03/83	11/08/83
Total (cm)	2.49	*17.				(2)	4.82	3.37	2.04	-96	3.15	.37

Instrument malfunction.
Data missing for month; this total may be incomplete.
1-hour maximum occurred 2 times: 5/24/83 @ 0900, 1000.
Data <255 for month.

SUMMARY OF PRECIPITATION: STATION AD28 TABLE 1.3.2.2-2

(Measured with Weighing Rain Gauge)

					(198	(1982-1983)	By Month					
Item	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.
1-Hour Maximum (cm)	.23	01.	.23	•00	.03	.46	69°	1.70	.43	.13	п.	.38
Date	ε	1/7/83	2/19/83	3/4/83	(3)	5/21/83	6/25/83	7/22/83	8/14/83	(4)	10/13/83	11/08/83
Time		1300	0020	2100		2100	1800	1700	1300		2300	0500
24-Hour Maximum(cm)	.58	.33	1.37	80°	•00	1.70	1.98	2.03	.43	.28	1.40	1.78
Date	12/23/82	1/25/83	2/19/83	3/4/83	4/18/83	5/17/83	6/26/83	7/22/83	8/14/83	9/4/83	10/02/83	11/08/83
Total (cm)	1.79(2)	98.	3.02	11.	80.	97.9	7.47	4.27	2.48	1.03	3.68	4.11

5355

Maximum 1-Hour value occurred 2 times: 12/9/82 @ 2100, and 12/23/82 @ 2000.
Total represents 86 of month. Instrument was not functioning for 14% of the total hours in month.
Total represents 94% of month. Instrument was not functioning for 6% of the total hours in the month.
Maximum 1-hour value occurred 2 times: 9/9/83 @ 2300, and 9/4/83 @ 0500.

STATIO	N: WR	201		PRECI	PITATI	ON (Inc	ches)			YEAR	R: <u>198</u>	3
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
1			,	.25	.41							
2				Т		.04		.03	.15			
3				.32		.06	.04					
4									.47			
5			.32			.05		Т				
6			.03									
7		Т			.11	.03	.08					
8		T	.17				.02		Т			
9		.12		.31		.03						
10		.02					.09					
П		.03						.22				
12			.02	.34		.41		.41				
13						.42		.14				
14		.10	.11									
15			.31					.24	Т			
16			.03		.21							
17	Т	Т	.01		1.01			.08				
18	.03		.11		.06			.16				
19		.31	.04	.05	.23			.07	.02			
20		.12	.03		.06			.10	.02			
21				.05			.10					
22	.03			.06	.16		.07					
23	.01		.10	.01			.88					
24			.04			.10	.16		.07			
25	.13		.12			.18						
26	Τ.	.11	.14		-	.59	.16					
27		.01				.53	.22					
28	Т	.22	.03	.05		.04	.03	.02				
29			.04	.11		1.		.03	Т			
30	Т			.34				.02				
31			1 65	1 00	1 00	2.40	1 05	1 52	.73			
TOTAL	1.13	1.04	1.65	1.89	1.08	2.48	1.85	1.52	./3			

STATIO	on:	WRO2		PRECIF	ITATI	ON (Inc	hes)				₹:	
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ост	NOV	DEC
1			,	.02	.29	.45		.03				
2					.32				Т			
3				.27	.03							
4					.14			Т	.42			
5		.15	.27									
6			T		.11							
7		T	.02									
8		.13	.04	.03		Т						
9	.02	.07				.03						
10		.01				Т		.07				
11								Т				
12				.03		.55		.35				
13						.02		.33				
14		.11	.20				.01					
15			.15						Т			
16					.38							
17	.02				.35							
18	.08		.06					.29				
. 19		.50		.09	.27				.01			
20							Т	.15				
21				.09			.52					
22	.04			Т			.50					
23							.52		.01			
24			.03			.02	·					
25	.13		.22				.08					
26	•	.05	.03	-		.34	.16					
27						.26	.10		Т			
28	.02	.14	.03	.12								
29				.17		.02		.08				
30				.32					.09			
3I TOTAL	21	1.16	1.27	1.14	1 80	1.69	1.89	1.30	.53			
TOTAL	.31	1.16	1.27	1.14	1.09	1.09	1.89	1.30	. 55			

INDLE

1.3.2.2-4

STATI	ON:	JQS		Pre	cipita	tion (	Inches	)		YEAR	: 198	3
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	NOV	DEC
1			.06	.06	.80	.05				.03		
2					.31			.03		.33		
3				.50	.08			1.12	.40	.12		
4		.03	.25	.01	.06			.02	-10			
5		.30	.28					.02				
6		.07	.07		.18	.16						
7	.11	.09										
8	.02	.22	.02	.05		.57	.09		.18			
9	.07	.05		.19		.03	.02	.05				
10					.04	.10						
11				.10	.03	.05		.10				
12			.06	.35		.56		.41				
13			.01			.30		.05				
14			.38		.22				.05			
15	,		.12		.47							
16		.07			1.25							
17			.31		.37			.45				
18	.08	1.03	.25		.37							
19	.01		.01	.03	.02			.44				
20	.01		.02				.75	.04				
21	.02			.20	.10							
22	.10		.02	.03								1
23	.09		.36			.03			.14			
24	.03		.37		.03	.05						
25	.15	.14	.54			.34	.60					
26	.01	.11				.36			.11			
27	.02	.05		.15		.16	.04					
28	.05	.45	.24	.42	-	.43	.02					
29	.02			.18	.05	.02			.03			
30	.08			.92					.48			
31			28				1	0.70	1 40			
TOTAL	.87	2.61	3.65	3.19	4.38	3.21	1.52	2.73	1.49			

- --

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY TABLE 1.3.2.2-

STAT	ION:					ation	Inches		.0(11.0/1)		: 198	
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	HOV	DEC
1		.01	.07	.09	.42	.05						
2			.01	.29	.22		.75	.04		.10		
3				.12	.06			.21	.35	.12		
4		.12	.23		.01			.05		.01		
5		.21	.15									
6		.02					-	.03				
7	.12	.15	.05									
8	.02	.20	.01	.19								
9	.01	.15		.01								
10		.05										
11		.01	.02	.14		.01						
12		.01	.01	.58		.54						
13			.05			.05						
14		.03										
15			.16		.15							
16		.05	.02		1.40							
17	.01		. 35		.16			.08				
18	.12	.30	.25	.03	.35			.01				
19		.51	.02	.14	.01			.39				
20				.21								
21	.01			.02	.10							
22	.10		.05				.04					
23	.05		.27			.10	.28					
24	.15		.42			.08		.02				
25	.08	.22	.41			.50	.44	.02				
26		.15				.11						
27		.10		.33		.18	.03					
28	.05	.37	.21	.16								
29	.08			.40	.07			.08				
30				.80				.00				
31	.80	2.62	.21		2.05							
TOTAL	.00	2.02	3.28	3.51	2.95	1.62	.94	.91	.35			

CTATI								R GLOLO	OGICAL			
STATI	T	EMFP		1			Inches			YEAR		
DAY	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ	1101	DEC
1					.50							
2				.40	.29			.11				
3			.06	.10	.04				.07			
4		.10	.42	.04	.02			1.36	.22			
5		.10	.15	Ì			.05					
6		.03			.13	.13						
7.	.10	.03	.01	.06			.04		.10			
8	.02	.06		.18		.31						
9		.03						.02				
10		.05						.07				
11			.02	.08				.05				
12				.02		.75		.77		J		
13			.06			.06						
14		.02	.32		.04							
15		.01	.06		. 14							
16		.04	.02		.90		.02					
17	.04		.06		.63		.03	.11				
18	.01	.70	.07		.21		.05					
19			.01		.10		1.50					
20				.15			.05					
21	.06			.22	.16							
22	.02			.02			.41					
23			.10			.05			.21			
24	.08	.05	.23			.07	.13					
25		.03	.15			.45						
26		.02				.09						
27		.12	.13	.15		.26			.12			
28			.02	.08		.13						
29	.02			.28								
30			22	.41			.01					
31 TOTAL	.35	1.39	2.22	2.19	3.16	2.30	2.29	2.49	.72			+
.011.6						2.00						



## 1.3.2.3 Wind Fields

This section presents the wind field data collected at the meteorological tower Station AA23. Data consist of wind speed, wind direction, vertical variations in horizontal wind speed and wind direction, and stability class. Wind flow patterns and stability class provide information for diffusion modeling and pollutant transport and concentration.

Following is a list of tables and figures included

in this section:

in this section:		
Table/Figure No.	<u>Description</u> P	age No.
	Meteorological Summary	
Table 1.3.2.3-1 Table 1.3.2.3-2 Table 1.3.2.3-3 Table 1.3.2.3-4	Wind Speed and Direction at Station AA23 (10m) Wind Speed and Direction at Station AA23 (30m) Wind Speed and Direction at Station AA23 (60m) Vector Monthly Averages for Winds, Station AA23 (10m, 30m, 60m)	II-42 II-43 II-44 II-45
Figure 1.3.2.3-1 Figure 1.3.2.3-2 Figure 1.3.2.3-3	Station AA23 (10-meter level), 1983 Station AA23 (30-meter level), 1983 Station AA23 (60-meter level), 1983	II-46 II-47 II-48
	Quarterly Wind Rose Diagrams	
Figure 1.3.2.3-4 Figure 1.3.2.3-5 Figure 1.3.2.3-6	Station AA23 (10m), Dec. 1982 - Feb. 1983 Station AA23 (30m), Dec. 1982 - Feb. 1983 Station AA23 (60m), Dec. 1982 - Feb. 1983	II-49 II-50 II-51
Figure 1.3.2.3-7 Figure 1.3.2.3-8 Figure 1.3.2.3-9	Station AA23 (10m), March - May, 1983 Station AA23 (30m), March - May, 1983 Station AA23 (60m), March - May, 1983	II-52 II-53 II-54
Figure 1.3.2.3-10 Figure 1.3.2.3-11 Figure 1.3.2.3-12	Station AA23 (10m), June - August, 1983 Station AA23 (30m), June - August, 1983 Station AA23 (60m), June - August, 1983	II-55 II-56 II-57
Figure 1.3.2.3-13 Figure 1.3.2.3-14 Figure 1.3.2.3-15	Station AA23 (10m), Sept Nov. 1983 Station AA23 (30m), Sept Nov. 1983 Station AA23 (60m), Sept Nov. 1983	II-58 II-59 II-60
	Annual Wind Rose Diagrams	
Figure 1.3.2.3-16 Figure 1.3.2.3-17 Figure 1.3.2.3-18	Station AA23 (10m), Dec. 1982 - Nov. 1983 Station AA23 (30m), Dec. 1982 - Nov. 1983 Station AA23 (60m), Dec. 1982 - Nov. 1983	II-61 II-62 II-63
	Atmosphere Stability	
Table 1.3.2.3-5	Pasquill-Gifford Average Hourly Atmosphere Stability Class. Ranges of dT/dz (variation of temperature with height) corresponding	II-64 II-
Table 1.3.2.3-6	to each class are defined on the table. Stability Class Frequency Distributions	II-65

TABLE 1.3.2.3-1
METEOROLOGICAL SUMMARY: WIND SPEED & DIRECTION

10 METER LEVEL STATION AA23

	Nov.	10	(4)	e	211
	Oct.	10	192	2	215
	Sept.	6	(3)	3	223
	Aug.	7	(2)	2	180
	July	6	246	3	187
By Month	June	8	(1)	3	216
(1982-1983)	May	11	217	3	529
(198	Apr.	<b>.</b> 00	216	3	529
	Mar.	80	500	2	222
	Feb.	12	7.11	5	509
	Jan.	6	217	2	503
	Dec.	10	216	в	225
	Item	Wind Speed, Hourly Maximum(MPS)	Associated Direction (DEG)	Wind Speed, Hourly Average(MPS)	Wind Direction, Hourly Average(DEG)

(1) Maximum wind speed occurred 5 times - See monthly diurnal table for times of occurrences.

(2) Maximum wind speed occurred 2 times - 8/10/83 @ 2000 and 8/18/83 @ 1800.

(3) Maximum wind speed occurred 3 times - 9/19/83 @ 0900, 1200 and 1700.

(4) Maximum wind speed occurred 3 times - 11/13/83 @ 0500, 0600 and 11/17/83 @ 1200.

METEOROLOGICAL SUMMARY: WIND SPEED & DIRECTION TABLE 1.3.2.3-2

30 METER LEVEL STATION AA23

11 12 15 12 15 11 11 13 11 13 216 257 220 (11) 244 211 (2) 4 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 5 227	2	-	1		1	861)	(1982-1983)	By Month	1	1	4.5	d	1
15 11 12 15 15 15 11 13 13 14 15 11 13 13 14 15 11 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	nec.		Jan.	reD.	Mar.	Apr.	мау	onne	Jun	Aug.	Sept.	oct.	Nov.
3 4 4 3 4 4 3 4 4 3 4 4 3 4 527 528 529 529 529 529 529 529 529 529 529 529	14		8	15	п	12	15	12	15	11	13	13	15
3 4 4 3 4 4 3 4 4 3 4 4 3 4 4 3 4 527 522 529 540 564 515 185 175 527	_												
222 229 240 264 215 185 175 227	219 220	220		183	216	257	220	(1)	244	211	(2)	187	216
222 229 240 264 215 185 175 227	8	8		9	4	4	8	4	4	e	4	8	4
	227 208	508		222	529	240	264	215	185	175	227	223	508

Maximum wind speed occurred twice - 6/1/83 0 1400 and 6/11/83 0 1400.

TABLE 1.3.2.3-3

METEOROLOGICAL SUMMARY: WIND SPEED & DIRECTION

60 METER LEVEL STATION AA23

	Nov.	11	215	4	215
	Oct.	14	186	e	231
	Sept.	14	(2)	4	228
	Aug.	13	210	e	178
	July	14	242	4	190
By Month	June	13	(11)	4	221
(1982-1983)	May	11	220	4	263
(198	Apr.	13	215	4	245
	Mar.	13	217	4	233
	Feb.	17	146	4	232
	Jan.	16	217	ю	216
	Dec.	16	218	4	231
	Item	Wind Speed, Hourly Maximum(MPS) &	Associated Direction (DEG)	Wind Speed, Hourly Average(MPS)	Wind Direction, Hourly Average(DEG)

(1) Maximum wind speed occurred twice - 6/1/83 0 1400 and 6/11/83 0 1400.

(2) Maximum wind speed occurred 3 times - 9/19/83 @ 0800, 0900 and 1400.

TABLE 1.3.2.3-4

METEOROLOGICAL SUMMARY: VECTOR MONTHLY AVERAGES FOR WINDS

10 METER LEVEL STATION AA23

					861)	(1982-1983) By Month	By Month					
Item	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.
Wind Speed (MPS)	1.2	1:1	1.0	1.2	1.4	1.0	1.3	1.6	6.0	1.6	0.8	1.4
Wind Direction (DEG)	213	197	204	222	219	244	211	197	161	223	217	218

METEOROLOGICAL SUMMARY: VECTOR MONTHLY AVERAGES FOR WINDS


30 METER LEVEL STATION AA23


	Nov.	2.0	214	
	Oct.	1.2	214	
	Sept.	2.3	217	
	Aug.	1.2	181	
	ylut	2.2	193	
By Month	June	1.9	202	
(1982-1983) By Month	May	1.5	251	
(198	Apr.	1.9	224	
	Mar.	1.7	116	
	Feb.	1.4	210	
	Jan.	1.6	200	
	Dec.	1.8	211	
	Item	Wind Speed (MPS)	Wind Direction (DEG)	

METEOROLOGICAL SUMMARY: VECTOR MONTHLY AVERAGES FOR WINDS


60 METER LEVEL STATION AA23

	Nov.	2.6	213	
	Oct.	1.4	218	
	Sept.	2.7	218	
	Aug.	1.4	184	
	July	2.6	194	
By Month	June	2.3	208	
(1982-1983) By Month	May	1.6	248	
(198	Apr.	2.2	224	
	Mar.	2.0	526	
	Feb.	1.7	215	
	Jan.	2.0	502	
	Dec.	2.3	216	
	Item	Wind Speed (MPS)	Wind Direction (DEG)	






STATION AB23 @ 30 m ELEVATION WIND ROSES II- 47



AA23 QUARTERLY WIND ROSE \*10 M TOTAL Z DE CALMS DISTRIBUTED (0.302) TOTAL NO. DE 1-HOUR SAMPLES - 2033 DEC '92 - FEB '93






FIGURE 1.3.2.3-5




FIGURE 1.3.2.3-6

, 15%

AA23 QUARTERLY WIND ROSE #10 M MAR 133 - MAY 193
TOTAL & UP SALES DISTRIBUTED 10-007-101AL NO. UP 1-HOUR LANDLES - 2107

FIGURE 1.3.2.3-7




FIGURE 1.3.2.3-8





FIGURE 1.3.2.3-9




FIGURE 1.3.2.3-10




FIGURE 1.3.2.3-11

AAA25 JUSSPERLY WIND 80°F FLUM \* M JUN \* 83 ° AUG \* 23 ° COAL & OF CHEOR SAMPLES 5 0.58 ° COAL NO. OF PHOTOR SAMPLES \* 2159




FIGURE 1.3.2.3-12




FIGURE 1.3.2.3-13

AA23 JJARTERLY WIND ROSE 030 M SEP 183 - NOV 183

TOTAL Z OF CALMS DISTRIBUTED 10.30%\* TOTAL NO. OF 1-HOUR SAMPLES \* 2153




FIGURE 1.3.2.3-14




FIGURE 1.3.2.3-15



FIGURE 1.3.2.3-16




FIGURE 1.3.2.3-17




FIGURE 1.3.2.3-18

TABLE 1.3.2.3-5

## AVERAGE HOURLY STABILITY CLASSES

SOURCE: Temperature difference between 60 meter and 10 meter levels on the met tower (Adjusted for wind speed)

Manth	F	6	0	-			_																	
	-	7	2	4	0	0	0	7	2		2	2	4	2	2	1	2	2	3	7	77	5	7	Average
Dec.1982	LLI.	w	la.l	ш	- 141	LLI LLI	141	ш	ш	٥	٥	a	0	0	a	0	0	٥	O	0	0	LES	0	O
Jan.1983	LL)	LLI	ш	iu.	<u> </u>	141	ш	ш	Ĩω,	ш	0	ш	w	٥	Q	0	0	ш	ш	ш	LU)	, <b></b>	w	ш
	ш	لط	ш	ш	بي.	ш	La.	LLI.	ندا	LEL!	ш	ш	0	0	0	O	٥	۵	Q	ш	<u>, w</u>	ш	ш	ш
	0	144.	التنا		111	LEJ -	0	0	0	D	O	0	0	0	٥	ပ	٥	٥	0	0	O	0	0	٥
	ш	ш	ш	ш	ш.	ш		0	٥	0	၁	ပ	٥		O.	ڻ ا	ပ		0	ш	0	ш	ш	٥
	O	ш	ш	<u> </u>	ш	ш		0	٥	٥	Q	0	0	a	0	ပ	0	0	0	0	0	0	0	٥
	LL.	ш	ш	ш	<u> </u>	111	0	ن	ပ	В	8	U	ပ	o	9	נ	9	ပ		ш	ш	ш	ш	٥
	, wi	Led .	ш	Le.	<u> </u>	123 143	0	y	٥	8	89	9	8	J	æ	8	ပ	4	- Lat	ш	· w	ш.	ш	٥
	ш.		- Carl	L	ш	E E		ن	49	8	8	8	8	æs	<b>3</b> 0	<b>32</b>	-53	u	٥	ш	0	ш	w	a
	ш	ш	. 121	11.	14	- 144	0	0	m	23	B	89	ن	60	•	3	ပ	٥	0	0	ш	L	ш	۵
	ű.	E.	. LL	<u></u>	4	14	111	لدا	9	83	8	•	G	83	œ	9	٥	LL	ш	LL.	lac.	14.	щ	٥
	ш	ш	· w	ш.	الله	ELL LLI	LLI	123	0	သ	ω	ω	ن	υ	ပ	٥	ш	141	ш	ļ.	LLJ	ш	سا	_

Neutral Stable Class

II-64

TABLE 1.3.2.3-6

METEOROLOGICAL SUMMARY: STABILITY CLASS FREQUENCIES (%)

Source: Temperature difference between 60 meter and 10 meter levels on the met tower (Adjusted for wind speed)

	Annual	5.96	12.00	6.36	27.48	29.92	18.29	
	Nov.	5.5	8.2	4.0	9.5 15.5 11.8 33.7	32.6	15.8 21.9 18.6 8.5 9.0 8.5 22.4 22.3 22.3 21.7 34.5 16.0	100.0
	Oct.	0.6 1.0 1.4 1.0 9.1 11.8 17.6 10.7 11.3	3.7 11.6 14.9 11.6 16.5 16.6 22.0 21.2 12.4	3.9	11.8	26.1	34.5	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0
	Mar. Apr. May June July Aug. Sept.	10.7	21.2	7.7 6.3 5.3 6.4	15.5	23.3 24.5	21.7	100.0
	Aug.	17.6	22.0	5.3	9.5	23.3	22.3	100.0
	July	11.8	16.6	6.3	38.7 29.2 38.3 39.4 34.5 39.4 20.3 19.5	35.6 29.8 31.3 29.8 24.0 25.5	22.3	100.0
1983	June	9.1	16.5	7.7	20.3	24.0	22.4	100.0
	May	1.0	11.6	9.7	39.4	29.8	8.5	100.0
	Apr.	1.4	14.9	8.9	34.5	31.3	9.0	100.0
		1.0	11.6	9.7	39.4	29.8	8.5	100.0
	Feb.	0.0		3.2	38.3	35.6	18.6	100.0
	Jan.	1.4 0.1	4.1	5.2	29.5	42.3	21.9	100.0
1982	Dec.	4.1	3.9	0.9	38.7	34.2	15.8	100.0
dT/dz Rangel for this	Stability Class (°C/100m)	<-1.9	-1.9 to -1.7	-1.7 to -1.5	-1.5 to -0.5	-0.5 to 1.5	>1.5	Total Percentage
Pasquill- Gifford	Stability	A	89	ں	a	ш	L	





## 1.3.3 Visibility

The visibility monitoring program has been co-sponsored by the CB and Rio Blanco Shale Oil Projects. There are no state or federal requirements for visibility monitoring; however, the program is required under the Federal Oil Shale Lease Environmental Stipulations.

Figure 1.3.3-1 shows the four views used to monitor visual range.

In April 1983, the Oil Shale Project Office approved conversion from the photographic to the telephotometric method of data collection for the visibility study. "Equivalent" telephotometric data were required for the years that no telephotometric data were collected (1975-1978). All telephotometric basic visual range data by hour from 1975-1983 are reported in Table 1.3.3-1 in miles.

All data have been reduced using a contrast threshold of the eye ( $C_m$ ) of 0,05 instead of 0.02. According to L. Tombach and D. Allard of Aerovironment 1, 0.05 is a more accurate estimate based on what the global public actually "sees." The telephotometric visual range data were reduced using both contrast thresholds, and the visual range values obtained were compared to the field technician's estimated visual range. The 0.05 contract threshold values were substantially closer to the estimated visual range values, and therefore the 0.05 contrast ratio is the one used. The use of 0.05 results in values of visual range which are approximately 76.6% of those derived from use of 0.02.

The mean daily visual range by view is reported on Table 1.3.3-2. Table 1.3.3-3 shows average seasonal visual range.

Examination of data using object 8 in view 4 shows that this object yields very eratic and invalid data. Therefore, object 8 will no longer be used. Objects 6, 7, and 9 in view 4 were used to measure visual range.

<sup>&</sup>lt;sup>1</sup> Tombach, I and D. Allard. Comparison of Visibility Measurement Techniques: Eastern United States, Aerovironment, Inc. October, 1983. Prepared for the Electric Power Research Institute. EA-3292. Research Project 862-15.

Figure 1.3.3-1

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL *
75	9	25	830	1	85.5
				2	83.2
				2	99.3
				4	126.3
			930	1 2 3	100.1
				2	83.2
				3	93.9
				4	118.6
			1030	1	100.1
				2	89.3
				3	88.5
				4	126.3
			1130	1	100.1
				2	83.2 88.5
					118.6
			1300	1	.0
			1300	2	.0
				3	.0
				4	.0
			1400	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 3 4 1 1 2 3 3 4 1 1 2 3 3 4 1 3 4 1 2 3 3 4 1 3 4 1 3 3 4 1 3 3 4 3 3 4 3 3 4 3 3 3 4 3 3 3 3	.0
			2 100	2	.0
				3	. 0
				4	. 0
			1500	1	. 0
				2	. 0
				3	. 0
				4 1 2 3	. 0
		26	830	1	86.2
				2	73.1
				3	73.9
				4	104.7
			930	1	93.9
				S	78.5
				3	79.3
				4	120.1
			1030	1	• 0
				S	.0
				3	• 0
			1120	4	• 0
			1130	1	.0
				2	
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	.0
			1300	1	• 0
			1300	2	• 0
				3	.0
				4	• 0
			1400	4 1 2 3	.0
			1 700	2	.0
				3	.0
1427				_	• •

\*Statute Miles

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
75			1.00		
75	9	26	1400 1500	4	.0
			1300	5	• 0
				3	• 0
				4	• 0
		27	830	1	47.7
				3	43.1 55.4
				4	42.3
			930	1 2 3 4 1 2 3 4 1 2 3 4	47.7
				2	47.0
				3	55.4
			1030	1	50.8 52.4
			1030	2	57.8
				3	55.4
				4	54.7
			1130	1	52.4
				2	57.8 60.8
				4	75.5
			1300	1	60.8
				2	61.6
				3	66.2
			1 / 0 0	4	75.5
			1400	1 2 3 4 1 2 3 4 1 2 3 4	65.4
				3	60.8
				4	75.5
			1500	1	70.1
				1 2 3	65.4
				4	66.2
	10	3	830	ĭ	105.5
				1 2 3	81.6
				3	101.6
				4	117.8
			930	2	97.0 75.5
				3	89.3
				4	117.8
			1030	1	97.0
				2 3 4	81.6
				3	89.3
			1130	1	100.9
			1130	2	97.0 69.3
				3	77.8
				2 3 4 1	100.9
			1300	1	97.0
				2	75.5

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
70	1.0		3 2 0 0		77.0
75	10	3	1300	3	77.8
			1400	4	91.6 97.0
			1400	5	75.5
				3	83.2
				4	91.6
			1500	i	105.5
				5	81.6
				3	83.2
				4	100.9
		9	830	1	120.9
				2	107.0
				3	112.4
				4	142.4
			930	1	120.9
				2	93.9
				3	112.4
				4	142.4
			1030	1	112.4
				2	100.1
					106.3
			1130	1	124.7
			1130	5	93.9
				3	112.4
				4	124.7
			1300	1	112.4
				2	87.0
				3	112.4
				4	116.3
			1400	1	96.3
				2	80.8
				3	82.4
				4	107.8
			1500	1	103.9
				3	87.0
				3	93.9
				4	116.3
		15	830	1	55.4
				3	56.2
					54.7
			930	1	53.1
			930	5	50.8
				3	49.3 60.1
				4	50.8
			1030	1	55.4
			1000	2	60.1
				3	65.4
				4	87.8
			1130	1	55.4

YEAR	монтн	DAY	HOUR	VIEW	VISUAL RANGE
75	10	15	1130	2	60.1
	•			3	65.4
				4	87.8
			1300	1	63.9
				2	60.1
				3	70.8
				4	87.8
			1400	i	77.0
				2	67.8
				2	76.2
				4	80.8
			1500	1	77.0
				1 2 3	75.5
				3	76.2
				4	80.8
		21	830		95.5
		- 1	000	2	80.8
				3	93.2
				1 2 3 4 1 2 3 4	124.0
			930	1	95.5
				2	86.2
				3	81.6
				4	115.5
			1030	1	103.9
				1 2 3	86.2
				3	87.0
				4	99.3
			1130	1	103.9
				2	77.8
				1 2 3	93.2
				4	107.8
			1300	4 1 2 3 4	103.9
				2	80.8
				3	98.6
				4	115.5
			1400	1	95.5
			•	2	86.2
				3	104.7
				4	107.8
			1500	1	103.9
				2	80.8
				3	93.2
				4	115.5
		27	830	1	66.2
			.,,,,,	2	69.3
				3	79.3
				4	92.4
			930	1	50.0
			,,,,	2	58.5
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	63.9
				4	98.6
					,,,,

VEAD	MONTH	0.44	HOUR	VICU	VISUAL
YEAR	MUNIH	DAY	HOUR	VIEW	RANGE
75	10	27	1030	1	62.4
				2	65.4
				3	59.3
				4	80.1
			1130	1	54.7
				2	44.7
				3	63.9
				4	92.4
			1300	1	• 0
				2	44.7
				3	.0
			1400		67.0
			1400	1	.0
				1 2 3	.0
				4	38.5
			1500	1	. 0
				1 2 3	. 0
					. 0
				4	. 0
	11	2	830	4 1 2 3	108.6
				2	83.9
				3	90.1
			0.70	4	98.6
			930	1	116.3 90.1
				3	90.1
					104.7
			1030	4 1 2 3	116.3
			1000	ż	102.4
				3	84.7
				4	111.6
			1130	1	108.6
				2	96.3
					90.1
				4	111.6
			1300	1	100.9
				2	90.1
				4	84.7
			1400	1	104.7 116.3
			1400	S	96.3
				3	100.9
				4	118.6
			1500	1	123.2
				2	96.3
				3	100.9
				4	111.6
		8	830	4 1 2 3	• 0
				2	. 0
				3	. 0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
75	11	8	830	4	. 0
			930	1	. 0
				2	• 0
				3	• 0
			1030	4	• 0
			1030	5	• 0
				3	.0
				4	• 0
			1130	1	42.3
				2	60.8
				3	. 0
				4	• 0
			1300	1	93.2
				2	77.8
				3	22.3
			1400	4	93.2
			1400		72.4
				2	40.0
				4	51.6
			1500	1	86.2
				2	77.8
				3	88.5
				4	55.4
		14	830	1	138.6
				2	114.7
				3	151.7
			930		154.8
			930	1 2 3	107.8
				3	117.8
				4	111.6
			1030	1	123.2
				1 2 3	102.4
				3	124.7
				4	125.5
			1130	1	116.3
				2	102.4
				3	117.8
			1200	4	125.5
			1300	1	127.0
				2	.0
				4	83.2
			1400	1	138.6
				1 2 3	102.4
				3	124.7
				4	125.5
			1500	1	131.7
				2	120.9

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
75	11	14	1500	3	117.8
		20	830	4	118.6
		20	630	2	86.2 67.0
				2	73.9
				4	85.5
			930	1	129.4 67.0
				2	78.5
				4	48.5
			1030	1	69.3
				2	79.3
				3	63.9
			1130	1	37.7 74.7
				2	71.6
				3	68.5
			1300	1	44.7
			1300	2	71.6
				3	78.5
				1 2 3 4 1 2 3 4 1 2 3 3 4 1 2 3	41.6
			1400	1	86.2
				3	72.4 88.5
				4	97.8
			1500	1	107.8
				4 1 2 3 4	89.3
				3	117.0 124.0
		26	830	ī	79.3
				5	84.7
				1 2 3 4	112.4
			930	1	97.0 86.2
			330	1 2 3	77.0
				3	106.3
				4	97.0
			1030	1	116.3 83.9
				3	95.5
				4	98.6
			1130	1	100.9
				2	83.9
				1 2 3 4 1 2 3 4 1 2 3 4 1	84.7
			1300	i	.0
				2	• 0
				3	.0
			1400	4	• 0
			1400	1	• 0

					VICUAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
75		24	1.00		
75	11	26	1400	3	.0
				4	.0
			1500	1	.0
			. 500	ż	.0
				1 2 3	. 0
				4	. 0
	12	2	830	1 2 3	113.2
				2	88.5
				3	114.0
			020	4	126.3
			930	4 1 2 3	97.0 88.5
				3	89.3
				4	100.9
			1030		105.5
				1 2 3	88.5
				3	83.2
				4	117.8
			1130	1	97.0
				2	69.3
				4	77.8 126.3
			1300		97.0
			1300	1 2 3	69.3
				3	77.8
				4	109.3
			1400	1	105.5
				2	69.3
				3	77.8
				4	100.9
			1500	1	105.5
				2	81.6 77.8
				4	83.9
		8	830	i	90.1
				2	74.7
				3	77.8
				4	83.2
			930	1	89.3
				2	62.4
				3	67.0
			1020	4	69.3
			1030	2 3 4 1 2 3 4 1 2 3 4 1 2 3	89.3 75.5
				3	67.0
				4	83.2
			1130	1	89.3
				2	75.5
				3	72.4
				4	83.2

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
75	12	8	1300	1	89.3
, ,	16		1300	2	63.1
				3	83.9
			1400	1	114.0
				2	95.5 115.5
				4	127.0
			1500	1 2 3	105.5 109.3
				3	122.4
		20	830	4 1 2 3	118.6
			000	5	89.3
				4	117.8
			930	1	107.0
				3	83.2 110.9
				4	128.6
			1030	1 2	107.0 83.2
				3	110.9
			1130	4	110.9 107.0
				2	76.2
				3	103.9
			1300	1	107.0
				2	83.2 73.1
				4	110.9
			1400	1 2 3	107.0 83.2
					110.9
			1500	4	83.9 107.0
			1500	2	83.2
				3	90.9
		27	830	1	.0
				2	.0
				4	. 0
			930	1 2	.0 74.7
				3	33.1
			1030	4	41.6
			1030	5	. 0
				3	30.8

YEAR MONTH DAY HOUR VIEW RANGE						
75 12 27 1030 4 43.9 1130 1 65.4 2 54.7 3 29.3 4 50.8 1300 1 140.1 2 62.4 3 39.3 4 43.1 1400 1 114.0 2 82.4 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 22.3 4 47.7 2 57.8 3 22.3 4 47.0 1130 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 43.1 3 60.8 4 43.9 1030 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 43.1 3 60.8 4 43.9 1030 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 52.4 1300 1 43.1 2 43.1 3 23.9 4 33.1 1500 1 47.7 2 39.3 14.6 8 830 1 105.5	VEAD	MONTH	DAY	HOUR	VICU	VISUAL
1130 1 65.4 2 54.7 3 29.3 4 50.8 1300 1 140.1 2 62.4 3 39.3 4 43.1 1400 1 114.0 2 82.4 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 54.7 76 1 2 830 1 60.8 4 55.4 930 1 43.1 2 43.1 3 60.8 4 43.9 1030 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 43.1 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 11500 1 43.1 2 43.1 3 20.8 4 38.5 1400 1 52.4 1300 1 43.1 2 43.1 3 20.8 4 38.5 1400 1 52.4 1500 1 47.7 2 39.3 1 45.6 8 830 1 105.5 2 98.6 8 830 998.6	TEAR	MONTH	DAT	HOUR	ATEM	RANGE
1130 1 65.4 2 54.7 3 29.3 4 50.8 1300 1 140.1 2 62.4 3 39.3 4 43.1 1400 1 114.0 2 82.4 3 39.3 4 43.1 1500 1 85.5 2 69.3 3 39.3 4 54.7 76 1 2 830 1 60.8 4 55.4 930 1 43.1 2 43.1 3 60.8 4 43.9 1030 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 47.7 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 43.1 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 1130 1 43.1 2 57.8 3 22.3 4 47.0 11500 1 43.1 2 43.1 3 20.8 4 38.5 1400 1 52.4 1300 1 43.1 2 43.1 3 20.8 4 38.5 1400 1 52.4 1500 1 47.7 2 39.3 1 45.6 8 830 1 105.5 2 98.6 8 830 998.6	75	12	27	1030	4	43.9
76 1 2 830 1 00 8 4 43.1 2 43.1 2 43.1 3 60.8 4 43.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, ,	• •				
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1300	1	140.1
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	62.4
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1400	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1500	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0	7.	,	_	020	4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0	16	1 .	2	830	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				930	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				,50	2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1030	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1130	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					5	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1300	1	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1 4 0 0	4	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0				1400	2	
4 33.1 1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					3	
1500 1 47.7 2 39.3 3 14.6 4 0 8 830 1 105.5 2 98.6 3 83.9 4 164.8 930 1 97.0					4	
930 1 97.0				1500	1	
930 1 97.0				1500	2	
930 1 97.0					3	
930 1 97.0					4	
930 1 97.0			8	830	1	
930 1 97.0					2	98.6
930 1 97.0					3	83.9
930 1 97.0					4	164.8
2 121.7				930	1	
					2	121.7

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	1	8	930	3	67.0
				4	53.1
			1030	1	97.0
				2	116.3
				3	90.1
				4	56.2
			1130	1	89.3
				2	104.7
				3	.0 56.2
			1300	4	89.3
			1300	5	88.5
				3	67.0
					47.0
			1400	i	97.0
				4 1 2 3	88.5
				3	60.8
				4	43.9
			1500	1	89.3
				5	66.2
				3	37.0
				4	43.9
	•	14	830	1	102.4
				2	82.4
				4	103.9
			930	1	116.3
			930		88.5
				2	111.6
				4	125.5
			1030	1	111.6
				2	.0
				3	97.0
				4	111.6
			1130	1	102.4
				2	.0
				3	90.1
				4	87.0
			1300	1	93.2
				3	100.1
				3	97.0
			1400	1	96.3
			1400	1 2	45.4
				3	.0
				3	106.3
			1500	1	111.6
				2 3	135.5
				3	83.2
				4	106.3
		20	830	1	89.3

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	1	20	830	2	69.3
	_			3	96.3
				4	127.0
			930	1	97.0
					69.3
				2	90.1
				4	136.3
			1030	1	89.3
					88.5
				3	83.9
				4	100.9
			1130	1	97.0
				2	83.9
				2 3 4	83.9
				4	92.4
			1300	1	105.5
				2	83.9
				1 2 3 4	90.1
			1.00	4	100.9
			1400	1 2 3 4 1 2 3 4	89.3
				2	79.3
				3	83.9 92.4
			1500	1	105.5
			1500	2	69.3
				3	83.9
				4	92.4
		26	830		53.1
			050	1 2	55.4
				3	61.6
				3	51.6
			930	1	61.6
				2	67.0
				3	67.0
				4	55.4
			1030	1	61.6
				2	59.3
				3	61.6
				4	47.0
			1130	1	61.6
				2	55.4
				3	61.6
				4	43.1
			1300	1	67.0
				2	71.6
				3	61.6
			1400	4	43.1
			1400	1	57.0
				12341234123412344	63.1 33.9
				4	
				4	. 0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	1	26	1500	1 2 3	43.9 63.1 49.3
	2	1	830	4 1 2 3	.0 103.2 73.9 116.3
			930	1 2 3	131.7 95.5 68.5 103.9
			1030	1 2 3	131.7 103.2 68.5 97.8
			1130	1 2 3	123.2 95.5 61.6 97.8
			1300	1 2 3 4	123.2 95.5 55.4 92.4
			1400	1 2	107.0 87.8 68.5
		٠.	1500	1 2 3 4 1 2 3	97.8 98.6 87.8 80.1
		7	830	1 2	87.0 98.6 .0
			930	3 4 1 2	.0 .0 47.7 39.3
			1030	3 4 1	22.3 43.1 56.2
			1130	2 3 4 1	46.2 28.5 46.2 51.6
			1300	2 3 4 1 2	43.1 .0 42.3 51.6
			1300	2	46.2

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	2	7	1300	4	42.3
, 0	_	•	1400	1	51.6
				5	57.0
				3	• 0
				4	40.8
			1500	1	56.2
				2	53.9
				3	23.9
				4	37.7
		13	830	1	103.9
				2	80.8
				4	76.2 67.8
			930	1	103.9
			,50	ş	74.7
				3	65.4
				4	74.7
			1030	1	95.5
				2	74.7
					60.1
			1120	4	74.7
			1130	1 2	87.8
				3	62.4 65.4
	•			4	81.6
			1300	1	95.5
				2	68.5
				3	76.2
				4	27.7
			1400	1	95.5
				3	62.4
				3	76.2
			1500	4	99.3
			1500	7	95.5 68.5
				4 1 2 3	70.8
				4	90.9
		19	830	4 1 2 3 4 1 2 3	88.5
				2	68.5
				3	77.0
				4	107.8
			930	1	103.9
				2	80.8
				3	88.5
			1020	4	124.7 96.3
			1030	7	80.8
				3	77.0
				4	116.3
			1130	i	96.3
				4 1 2 3 4 1 2	80.8

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
TEAR	MUNIT	DAT	HOUR	ATEM	RANGE
76	2	19	1130	3	. 0
	-			4	100.1
			1300		112.4
				2	74.7
				3	. 0
				4	91.6
			1400	1	96.3
				2	80.8
				3	. 0
				4	83.2
			1500	1	96.3
				S	74.7
				-3	.0
		25	0.20	4	116.3
		25	830	1	88.5
				2	68.5 58.5
				5	100.1
			930	1	88.5
			730	2	68.5
				3	77.0
				4	100.1
			1030	1	80.1
				2	62.4
				3	71.6
				4	81.6
			1130	1	80.1
				2	62.4
				3	71.6
				4	68.5
			1300	1	80.1
				5	100.1
				3	.0
			1 / 00	4	100.1
			1400	7	88.5 114.0
				3	77.0
				4	75.5
			1500	1	88.5
				2	68.5
				3	77.0
				4	54.7
	3	2	830	1	.0
				2	. 0
				3	. 0
				1234123412341234123412341234123412341234	.0
			930	1	. 0
				5	.0
				3	. 0
			1000	4	. 0
			1030	1	• 0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	3	2	1030	2	• 0
			1130	4 1 2 3 4	.0 .0 43.1 26.9 33.1
			1300		53.9 33.9 27.7
			1400	1 2 3 4 1 2 3 4 1 2 3 4	.0
			1500	1 2 3	.0
		8	830	1 2 3	61.6 66.2 67.0 76.2
			930	1 2 3 4 1 2 3 4 1 2 3	52.4 54.7 60.8 83.2
			1030	1 2 3	52.4 62.4 55.4 76.2
			1130	4 1 2 3 4	65.4 74.7 60.8 69.3
			1300	1	57.0 54.7 60.8 61.6
			1400	1 2 3	61.6 50.8 60.8 69.3
			1500	1 2 3	57.0 70.8 60.8 83.9
		14	830	2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4	84.7 70.1 89.3 82.4

VEAD	MONTH	0.4	HOUR	WITH	VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	3	14	930	1	65.4
10	3	14	930	5	93.2
				3	77.8
				4	68.5
			1030		70.1
				2	70.1
				1 2 3	83.2
				4	68.5
			1130	1	74.7
				2	65.4
				3	89.3
				1 2 3 4 1 2 3	68.5
			1300	1	65.4
				2	70.1
				3	89.3
			1	4	.0
			1400	1	60.8
				2	65.4 34.6
				4	.0
			1500	1	121.7
			1300	ż	145.5
				3	.0
				4	. 0
		20	830	1	98.6
				2	96.3
				3	73.1
				4	97.8
			930	1 2 3	98.6
				5	83.2
				4	84.7
			1030	1	92.4
			1030	1	70.1
				2	90.9
				4	97.8
			1130	1	98.6
				ż	63.1
				2 3 4	84.7
				4	98.6
			1300	1	90.1
				1 2 3 4	71.6
				3	73.1
				4	83.9
			1400	1 2 3	90.1
				5	67.0
				3	67.0
			1500	4	76.2
			1200	4 1 2 3	98.6 83.2
				2	84.7
				3	84.7

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	3	20	1500	4	55.4
		26	830	1	90.1
				2	80.8
				3	90.9
				4	87.8
			930	1 2 3	67.0
				2	80.8
				3	61.6
			1020	4	87.8
			1030	1	81.6
				3	90.9
					90.9
			1120	4	76.2
			1130	1 2 3	90.1
				2	76.2 73.1
				4	83.9
			1300	7	90.1
			1300	1 2 3	80.8
				3	79.3
				4	63.9
			1400	ĭ	98.6
				ż	76.2
				2	67.0
				4	76.2
			1500	1	98.6
				2	95.5
				3	79.3
				4	55.4
	4	1	830		115.5
				1 2 3	83.2
				3	103.9
				4	128.6
			930	1	90.1
				2	83.2
				1 2 3	97.0
				4	128.6
			1030	1	115.5
				2	103.2
				3	90.9
				4	101.6
			1130	1	115.5
				2	89.3
				3	110.9
				4	110.9
			1300	1	107.0
				2	83.2
				3	90.9
			1.00	4	101.6
			1400	1	107.0
				2	83.2

					VITCUAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	4	1	1400	3	84.7
			1500	4	101.6
			1500	1	107.0 76.2
				3	73.1
				4	83.9
		7	830	1	. 0
				1 2 3	39.3
				3	.0
			930	4 1 2 3	• 0
				ž	55.4
				3	.0
			1000	4	.0
			1030	5	52.4 39.3
				3	20.8
					.0
			1130	1 2 3	60.8
				2	57.8
					17.7
			1300	4	52.4
				2	53.9
				3	23.9
				4	• 0
			1400	1	74.7 61.6
				2	37.0
				4	62.4
			1500	1	65.4
				2	53.9
				3	64.7 50.8
		13	830	i	57.0
				2	43.1
				3	60.8
			020	4	47.0
			930	7	61.6 58.5
				3	72.4
				4	.0
			1030	1	43.1
				2	50.8
				3	115.5 47.0
			1130	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 3 4 4 1 2 3 3 4 3 4 3 4 3 4 3 4 3 3 4 3 4 3 3 4 3 4 3 4 3 3 4 3 4 3 3 3 4 3 4 3 4 3 3 4 3 4 3 3 4 3 4 3 3 4 3 3 4 3 3 4 3 3 4 3 4 3 3 3 4 3 3 4 3 3 4 3 3 3 4 3 4 3 3 4 3 3 3 4 3 3 3 4 3 4 3 3 4 3 4 3 3 3 3 4 3 3 3 4 3 3 3 4 3 3 3 3 3 4 3	.0
				2	. 0
				3	60.8
			1200	4	· 0
			1300	1	52.4

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	4	13	1300	2	50.8
				3	122.4
				4	47.0
			1400	1	47.7
				2	36.2
				3	60.8
				4	41.6
			1500	1	52.4
				2	50.8
				4	129.4
		19	830	1	50.8
		19	030	. 2	.0
				3	.0
				4	.0
			930	1	48.5
				2	47.7
				3	34.6
				4	. 0
			1030	1	43.9
				2	. 0
		•			67.8
				4	43.9
			1130	1	.0
				2	.0
				4	15.4 28.5
			1300		58.5
			1300	1 2 3	68.5
				3	40.8
				4	52.4
			1400		90.9
				2	77.0
				1 2 3	48.5
				4	52.4
			1500	1	108.6
				2	70.8
				3	51.6
				4	60.8
		25	830	1	89.3
				2	82.4
				4	96.3 127.0
			930	1	105.5
			,50	2	88.5
				3	115.5
				4	127.0
			1030	i	97.0
				2	82.4
				2	96.3
				4	145.5

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	4	25	1130	1	75.5
				2	75.5
				3	96.3
				4	109.3
			1300	1	52.4
				2	50.8
				3	60.8
			1400	1	76.2
			1400	7	57.0 58.5
				3	60.8
				4	69.3
			1500	1	57.0
			1300	2	50.8
				2	60.8
				4	69.3
	5	1	830	ĭ	52.4
	-	•	000	ż	61.6
				3	66.2
				4	91.6
			930	1	52.4
				2	69.3
				3	77.8
				4	117.8
			1030	1	60.8
				2	57.8
				3	72.4
				4	91.6
			1130	1	70.1
				2	78.5
				3	72.4
				4	91.6
			1300	1	88.5
				2	69.3
				3	72.4
				4	75.5
			1400	4 1 2 3 4 1 2 3	88.5
				2	69.3
				3	72.4
			1500	4	96.3
			1500	1	97.0
				2	75.5
				3	77.8
		7	830	4	90.1 74.7
		'	630	5	75.5
				3	66.2
				4	63.1
			930	i	56.2
			,50	4 1 2 3	69.3
				3	60.8
				,	00.0

YEAR	монтн	DAY	HOUR	VIEW	VISUAL RANGE
76	5	7	930	4	63.1
			1030	1	43.1
				2	.0 72.4
				4	58.5
			1130	1	.0
				2	43.1
				3	40.8
				4	54.7
			1300	1	. 0
				2	53.9
				3	40.8
			1 / 00	4	54.7
			1400	2 3	70.1 57.8
				3	43.1
					42.3
			1500	4 1 2 3	74.7
				2	61.6
					40.8
				4	30.8
		13	830	1	89.3
				2	69.3
				3	72.4
			030	1	100.9
			930	5	65.4
				3	83.9
				4	100.9
			1030	1	89.3
				2	63.1
				3	72.4
				4	92.4
			1130	1	65.4
				2	63.1
				3	67.0
			1300	4	118.6 75.5
			1300	5	69.3
				3	72.4
				4	109.3
			1400	1	89.3
				2	75.5
				3	72.4
				4	92.4
			1500	1	89.3
				2	69.3
				3	78.5
		10	0.20	4	118.6
		19	830	1 2	65.4
				2	54.7

WE 4.5	MONTH	0.44	HOUR	WIFU	VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	5	19	830	3	67.0 76.2
			930	1	52.4
				2	62.4
				3	67.0
				4	76.2
			1030	1	61.6
				2	66.2
				3	60.8
			1130	1	59.3 65.4
			1130	ž	58.5
				3	33.1
				4	76.2
			1300	1	65.4
				2	66.2
				3	72.4
				4	.0
			1400	1	.0
				2	.0 26.2
				4	76.2
			1500	1	.0
				2	.0
				3	49.3
				4	76.2
		25	830	1	77.0
				2	70.1
				3	73.9
			930	1	93.9 65.4
			930	2	73.1
				3	67.8
				4	77.0
			1030	1	72.4
				2	70.1
				3	67.8
				4	77.0
			1130	1	53.1 68.5
				3	67.8
				4	64.7
			1300	i	53.1
				2	36.2
				1234123412341234123412341	38.5
				4	43.9
			1400	1	67.8
				2	77.0
				3	34.6 60.8
			1500	1	87.8
			1500		0,.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	5	25	1500	2	. 70.1
				3	86.2
				4	120.9
		31	830	1	90.1
				2	83.9
				3	92.4
				4	111.6
			930	1	99.3
				2	77.0
				4	86.2
			1030	1	93.9 90.1
			1030	5	77.0
				3	92.4
				4	102.4
			1130	ĭ	90.1
			1150	Ş	77.0
				3	86.2
				4	102.4
			1300	1	77.0
				2	77.0
				3	80.1
				4	69.3
			1400	1	90.1
				2	77.0
				3	86.2
				4	111.6
			1500	1	82.4
				2	83.9
				3	92.4
				4	93.9
	6	6	830	1	57.0
				2	58.5
				3	67.0 76.2
			030	4	
			930	5	47.7 47.0
				3	55.4
				4	54.7
			1030	1	57.0
			1030	2	54.7
				2	60.8
				4	59.3
			1130	i	52.4
				2	54.7
				2 3 4	67.0
				4	63.1
			1300	1	52.4
				2	54.7
				3	60.8
				4	76.2

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	6	6	1400	1	57.0
					54.7
				2	60.8
				4	63.1
			1500	1	52.4
				2 3	66.2
				3	67.0
				4	63.1
		12	830	4 1 2 3 4 1 2 3	97.0
				2	75.5
				3	78.5
				4	83.2
			930	1	89.3
				2	75.5
				3	90.1
			1020	4 1 2 3	90.1
			1030	1	89.3 75.5
				2	72.4
				5	69.3
			1130	4 1 2 3	97.0
			1130	2	88.5
				3	83.9
				4	90.1
			1300	i	89.3
				ž	82.4
				4 1 2 3	96.3
				4	100.9
			1400	1	114.0
				4 1 2 3 4	95.5
				3	83.9
				4	92.4
			1500	1	105.5
				2	95.5
				3	90.1
				4	100.9
		18	830	1	67.8
				2	68.5
				3	73.9
			020	4	77.0
			930	1	77.0
				2	82.4
				4	60.1 77.0
			1030	2 3 4 1 2 3 4 1 2 3 4 1 2 3	57.8
			1030	2	.0
				3	61.6
				4	51.6
			1130	1	82.4
				2	70.1
				3	73.9

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	6	18	1130	4	77.0
, ,	0	• 0	1300	1	43.9
				2	83.9
				2	48.5
				4	102.4
			1400	1 2 3	77.0
				5	90.9
				3	57.0
			1500	4	91.6
			1500	1	116.3
				1 2 3	142.4
				4	56.2
		24	830	i	72.4
				1 2 3	77.0
				3	86.2
				4	102.4
			930	1	67.8
				2 3 4	70.1
				3	86.2
			1030	1	120.9 90.1
			1030		77.0
				3	80.1
				2 3 4 1 2 3 4 1	111.6
			1130	1	90.1
				2	70.1
				3	80.1
				4	102.4
			1300	1	72.4
				2	77.0
				3	80.1 93.9
			1400	1	90.1
			1400	2	77.0
				2	73.9
				4	93.9
			1500	4 1 2 3	90.1
				5	77.0
				3	67.8
				4	93.9
		30	830	1	58.5
				2	52.4
				4	161.7 77.0
			930	1	63.1
			930	2	60.1
				1 2 3 4	62.4
				4	77.0
			1030	1	63.1
				2	68.5

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
TEAR			HOOK	V1C#	RANGE
76	6	30	1030	3	62.4
, ,	•	-	1030	4	77.0
			1130	1	72.4
				2	60.1
				3	62.4
				4	65.4
			1300	1	67.8
				2	70.8
				3	62.4
				4	60.8
			1400	1	63.1
				2	64.7
				3	67.8
				4	65.4
			1500	1	77.8
				2	70.8
				3	67.8
	_			4	60.8
	7	6	830	1	53.9
				2	77.8
				3	87.8
			020	4	103.9
			930	1	68.5
				2	43.9 74.7
				4	80.8
			1030	1	73.9
			1030		70.8
				2	74.7
				4	85.5
			1130	i	79.3
				2	70.8
				3	68.5
				4	75.5
			1300	1	63.9
				2	70.8
				3	68.5
				4	80.8
			1400	1	84.7
				2	70.8
				3	74.7
				4	77.8
			1500	1	90.1
				3	84.7
				3	81.6
		10	0.20	4	85.5
		12	830	1	67.0
				2	55.4
					67.0
			930	4	83.9
			930	1	67.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	7	12	930	2	55.4
10	'	10	930	3	55.4
				4	76.2
			1030		67.0
				1 2 3	55.4
				3	61.6
			1120	4	76.2
			1130	1	67.0 59.3
				1 2 3	55.4
				4	63.9
			1300	4 1 2 3	61.6
				2	. 0
				3	73.1
			1400	4	68.5
			1400	4 1 2 3	0. 83.2
				3	61.6
				4	60.1
			1500	1	. 0
				1 2 3	. 0
					67.0
		1.0	020	4	63.9
		18	830	5	86.2 76.2
				3	90.9
				4	.0
			930	1	53.1
				2	47.7
				3	67.0
			1030	4	.0 57.0
			1030	5	55.4
				3	61.6
				4	• 0
			1130	1	71.6
				5	70.1
				3	67.0
			1300	4	.0 53.1
			1300	5	43.9
				3	31.6
				4	. 0
			1400	1	67.0
				2	55.4
				3	37.7
			1500	1	.0 57.0
			1300		55.4
				2	31.6
				4	.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	7	24	830	1	92.4
				2	86.2 95.5
				4	124.0
			930	1	100.9
				2	86.2
				3	88.5
				4	124.0
			1030	1	92.4
				2	78.5
				4	88.5 114.7
			1130	1	82.4
				2	78.5
				3	82.4
				4	104.7
			1300	1	110.1
				2	86.2
				4	102.4 85.5
			1400	1	110.1
				2	93.2
				2	95.5
				4	95.5
			1500	1 2	120.1
				2	93.2
				3	95.5 85.5
		30	830	i	75.5
			030	1	63.1
				3	72.4
				4	100.9
			930	1	65.4
				2	63.1
				3	67.0
			1030	1	92.4 61.6
			1030	5	69.3
				3	67.0
				4	76.2
			1130	1	89.3
				2	69.3
				3	72.4
			1300	4	76.2 89.3
			1300	2	69.3
				3	72.4
				4	76.2
			1400	1	75.5
				2	69.3
				3	67.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	7	30	1400	4	69.3
			1500	1	89.3
				2	69.3
				3	49.3
				4	. 0
	8	5	830	1	98.6
				2	83.2
				3	90.9
			0.20	4	128.6
			930	1	98.6 76.2
				3	90.9
				4	119.3
			1030	1	90.1
				ż	83.2
				3	97.0
				4	128.6
			1130	1	98.6
				2	83.2
				3	90.9
			1200	4	119.3
			1300	1	107.0 83.2
				3	90.9
		•		4	119.3
			1400	1	107.0
				12341234123412341234123	89.3
				3	84.7
				4	110.9
			1500	1	115.5
				2	89.3
				3	84.7
		1.1	020	4	119.3
		11	830	7	98.6 96.3
				3	103.9
				4	128.6
			930	1	107.0
				2	89.3
				3	97.0
				4	119.3
			1030	1	90.1
				2	83.2
				3	97.0
			1130	4	110.9
			1130	2	107.0 96.3
				3	84.7
				4	83.9
			1300	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 2 3 4 1 2 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 3 4 4 1 2 3 3 4 4 1 2 3 3 3 4 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 3 4 4 1 2 3 3 3 4 1 2 3 3 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 3 3 4 4 1 2 3 3 3 3 3 3 1 3 3 3 4 1 2 3 3 3 3 3 3 3 3 3 3 3 1 3 3 3 3 3 3	98.6
				2	89.3

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	8	11	1300	3	61.6
				4	93.2
			1400	1	141.7
				2	76.2
				4	73.1
			1500	1	124.0
			1500	2	133.2
				3	90.9
				4	.0
		17	830	2 3 4 1 2 3	131.7
				2	109.3
				3	122.4
				4 1 2 3 4 1 2 3	92.4
			930	1	114.0
				2	109.3
				3	115.5
			1020	4	100.9
			1030	7	114.0
				2	102.4
				4	100.9
			1130	1	122.4
				2	102.4
•				4 1 2 3 4 1 2 3 4 1 2 3	90.1
				4	100.9
			1300	1	105.5
				2	82.4
				3	78.5
			3 4 0 0	4	69.3
			1400	1	89.3 69.3
				2	72.4
				4	92.4
			1500	ĭ	105.5
				1 2	69.3
				3	96.3
				4	100.9
		23	830	1	64.7
				2	68.5
				3	66.2
				4	68.5
			930	1	83.2
				2	73.1
				4	36.2 68.5
			1030	1	69.3
			1030	1 2 3	68.5
				3	60.8
				4	75.5

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	8	23	1130	2	74.7
10		23	1130	3	66.2
				4	81.6
			1300	1	88.5
				1 2 3 4	74.7
				3	77.0
			1400	1	100.1 88.5
			1400	2	68.5
				3	60.8
				4	91.6
			1500	1	96.3
				S	74.7
				3	71.6 91.6
		29	830	1 .	112.4
		- /	000	2 3 4 1 2 3 4 1 2 3	100.1
				3	119.3
				4 1 2 3	142.4
			930	1	112.4
				5	93.9
				3	124.7
			1030	4 1 2 3	103.9
				2	93.9
				3	106.3
				4	116.3
			1130	1 2 3	103.9
				2	93.9 93.9
					134.0
			1300	4 1 2 3	112.4
				2	93.9
				3	119.3
				4	142.4
			1400	1	120.9
				4 1 2 3	100.1
					151.7
			1500	4 1 2 3	120.9
				S	93.9
				3	112.4
	_			4	124.7
	9	4	830	1	87.8
				4 1 2 3 4 1 2 3 4	74.7 87.0
				4	115.5
			930	1	87.8
				2	74.7
				3	81.6
				4	115.5

i.-i.

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	9	4	1030	1 2	87.8 80.8
			1130	3 4 1 2 3	87.0 107.8 95.5 80.8 93.2
			1300	4 1 2 3	107.8 95.5 86.2 87.0
			1400	4 1 2 3 4	90.9 95.5 86.2 87.0
			1500	4 1 2 3 4	107.8 110.9 86.2 81.6
		10	830	4 1 2 3 4	107.8 99.3 83.9 106.3
	٠		930	4 1 2 3	84.7 99.3 83.9 93.2
			1030	4 1 2 3	70.1 99.3 83.9 73.9
			1130	4 1 2 3	70.1 99.3 83.9 80.1
			1300	4 1 2 3	77.0 90.9 77.0 86.2
			1400	4 1 2 3	77.0 99.3 83.9 99.3
			1500	1234123412341234123	77.0 117.0 105.5 86.2
		16	830	4 1 2 3	84.7 72.4 70.1 61.6

13-124

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
76	9	16	830	4	84.7
			930	1	67.8
				2	63.9
				3	73.9
				4	84.7
			1030	1	57.8
				5	60.1
				3	67.8
				4	84.7
			1130	1	67.8
				2	63.9
				3	61.6
				4	69.3
			1300	1	82.4
				S	70.1
				3	61.6
				4	60.8
			1400	1	82.4
				2	70.1
				3	61.6
				4	64.7
			1500	1	82.4
				5	70.1
				3	56.2
				4	64.7
		22	830	1	81.6
				2	59.3
				3	55.4
				4	30.8
			930	1	43.9
				5	51.6
				3	23.1
				4	39.3
			1030	1	53.1
				2	51.6
				3	44.7
				4	50.8
			1130	1	48.5
				2	63.1
				3	49.3
				4	92.4
			1300	1	71.6
				2	71.6
				3	55.4
				4	39.3
			1400	1	48.5
				2	55.4
				3	55.4
				4	63.9
			1500	1	57.0
				2	67.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
76	9	22	1500	3	67.0
				4	47.0
78	4	6	830	1	127.0
				2	111.6
				4	.0
			930	1	103.2
			,,,,	1 2 3	92.4
				3	73.9
				4	129.4
			1030	1	87.8
				5	92.4
				3	87.0 121.7
			1130	1	95.5
			1130	Ş	80.1
				3	70.8
				4	94.7
			1300	1	95.5
				S	80.1
				3	97.8
			1400	1	110.9
				2	98.6
				2 3 4 1 2 3 4 1 2 3 4 1 2 3	87.0
				4	107.8
			1500	1	118.6
				2	104.7 87.0
				4	137.1
		12	830	i	90.1
				2	83.2
				3	84.7
				4	105.5
			930	1	90.1
				2	89.3
				4	113.2
			1030	1	90.1
				2	83.2
				3	84.7
				4	113.2
			1130	1	90.1
				4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 1 2 3 4 1 1 1 2 3 4 1 1 1 2 3 4 1 1 1 1 2 3 4 1 1 1 1 1 2 3 4 1 1 1 1 1 2 3 4 1 1 1 1 1 1 1 2 3 4 1 1 1 1 1 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	83.2 79.3
				4	128.6
			1300	1	98.6
				2	89.3
				3	79.3
				4	120.9
			1400	1	107.0

					VICUAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
TEAR	MUNIT	DAT	HOUR	AICM	KANGE .
78	4	12	1400	5	89.3
, ,	7		. 400	3	90.9
				4	98.6
			1500	1	107.0
				2	89.3
				3	84.7
				4	83.9
		18	830	1	88.5
				5	74.7
				3	71.6
				4	110.1
			930	1	88.5
				2	74.7 71.6
				4	88.5
			1030	ì	88.5
			2000	2	80.8
				3	71.6
				4	88.5
			1130	1	96.3
				3	74.7
					77.0
				4	110.1
			1300	1	88.5
				2	74.7
				4	77.0 88.5
			1400		88.5
			1400	2	74.7
				1 2 3	71.6
				4	81.6
			1500	1	88.5
				2	74.7
					77.0
				4	81.6
		24	830	1	90.1
				2	70.1
					73.1
			930	4	90.9
			930	5	70.1
				3	79.3
				4	105.5
			1030	1	90.1
					83.2
				3	79.3
				4	90.9
			1130	1	90.1
				2 3 4 1 2 3	83.2
				3	84.7
				4	98.6

1-1 -

78 4 24 1300 1 76.2 3 73.1 4 82.4 1400 1 98.6 2 76.2 3 84.7 4 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 73.1 4 76.2 3 31.6 4 76.2 3 31.6 4 51.6 1030 1 71.6 1030 1 71.6 1030 1 76.2 2 67.0 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1500 1 57.0 2 63.1 3 121.6 5 6 830 1 65.4 4 36.2 5 54.7 3 72.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0	YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
2 76.2 3 73.1 4 82.4 1400 1 98.6 2 76.2 3 84.7 4 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 73.1 2 36.2 3 31.6 4 55.4 930 1 61.6 2 0.0 3 33.9 4 51.6 1030 1 71.6 1030 1 71.6 1 2 43.9 3 37.7						
3 73.1 82.4 98.6 2 76.2 3 84.7 4 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 31.6 4 55.4 930 1 61.6 4 55.4 930 1 61.6 1030 1 71.6	78	4	24	1300	1	
1400 1 98.6 2 76.2 3 84.7 4 90.9 1500 1 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 31.6 4 55.4 930 1 61.6 2 3 3 33.9 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2						
1400 1 98.6 76.2 3 84.7 4 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 373.1 2 36.2 3 31.6 4 55.4 930 1 61.6 2 0 3 33.9 4 51.6 1030 1 71.6 . 2 43.9 3 37.7 4 36.2					4	
2 76.2 3 84.7 4 90.9 1500 1 90.1 2 76.2 3 73.1 4 76.2 3 31.6 4 76.2 3 31.6 4 55.4 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 5 6 830 1 55.4 4 36.2 1500 1 57.0 2 83.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 72.4 4 77.0 930 1 65.4 5 72.4 4 77.0 930 1 65.4 5 72.4 4 77.0 930 1 65.4 5 72.4 6 77.0 1030 1 6 76.2 76.2 76.2 76.2 76.2 76.2 76.2 76.2				1400		
3 84.7 4 90.9 1500 1 90.9 2 76.2 3 73.1 4 76.2 3 36.2 3 31.6 4 55.4 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 5 56.4 5 6 830 1 65.4 5 7.0 1400 1 57.0 2 83.2 3 55.4 4 77.0 930 1 65.4 5 72.4 4 77.0 930 1 65.4 5 72.4 4 77.0 930 1 65.4 5 72.4 7 72.4 7 73.					2	
1500 1 90.9 1 76.2 3 73.1 4 76.2 3 31.6 4 55.4 930 1 61.6 2 3 3 33.9 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 60.8 4 51.6 1500 1 76.2 2 63.1 3 21.6 4 51.6 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2					3	
1500 1 900.1 2 76.2 3 73.1 4 76.2 3 31.6 4 55.4 930 1 61.6 2 3 33.9 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 21.6 4 51.6 1300 1 76.2 2 67.0 3 21.6 4 51.6 1500 1 57.0 2 76.2 3 55.4 4 36.2 5 76.2 3 55.4 4 36.2 5 83.2 4 51.6 5 6 830 1 65.4 5 1.6 5 6 830 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4 7 7.0 930 1 65.4				1500	4	
30 830 1 53.1 36.2 3 31.6 4 76.2 3 31.6 4 55.4 4 55.4 930 1 61.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 72.4 4 47.0 930 1 65.4 7 72.4 7 73 4 77.0				1500	1	76.3
30 830 1 53.1 2 36.2 3 31.6 4 55.4 930 1 61.6 6 2 .0 3 33.9 4 51.6 1030 1 71.6 .2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 35.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 36.2 5 68.5 3 72.4 4 47.0 930 1 65.4 7 7.0 1030 1 .0 1030					3.	
30 830 1 53.1 2 36.2 3 31.6 4 55.4 930 1 61.6 2 3 33.9 4 51.6 1030 1 71.6 1030 1 76.2 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 51.6 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2					4	76.2
2 36.2 3 31.6 4 55.4 4 51.6 1030 1 61.6 2 43.9 3 37.7 4 43.6 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 61.6 1400 1 76.2 2 63.1 3 21.6 5 70.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 4 51.6 5 6 830 1 65.4 5 72.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 72.4 73.6.2			30	830	1	53.1
3 31.6 4 55.4 55.4 2 .0 3 33.9 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 67.0 3 121.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 72.4 4 47.0 930 1 65.4 4 77.0 930 1 65.4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7					2	36.2
930 1 61.6 2 3 33.9 4 55.4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 72.4 73.46.2					3	
930 1 61.6 2 .0 3 33.9 4 51.6 1030 1 71.6 . 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 58.5 3 72.4 4 47.0 930 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 72.4 73 3 27.7					4	55.4
3 33.9 4 51.6 1030 1 71.6 2 43.9 3 37.7 4 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 5 70.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 70.0 1 57.0 2 83.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 72.4 4 77.0 930 1 65.4 5 72.4 6 77.0 930 1 65.4 7 72.4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				930	1	
1030 1 71.6 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 57.0 1400 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 57.0 930 1 65.4 4 77.0 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4 930 1 65.4					3	
1030 1 71.6 2 43.9 3 37.7 4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 77.4 77.0 1030 1 1030 1 2 54.7 3 47.0					4	51.6
1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 2 76.2 3 21.6 4 57.0 2 76.2 3 55.4 4 36.2 3 55.4 4 36.2 3 55.4 4 36.2 3 55.4 4 36.2 3 55.4 4 36.2 3 55.4 4 36.2 3 72.4 4 70.0 930 1 65.4 4 77.0 930 1 65.4 72.4 73.6 74.6 75.9 76.2				1030	1	71.6
3 37.7 36.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 72.4 4 77.0 930 1 65.4 72.4 73.2 74.0 930 1 65.4 72.4 74.0 930 1 65.4 72.4 74.0 930 1 65.4 72.4 74.0 930 1 65.4 72.4 74.0 930 1 65.4 74.0 930 1 65.4 74.0 94.0 95.4 76.2					2	43.9
4 36.2 1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 7.0 930 1 65.4 4 77.0 930 1 65.4 72.4 73.6 74.6 75.0 75.0 76.2 77.0 83.2					3	37.7
1130 1 76.2 2 67.0 3 60.8 4 51.6 1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 2.3 4 51.6 5 6 830 1 65.4 4 47.0 930 1 65.4 4 77.0 1030 1 1030 1 2 54.7 3 46.2					4	
1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 58.5 3 72.4 4 47.0 930 1 65.4 4 77.0 930 1 65.4 1030 1 65.4 2 58.5 3 72.4 4 77.0 930 1 65.4 1030 1 65.4 2 54.7 3 27.7 4 47.0				1130	1	
1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 3 42.3 4 51.6 5 6 830 1 65.4 4 57.0 930 1 65.4 4 72.4 4 70.0 930 1 65.4 72.4 73.0 1030 1 2 54.7 3 27.7 4 47.0					2	60.0
1300 1 76.2 2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1					4	51.6
2 63.1 3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 2.3 4 51.6 5 6 830 1 65.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1				1300	1	
3 21.6 4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1					2	63.1
4 57.0 1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 47.0 930 1 65.4 4 7.0 930 1 65.4 77.4 1030 1 .0 2 54.7 3 27.7 4 47.0					3	21.6
1400 1 150.9 2 76.2 3 55.4 4 36.2 1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 5 72.4 4 77.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 2 54.7 3 46.2					4	57.0
5 6 830 1 65.4 4 77.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 0.0				1400	1	150.9
5 6 830 1 55.4 5 6 830 1 65.4 5 72.4 4 77.0 930 1 65.4 4 77.0 930 1 65.4 72.4 4 77.0 930 1 65.4 72.4 77.4 77.4 77.0 1030 1					2	76.2
1500 1 57.0 2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 2 54.7 3 46.2					5	
2 83.2 3 42.3 4 51.6 5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 0.0				1500	1	
3 42.3 51.6 5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 0 2 54.7 3 46.2					2	83.2
5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 .0 2 54.7 3 27.7 3 27.7 4 47.0					3	42.3
5 6 830 1 65.4 2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 2 54.7 3 46.2					4	
2 58.5 3 72.4 4 47.0 930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 2 54.7 3 46.2		5	6	830	1	65.4
3					S	
930 1 65.4 2 54.7 3 27.7 4 47.0 1030 1 .0 2 54.7 3 46.2					3	
2 54.7 3 27.7 4 47.0 1030 1 2 54.7 3 46.2				930	1	
3 27.7 4 47.0 1030 1 2 54.7 3 46.2				,50	2	54.7
1030 1 .0 2 54.7 3 46.2					3	
1030 1 .0 2 54.7 3 46.2					4	
2 54.7 3 46.2				1030	1	
3 46.2					5	
					3	46.2

EAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
8	5	6	1030	4	.0
			1130	1	57.0
				2	62.4
				4	47.0
			1300	1	65.4
					39.3
				2	17.7
				4	50.8
			1400	1	. 0
				2	• 0
				3	43.1
			15.00	4	71.6
			1500	1 2 3	.0
				3	37.0
				4	76.2
		12	830	1	105.5
				4 1 2 3	88.5
				3	115.5
				4	90.1
			930	1 2 3	97.0
				2	95.5
				4	102.4 97.0
			1030	ĭ	97.0
			1000	5	88.5
				3	96.3
				4	104.7
			1130	1	97.0
				2	95.5
				3	90.1
			1200	4	111.6
			1300	5	97.0 82.4
				3	90.1
				4	76.2
			1400	1	97.0
				2	82.4
				3	83.9
				4	83.2
			1500	1	97.0
				2	82.4
				4	83.9 90.1
		18	830	1	80.8
		10	030	5	69.3
				3	78.5
				4	76.2
			930	1	80.8
				5	88.5

	4047.	0.44		W.T.E.	VISUAL
EAR	MONTH	DAY	HOUR	VIEW	RANGE
8	5	18	930	3	90.1
	,	10	,50	4	86.2
			1030	1	89.3
				5	88.5
				3	90.1
				4	76.2
			1130	1	97.0
				2	95.5
				3	96.3
				4	86.2
			1300	1	105.5
				2	82.4 78.5
				4	80.8
			1400	ī	97.0
			1400		102.4
				2	96.3
				4	104.7
			1500	1	105.5
				2	82.4
				3	108.6
				4	119.3
		24	830	1	67.8
				2	68.5 70.8
				4	74.7
			930	i	67.8
			,,,,		56.2
				3	65.4
				4	80.8
			1030	1	47.0
				2 3 4 1 2 3 4	68.5
				3	65.4
			1120	4	94.7
			1130	1 2	59.3
				3	60.1
				4	87.8
			1300	1	55.4
				2	52.4
				3	70.8
				4	74.7
			1400	1	55.4
				2	73.9
				3	76.2
			1500	4	80.8
			1500	1	59.3
				1 2 3	49.3 60.1
				4	87.8
		30	830	1	72.4
			000	•	

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
78	5	30	830	2	73.9
				3	76.2 80.8
			930	1	59.3
				2	68.5
				4	76.2 87.8
			1030	1	50.8
				4 1 2 3	73.9 70.8
				4	80.8
			1130	1	55.4
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 3 4 1 2 3 4 1 3 4 3 4 1 3 3 4 3 4 3 3 4 3 4 3 3 4 3 3 3 4 3 3 3 4 3 3 3 3 4 3 3 3 4 3 3 3 4 3 3 3 3 4 3 3 3 4 3 3 3 3 4 3	61.6 65.4
				4	74.7
			1300	1	50.8
				2	68.5
				4	60.1 80.8
			1400	1	59.3
				2	68.5
				4	65.4 87.8
			1500	i	67.8
				5	61.6
				3	65.4 74.7
	10	5	830	1	93.9
				5	79.3
				3	80.1 97.8
			930	4 1 2 3 4	93.9
				2	73.1
				3	80.1 105.5
			1030	ī	93.9
				2	73.1
				3	80.1 90.1
			1130	1	79.3
				2	73.1
				3	74.7 90.1
			1300	ī	87.0
				2	79.3
				3	80.1 97.8
			1400	1	97.8
				2	73.1
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 4 4 4 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	80.1
				4	97.8

1 . - .

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
78	10	5	1500	1	93.9
, 0	10	5	1500	2	79.3
				2	85.5
				4	97.8
		11	830	1	120.9
				4 1 2 3 4 1 2 3 4 1 2 3	62.4
				3	71.6
				4	91.6
			930	1	112.4
				2	68.5
				3	66.2
			1020	4	83.2
			1030	7	96.3 68.5
				3	66.2
				4	83.2
			1130	ī	120.9
				2	68.5
				4 1 2 3	71.6
				4	91.6
			1300	1 2 3 4	88.5
				2	74.7
				3	88.5
			1 / 0 0	4	100.1
			1400	1	96.3
				2	80.8
				4	100.1
			1500	ĭ	96.3
				2	80.8
				3	88.5
				4	116.3
		17	830	1	88.5
				2	81.6
				3	83.2
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	. 0
			930	1	88.5
				2	75.5
					66.2 91.6
			1030	1	88.5
			1000	2	75.5
				3	66.2
				4	91.6
			1130	4 1 2 3 4 1 2 3	60.8
				2	69.3
				3	60.8
				4	91.6
			1300	1	70.1
				2	75.5
				3	66.2

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
78	10	17	1300	4	109.3
			1400	2	101.6
				3	75.5 66.2
				4	91.6
			1500	i	.0
				S	79.3
				3	77.8
				4	100.9
		23	830	1	99.3
				2	90.9
				3	. 0
				4	• 0
			930	1	108.6
				2	83.9
				4	.0
			1030	1	90.9
			1030	2	90.9
				2	80.1
				4	.0
			1130	1	99.3
				2	90.9
				3	86.2
				4	107.0
			1300	1 2 3 4	108.6
				5	77.0
				3	80.1
			1400	1	92.4 117.0
			1400	2	90.9
				1 2 3	93.2
				4	107.0
			1500	1	126.3
				2	97.8
				3	86.2
				4	92.4
		29	830	1	98.6
				5	89.3
				3	90.9
			024	4	128.6
			930	1	98.6 83.2
				2	79.3
				4	119.3
			1030	ī	90.1
			1000	5	70.1
				3	73.1
				4	101.6
			1130	1	81.6
				2	63.1

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
7.0			1120		
78	10	29	1130	3	67.0 60.1
			1300	1	90.1
			1300	5	70.1
				3	61.6
				4	55.4
			1400	1	90.1
				2	63.1
				3	55.4
				4	61.6
			1500	1	81.6
				2	70.1
				3	61.6
		,	020	4	76.2
	11	4	830	1	72.4
				2	77.0 86.2
				4	107.0
			930	1	77.8
			,,,,	2	83.9
				3	93.2
				4	115.5
			1030	1	90.9
				2	70.8
				3	73.9
				4	115.5
			1130	1	90.9
				2	77.0
				3	93.2
			1200	4	107.0
			1300	1 2	90.9 63.9
				3	80.1
				4	100.1
			1400	1	90.9
			1,00	5	77.0
				3	73.9
				4	84.7
			1500	1	99.3
				2	97.8
				3	99.3
				4	115.5
		10	830	1	• 0
				2	. 0
				3	.0
			930	1	• 0
			930	5	.0
				3	.0
				4	.0
			1030	i	.0



					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
78	11	10	1030	2	. 0
				3	34.6
				4	43.9
			1130	1	• 0
				2	.0 38.5
				4	51.6
			1300	1	.0
			1300	Ş	.0
				3	34.6
				4	47.7
			1400	1	. 0
				2	. 0
				3	28.5
				4	47.7
			1500	1	. 0
				2	.0
				3	24.6
				4	51.6
		16	830	1 2	.0
				3	.0
				4	.0
			930	1	0
			,,,,	ş	0
				3	.0
				4	. 0
			1030	1	. 0
				2	.0
				3	.0
				4	. 0
			1130	1 2 3	. 0
				2	. 0
				3	. 0
				4	. 0
			1300	1	• 0
				1 2 3	.0
				4	.0
			1400	1	.0
			1400	2	.0
				2	.0
				4	30.0
			1500	1	. 0
				2	.0
				3	21.6
				4	30.0
		22	830	1	. 0
				2	. 0
				3	• 0
				4	. 0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
78	11	22	930	1	.0
					. 0
				2 3 4	• 0
				4	• 0
			1030	1 2 3 4 1 2 3 4 1 2 3	.0
				2	55.4 49.3
				۵	60.1
			1130	ĭ	.0
				S	.0
				3	52.4
				4	77.8
			1300	1	• 0
				5	.0
				3	35.4
			1400	4	81.6
			1400	ż	.0
				2 3 4	27.7
				4	73.1
			1500	1 2 3	215.6
				2	83.2
				3	.0 63.9
79	4	18	830	4 1 2 3 4 1 2 3	77.0
,,	_	20	030	2	67.0
				3	88.5
				4	105.5
			930	1	72.4
				2	61.6
				3	83.2 101.6
			1030	4 1 2 3	68.5
			1030	2	63.1
				3	87.0
				4	61.6
			1130	1	68.5
				2 3 4	58.5
				3	73.9
			1300	1	67.8 81.6
			1300	2	80.8
				3	63.1
				4	29.3
			1400	1 2 3 4 1 2 3 4 1 2 3	73.9
				5	60.8
				3	74.7
			1500	1	55.4 77.0
			1500	2	66.2
				3	70.8

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
79	4	18 24	1500	4 1 2 3	95.5 .0 .0
			930	1 2 3	.0 .0 .0
			1030	4 1 2 3 4	88.5 90.1 109.3 137.8
			1130	1 2 3 4	89.3 77.8 57.8
			1300	1 2 3	117.8 87.0 80.8 119.3
			1400	4 1 2 3 4	102.4 74.7 98.6 134.8
			1500	1 2 3 4	122.4 73.1 87.0 104.7
		30	730	1 2 3 4	71.6 70.1 89.3 100.1
			830	1 2 3 4 1 2 3	64.7 65.4 80.1 96.3
			930	1 2 3 4	70.8 60.1 80.1 84.7
			1030	1 2 3	72.4 60.8 80.8 85.5
			1200	1 2 3 4 1 2 3 4	67.8 69.3 79.3 92.4
			1300	1 2	75.5 67.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
79	4	30	1300	3	72.4
17	•	30	1300	4	89.3
			1400	1	83.2
				2	76.2
				3	81.6
	_			4	83.9
	5	6	730	1	43.9 54.7
				2	51.6
				4	84.7
			830	1	40.0
				1 2 3	47.7
				3	52.4
			020	4	84.7
			930	1	38.5 42.3
				2	48.5
				3	63.0
				4	77.8
			1030	1	74.7
				2	46.2
				3	43.1
			1200	4	80.1 74.7
			1200	5	52.4
				3	47.7
				4	85.5
			1300	1	61.6
				2	63.1
				3	48.5
			1400	1	98.6 63.9
			1400	2	52.4
				2	33.1
				4	104.7
		12	730	1	30.0
				2	77.0
				3	84.7 98.6
			830	1	.0
			030	5	• 0
				3	. 0
				4	. 0
			930	1	.0
				2	• 0
				3	.0
			1030	1	.0
			1000	1 2 3	.0
					.0
				4	.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
79	5	12	1200	1	.0
					. 0
				2 3 4 1 2 3 4 1 2 3	. 0
				4	. 0
			1300	1	.0
				2	.0
				4	.0
			1400	1	.0
				5	. 0
				3	. 0
				4	.0
		18	730	1	54.7
				2	60.1 57.8
				4	127.0
			830	4 1 2 3 4	63.9
				2	59.3
				3	62.4
				4	110.9
			930	12341234123412334123	59.3
				2	52.4 58.5
				4	115.5
			1030	i	68.5
				2	49.3
				3	57.0
				4	127.8
			1200	1	59.3
				2	52.4 53.1
				4	107.0
			1300	1	73.1
				2	53.9
				3	56.2
				4	107.0
			1400	1	64.7
				2	52.4 53.9
				4	86.2
		24	730	1	92.4
				2	82.4
				3	177.1
				4	.0
			830	4 1 2 3 4	89.3
				3	86.2 113.2
				4	204.8
			930	1	81.6
				1 2 3	83.2
				3	83.9

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
79	5	24	930	4	126.3
			1030	1	81.6
				2	98.6
				4	174.0
			1200	1	77.8
			1200	2	73.1
				2	197.9
				4	124.7
			1300	4 1 2 3	144.0
				2	45.4
				3	16.2
				4	191.7
			1400	1	. 0
				2	.0
				3	. 0
			720	4	.0
		30	730	7	110.1
				2	104.7
				6	101.6
			830	4 1 2 3 4 1 2 3 4 1 2 3	110.1
			000	ż	96.3
				3	98.6
				4	161.7
			930	1 2 3 4 1 2 3	103.9
				2	96.3
				3	91.6
				4	171.7
			1030	1	100.1
				2	99.3
				4	96.3 155.5
			1200	7	122.4
			1200	2	103.9
				1 2 3	91.6
				4	150.1
			1300	4 1 2 3	107.0
				2	88.5
				3	85.5
				4	153.2
			1400	1	103.2
				2	87.8
				3	82.4
		-	720	4	140.1
	6	5	730	1	69.3
				3	70.8 67.0
				4	120.9
			830	i	69.3
				4 1 2 3 4 1 2 3 4 1 2	62.4

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
79	6	5	830	3	66.2
			930	4	116.3 67.0
			,50	2	58.5
				3	67.8
				4	109.3
			1030	2 3 4 1 2 3	74.7
				2	57.8 63.1
				4	114.0
			1200	i	78.5
				2	64.7
				3	72.4
				4	112.4
			1300	1	70.8 64.7
				3	76.2
				4	107.0
			1400	1	77.0
				2	69.3
				3	67.0
		11	730	4	110.9 93.2
		11	130	5	83.2
				3	112.4
				4	130.1
			830	1	95.5
				2	83.2
				4	94.7 138.6
			930	i	101.6
			,,,,	ż	80.1
				3	100.1
				4	162.5
			1030	1	97.8
				2	82.4
				3	93.2 153.2
			1200	i	105.5
				5	83.9
				3	93.2
				4	180.2
			1300	1	93.2
				2	82.4 88.5
				41234123412341234123412341234	100.9
			1400	i	48.5
				2	81.6
				3	93.2
	10		0.00	4	120.1
	10	4	830	1	103.9

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
79	10	4	830	2	93.9 124.7
			930	4	142.4 97.8
			930	1 2 3	88.5
				3	100.1
			1000	4	143.2
			1030	2	.0
				3	.0
				4	.0
			1130	1	.0
				3	.0
				4	. 0
			1300	1	77.0 73.9
				3	98.6
				4	130.1
			1400	1	85.5
				3	70.8 91.6
				4	107.0
			1500	1	85.5
				5	66.2
				3	81.6
		10	830	1	86.2
				2	66.2
				3	73.1 100.9
			930	1	83.9
				5	66.2
				3	74.7
			1030	1	105.5 75.5
			1030	5	64.7
				3	84.7
			1130	4	111.6
			1130	2	62.4
				3	107.0
				4	142.4
			1300	1	79.3 63.1
				3	83.2
				123412341234123412341234123412341234	127.8
			1400	1	89.3
				3	60.8 81.6
				4	120.9

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
79	10	10	1500	1	115.5
				3	78.5
				3	80.1
				4	122.4
		16	830	1	86.2
				2	62.4
				4	130.1
			930	1	87.8
	,		,,,,	2	48.5
				3	74.7
				4	125.5
			1030	1	67.0
				2	50.8
				3	101.6
				4	133.2
			1130	1	75.5
				2	53.9 90.1
				4	132.4
			1300	1	106.3
				2	67.8
				3	72.4
				4	126.3
			1400	1	90.9
				5	54.7
				3	89.3
				4	99.3
			1500	1	93.9
				2	73.9
				3	70.8
		25	830	ī	138.6
			0.50	2	97.8
				3	118.6
				4	145.5
			930	1	112.4
				2	88.5
				3	103.2
				4	134.8
			1030	1	113.2
				2	99.3
				5	134.8
			1130	1	111.6
			1130	1234123412341234123412341234123412341234	90.9
				3	96.3
				4	154.8
			1300	1	107.8
				2	87.0
				3	103.2

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
79	10	25	1300	4	132.4
			1400	1	108.6
				2	93.2
				3	100.9
				4	130.9
			1500	1	110.9
				2	90.9
				3	93.2
				4	84.7
		28	830	1 2	114.7 86.2
				3	105.5
				4	147.1
			930	1	120.9
			930		90.9
				3	87.0
				4	136.3
			1030	1	134.0
					117.8
				2	148.6
				4	161.7
			1130	1	93.2
				2 3	93.2
				3	142.4
				4	177.9
			1300	1	92.4
				2	69.3
				3	140.1
				4	146.3
			1400	1	95.5
				2	76.2
				3	108.6
			1500	4	150.9
			1500	5	72.4
				3	96.3
				4	162.5
	11	3	830		127.0
	• •	,	030	1 2 3	81.6
				3	96.3
					131.7
			930	4 1 2 3	94.7
				2	65.4
				3	68.5
				4	146.3
			1030	1	81.6
				1 2 3	68.5
				3	63.9
				4	146.3
			1130	1	94.7
				2	67.8

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
70	11		1130	3	67.0
79	11	3	1130	4	141.7
			1300		114.0
				2 3	100.9
				3	107.8
				4	150.1
			1400	1 2 3	127.0
				2	116.3 126.3
				4	169.4
			1500	1	107.0
				2	86.2
				3	132.4
				4	168.6
		9	830	1	57.0
				5	47.0
				3	47.0 67.0
			930	1	75.5
			,,,,	5	46.2
				3	73.1
				4	85.5
			1030	1 2 3	48.5
				2	51.6
				3	53.9
			1130	4	40.0 57.8
			1130	1 2 3	52.4
				3	61.6
				4	74.7
			1300	1	83.9
				3	64.7
				3	59.3
			1400	4	99.3 85.5
			1400	7	69.3
				1 2 3	73.9
				4	93.9
			1500	1	74.7
				2	81.6
				3	60.8
				4	89.3
		15	830	1	109.3
				3	143.2
				4	163.2
			930	1	133.2
				2	115.5
				3	136.3
				1 2 3 4 1 2 3 4	164.8
			1030	1	117.8

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
			1020		
79	11	15	1030	2	97.0 117.0
				4	181.7
			1130	1 2 3 4 1 2 3	111.6
				2	93.9
				3	115.5 194.8
			1300	ĭ	145.5
				2	109.3
				3	107.8
			1400	4 1 2 3	179.4 130.1
			1400	2	113.2
				3	120.1
				4	169.4
			1500	1 2 3	137.1
				5	114.7
				4	150.9
80	5	4	730	1	83.9
				2	67.0
				1 2 3 4	99.3
			830	1	107.0 80.1
			050	ž	90.1
				3	70.8
				4	189.4
			930	1	109.3 74.7
				3	77.0
				4	132.4
			1030	1	88.5
				5	66.2
				5	86.2 118.6
			1200	1	84.7
				2	66.2
				3	78.5
			1300	4	106.3
			1300	2	60.8 55.4
				3	53.1
				4	131.7
			1400	1	53.1
				12341234123412341234	49.3 114.0
				4	100.9
		10	730	1	77.0
				2	67.0
				3	90.9
				4	68.5

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
80	5	10	830	1	89.3
				2	53.1
				3	67.0
				4	160.2
			930	1	68.5
				2	62.4
				3	69.3
			1030	7	72.4
			1030	2	54.7
				3	80.1
				4	116.3
			1200	1	115.5
				2	78.5
				3	69.3
				4	100.1
			1300	1	103.9
				2	55.4
				3	62.4
				4	87.8
			1400	1	107.0
				2	59.3
				3	63.1 86.2
		16	730	1	63.1
		10	130	2	68.5
				3	109.3
				4	53.1
			830	1	71.6
				2	53.9
				3	36.2
				4	73.1
			930	1	75.5
				2	57.0
				3	44.7
				4	84.7
			1030	1	67.0
				2	62.4
				3	49.3
			1200	1	70.8
			1200	2	63.9
				3	20.0
				4	106.3
			1300	4123412341234123412341234123412341234123	.0
				2	. 0
				3	.0
				4	. 0
			1400	1	49.3
				2	39.3
				3	26.2

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
0.0		1.6	1400	4	70.5
80	5	16 22	1400 730	1.	78.5 77.8
			130	2	73.1
				3	90.9
				4	114.0
			830	1	83.2
				5	70.1
				3	83.9
			0.70	4	103.9
			930	1	73.9 67.8
				3	88.5
				4	127.0
			1030	1	80.1
				2	67.0
				3	77.8
				4	100.9
			1200	1 2 3	73.1
				2	58.5 64.7
				4	103.2
			1300	1	66.2
				2	56.2
				2	66.2
				4	100.1
			1400	1	67.0
				2	50.0
				4	65.4 92.4
	6	3	730	i	68.5
	ŭ	J		2	68.5
				3	83.2
				4	112.4
			830	1	78.5
				2	70.8
				3	87.0
			930	ī	108.6
			,,,,	ż	63.9
				3	70.1
				4	122.4
			1030	1	69.3
				2	58.5
				3	62.4
			1200	4	95.5 58.5
			1200	5	53.9
				3	55.4
				4	103.9
			1300	1	59.3
				2	49.3

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
80	6	3	1300	3	52.4
				4	67.8
			1400	1	57.8
				2	45.4
				3	47.7
		9	730	4	71.6 105.5
		9	730	2	79.3
				3	102.4
				4	117.8
			830	1	80.1
				2	77.8
				3	89.3
				4	132.4
			930	1	79.3
				2	82.4 86.2
				4	141.7
			1030	i	88.5
				2	82.4
				3	81.6
				4	155.5
			1200	1	87.0
				2	80.1
				3	105.5
			1300	4	122.4
			1300	2	84.7
				3	96.3
				4	109.3
			1400	1	97.8
				2	88.5
				3	101.6
				4	127.0
		15	730	1	98.6
				2	78.5 99.3
				4	85.5
			830	1	96.3
			0.00		78.5
				3	81.6
				4	88.5
			930	1	100.9
				2	77.0
				3	82.4
			1030	1	103.9
			1030	2	77.8
				2	86.2
				4	120.9
			1200	1	95.5

					VISUAL
EAR	MONTH	DAY	HOUR	VIEW	RANGE
30	6	15	1200	5	87.8
			12,0	3	84.7
				4	114.7
			1300	1	114.7
				5 -	86.2
				3	84.7
			1	4	125.5
			1400	1	98.6 77.8
				3	96.3
				2 3 4	112.4
		21	730	1	69.3
				1 2 3	73.1
				3	84.7
				4	86.2
			830	4 1 2 3	67.8
				2	67.8 75.5
				4	93.9
			930	ī	84.7
			,,,,,	ż	63.1
				2	73.9
				4	112.4
			1030	1	66.2
				2	64.7
				3	73.1
			1200	4	83.9
			1200	1 2 3 4 1 2 3	79.3 67.8
				3	72.4
				4	97.0
			1300	1	75.5
				2	70.8
				3	73.9
				4 1 2 3	88.5
			1400	1	72.4
				2	69.3 71.6
				4	106.3
		27	730	1	57.0
				2	52.4
				3	67.0
				4	71.6
			830	1	58.5
				2	45.4
				1 2 3 4 1 2 3 4 1 2 3	57.8
			930	1	74.7 60.8
			930	2	46.2
				3	65.4
				4	78.5

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
80	6	27	1030	5	73.1 56.2
				3	61.6 85.5
			1200	1	72.4
				1 2 3	56.2
				4	67.0 95.5
			1300	1	81.6
				1 2 3	61.6
				4	69.3 86.2
			1400	1	86.2
				1 2 3	66.2 80.1
				4	83.9
	7	3	730	1	82.4
				2	75.5 111.6
				4	105.5
			830	1	90.1
				2	76.2
				4	113.2
			930	2 3 4 1 2 3	77.0
				2	79.3
				3	87.0 105.5
			1030	1	89.3
				5	73.9
				3	137.1
			1200	1	110.9
				2	80.1
				3	109.3 153.2
			1300	1	88.5
				2	98.6
				3	94.7 127.8
			1400	1	96.3
				5	81.6
				3	100.1
	10	1	830	1	100.1
				2	83.9
				4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 3 4 1 2 3 4 3 4 1 2 3 4 3 4 1 2 3 3 4 1 2 3 4 3 4 3 4 1 2 3 3 4 3 4 3 4 1 2 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3	98.6
			930	1	117.0
				2	89.3
				3	101.6

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
80	10	1	930	4	115.5
			1030	1	90.9
				2	76.2
				3	103.9
				4	123.2
			1130	1	115.5
				2	83.9 98.6
				4	111.6
			1300	1	108.6
			1300	ż	82.4
				3	97.8
				4	134.8
			1400	1	110.1
				2	87.8
				3	94.7
				4 1 2 3	126.3
			1500	1	114.7
				2	90.9 90.1
				4	132.4
		7	830	ī	84.7
		•	030	2	73.9
				2	87.0
				4	108.6
			930	1	79.3
				2	68.5
				3	76.2
				4	97.0
			1030	1	78.5 65.4
				2	83.2
					107.8
			1130	4	72.4
				2	64.7
				2	70.1
				4	104.7
			1300	1 2 3	78.5
				2	53.9
				3	73.1
			1 4 0 0	4	102.4
			1400	2 3	77.0 58.5
				3	77.0
				4	95.5
			1500	4	75.5
				2	63.9
				3	73.1
				4	96.3
		13	830	1	162.5
				5	55.4

					VICILAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
80	10	13	830	3	77.0
	• •			4	130.1
			930	1	40.8
				2	42.3
				3	99.3
				4	111.6
			1030	1	69.3
				2	44.7
				3	54.7
				4	84.7
			1130	1	71.6 52.4
				2	
				4	46.2 80.8
			1300	1	46.2
			1300	2	76.2
				3	27.7
				4	44.7
			1400	1	68.5
				2	52.4
				3	10.0
				4	88.5
			1500	1	72.4
				2	61.6
				3	54.7
				4	71.6
		19	830	1	95.5
				5	73.1
				3	71.6 75.5
			930	4	90.9
			930	2	71.6
				3	56.2
				4	73.9
			1030	1	87.8
				2	70.1
				3	50.0
				4	42.3
			1130	1	77.0
				5	67.0
				3	42.3
				4	50.8
			1300	1	73.1
				5	73.9
				12341234123412341234123412341234123	46.2
			1400	4	51.6
			1400	1	80.8
				3	53.1
				4	73.1
			1500	1	77.8
			. 500	•	. , , , 0

MONTH	DAY	HOUR	VIEW	VISUAL RANGE
10	19	1500	2 3	60.1 57.8 57.8
	25	830	1 2 3	114.0 95.5 115.5
		930	1 2 3	149.4 110.1 92.4 113.2
		1030	1 2 3	195.6 108.6 88.5 109.3
		1130	1 2 3	189.4 111.6 90.9 104.7
		1300	1 2 3	143.2 106.3 89.3 99.3
		1400	1 2 3	116.3 112.4 89.3 101.6
		1500	1 2 3	140.1 114.7 95.5 103.2
	31	830	1 2 3	131.7 120.1 87.8 91.6 127.0
		930	1 2 3	112.4 93.2 97.0 164.0
		1030	1 2 3	107.8 87.0 95.5 117.0
		1130	1 2 3	107.0 93.9 102.4 131.7
		1300	1 2 3 4	103.2 85.5 95.5 130.9
		10 19 25	10 19 1500 25 830 930 1030 1130 1300 1400 1500 31 830 930 1030	10 19 1500 2 3 4 4 1030 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 3 3 4 1130 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1130 1 1 2 2 3 3 4 1 1300 1 1 2 2 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
80	10	31	1400	5	111.6 87.0
				3	103.2
			1500	4	151.7
			1500	1 2	99.3 87.0
				3	110.9
	11	,	830	4	140.9 93.9
	11	6	930	5	78.5
				2	108.6
			930	4	132.4
			35.0		68.5
				. 3	126.3
			1030	4	150.9
				2	83.2
				3	130.9
			1130	1	176.3
				2	. 109.3
				3	95.5 191.7
			1300	ĭ	152.5
				2	158.6
				2 3 4 1 2 3	96.3 183.3
			1400	ì	119.3
				2	117.0
				3	127.0 124.7
			1500	1	105.5
				5	80.8 53.1
				4	110.1
		12	830	4 1 2 3 4 1 2 3 4 1 2 3	.0
				2	.0
				4	.0
			930	1	. 0
				3	.0
				4	.0
			1030	1	.0
				3	0
				2 3 4 1 2 3	. 0
			1130	1	.0
				3	• 0
				_	

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
80	11	12	1130	4	.0
			1300	1	• 0
				2	• 0
				4	. 0
			1400	1 2	.0
				3	.0
			1500	4	• 0
			1500	2	.0
				3	.0
		18	830	1	.0
				5	.0
				3	• 0
			930		. 0
				1 2 3	.0
				4	. 0
			1030	1 2	• 0
				3	.0
				4	.0
			1130	1 2. 3	.0
				3	.0
			1300	4	.0
			1300	1 2	. 0
				3	.0
			1400	1	.0
				2	• 0
				4	.0
			1500	1	.0
				2	.0
				4	.0
		24	830	5	• 0
				3	.0
			930	4	.0
			730	2	.0
				3	• 0
			1030	4 .	.0
				2	.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
80	11	24	1030	3	. 0
				4	.0
			1130	1	.0
				2	.0
				4	.0
			1300	1	52.4
			1300	5	65.4
				3	50.8
				4	25.4
			1400	1	.0
					.0
				2	.0
				4	.0
			1500	1	.0
				5	• 0
				3	• 0
				4	• 0
		30	830	1	89.3
				2	92.4
				4	90.9 180.2
			930	i	54.7
			950	2	58.5
				3	76.2
				4	117.8
			1030	1	53.9
				2	37.7
				3	89.3
				4	125.5
			1130	1	70.8
				2	54.7
				3	60.1
				4	131.7
			1300	1	78.5
				2	54.7
				3	46.2 95.5
			1400	1	98.6
			1400	5	73.1
				3	51.6
				4	67.0
			1500	1	100.1
				ž	76.2
				3	73.1
				4	110.9
81	5	8	730	1	121.7
				2	60.8
				3	53.9
				4	81.6
			830	1	67.8

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
31	5	8	830	2	83.9
		Ü	0.30	3	61.6
				4	126.3
			930	1 2	57.0 50.8
				3	24.6
				4	70.8
			1030	1	. 0
				2	• 0
				4	71.6
			1200	1	.0
				2	• 0
				3	• 0
			1300	1	.0
				2	.0
				3	• 0
			1400	4	.0
			1400	5	.0
				3	.0
				4	• 0
		14	730	1	113.2 107.8
				2	115.5
				4	164.8
			830	1 2	106.3
				3	100.9 107.8
				4	155.5
			930	1	102.4
				2	93.9
				4	97.0 157.8
			1030	1	100.1
				2	87.8
				3	93.9
			1200	4	154.0 79.3
			1200	2	83.2
				3	83.2
			1300	4	125.5 74.7
			1300	5	65.4
				3	71.6
				4	89.3
			1400	1	73.9 59.3
				1 2 3	74.7
				4	87.8

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
81	5	21	730	1	41.6
•					47.0
				3	48.5
				4	100.1
			830	1	47.0
				2	50.8
				1 2 3 4	44.7
			030	4	82.4
			930	7	40.8 51.6
				3	52.4
				4	93.2
			1030	1	50.0
				5	52.4
				3	50.8
				4	126.3
			1200	1	60.1
				2	57.0
				4	73.9 94.7
			1300	ī	64.7
			1300	ż	79.3
				3	74.7
				4	93.9
			1400	1	45.4
				2	44.7
				3	47.7
			720	4	94.7
		27	730	7	67.0 68.5
				3	60.8
				4	99.3
			830	1	68.5
				2	65.4
				3	68.5
				4	96.3
			930	1	67.8
				2	58.5
				3	65.4
			1030	1	80.8
				ż	70.1
				3	68.5
				4	116.3
			1200	1	51.6
				123412341234123412341234123412341234123	57.8
				3	44.7
			1200	4	81.6
			1300	1	78.5
				2	93.9 49.3
				3	47.3

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
81	5	27	1300	4	58.5
			1400	1	73.1
				2	60.1
				3	63.1
		2.0	720	4	101.6
		30	730	2	47.0
				3	55.4 63.9
				4	.0
			830	ì	48.5
			000	2	51.6
				3	63.1
				4	80.8
			930	1	49.3
				2	48.5
				3	53.1
				4	67.0
			1030	1	49.3
				2	46.2
				3	49.3
			1000	4	75.5
			1200	1	57.0
				2	47.0 50.8
				4	77.0
			1300	i	53.1
			1300	2	50.8
				3	49.3
				4	73.9
			1400	1	56.2
				1 2 3	49.3
				3	49.3
				4	66.2
	6	2	730	1	61.6
				2	54.7
				3	57.8
				4	75.5
			830	1	59.3
				2	53.9
				4	57.0 71.6
			930	1	57.0
			930		53.1
				2	54.7
				4	70.8
			1030	4 1 2 3 4	56.2
				2	51.6
				3	53.9
				4	77.0
			1200	1 2	60.8
				2	52.4

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE	
81	6	2	1200	3	51.6	
				4	73.9	
			1300	1	57.8	
				2	52.4	
				3	50.0	
				4 1 2 3	70.1	
			1400	1	63.9	
				2	55.4	
				3	52.4	
		_		4 1 2 3	66.2	
		5	730	1	71.6	
				2	64.7	
				3	70.8	
				4	103.2	
			830	, 1	63.9	
				5	59.3	
				3	73.9	
				4	88.5	
			930	1	71.6	
				2	61.6	
				3	73.9	
			1020	4	93.2	
			1030	1	77.0	
				2	69.3	
				1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	69.3	
			1200	4	99.3	
			1200	1	83.9	
				2	73.1	
				4 .	67.8	
			1200	4	107.0	
			1300	1	90.9 77.8	
				2		
				3	66.2	
			1400	*	101.6	
			1400	1 2 3 4 1 2 3	95.5 80.8	
				2	77.0	
				3	93.9	
		8	730	1	87.0	
			730	1		
				2	90.1	
					96.3	
			020	1	115.5	
			830	7	72.4	
				۲	71.6	
				3	87.8	
			030	4 1 2 3 4 1 2	118.6	
			930	1	66.2	
				3	67.0	
					87.8	
			1020	4	125.5	
			1030	1	73.1	

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
81	6	8	1030	5	67.8
				3	84.7
				4	125.5
			1200	1	79.3
				S	74.7
				3	77.0
			1300	1	112.4 83.2
			1300	2	76.2
				3	87.0
				4	110.9
			1400	1	81.6
					77.0
				2	85.5
				4	104.7
		11	730	1	102.4
				3	96.3
				3	107.8
			020	4	110.1
			830	1	97.8 90.1
				2	97.8
				4	107.0
			930	ī	93.9
			,,,,	2	86.2
				2	88.5
				4	93.9
			1030	1 2 3	89.3
				2	79.3
				3	79.3
				4 1 2 3	93.9
			1200	1	77.8
				2	69.3 65.4
				4	99.3
			1300	1	77.0
			1500	2	68.5
				1 2 3	67.0
				4	100.9
			1400	1	78.5
				2	68.5
				3	71.6
				4	104.7
		17	730	1	60.1
				2	58.5
				2 3 4	58.5
			830	1	75.5 51.6
			630	1 2 3	50.0
				3	47.0
				4	83.2

					WICHAI
EAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
31	6	17	930	1	60.1
				2	46.2
				3	37.7
				4	68.5
			1030	1	50.0
				2	42.3
				3	39.3
				4	52.4
			1200	1	57.0
				2	45.4
				3	46.2
				4	65.4
			1300	1	78.5
				2	66.2
					59.3
				4	74.7
			1400	1	79.3
				2	69.3
				3	67.0
	9	_	770	4	69.3
	9	3	730	5	117.8
				3	100.9
				4	64.7
•			830	1	93.2
			050	5	78.5
				3	96.3
				4	103.9
			930	1	85.5
			,,,,	Ş	74.7
				3	95.5
				4	101.6
			1030	1	75.5
				2	67.8
				3	70.8
				4	99.3
			1200	1	72.4
				2	62.4
				3	67.0
				4	95.5
			1300	1	72.4
				2	64.7
	•			3	75.5
				4	84.7
			1400	1	78.5
				2	56.2
				3	67.8
				4	79.3
		9	730	1	81.6
				2 3	83.2
				3	121.7

EAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
31	9	9	730	4	221.0
			830	1	92.4
				2	70.8
				3	105.5
				4	172.5
			930	1	83.9
				2	72.4
				3	98.6
				4	102.4
			1030	1	93.2
				2	74.7
				4	97.8 93.9
			1200	1	99.3
			1200		80.1
				3	87.0
				4	97.0
			1300	i	94.7
				2	80.8
				3	76.2
				23412341234123341233	58.5
			1400	1	125.5
				2	85.5
				3	87.0
				4	40.0
		15	730	1	73.9
				5	66.2
				3	83.2
			0.20	4	105.5
			830	1	70.1 63.1
				2	81.6
				4	97.0
			930	ī	66.2
			,50	ş	62.4
				3	73.1
				4	90.1
			1030	1	67.0
				2	57.8
				3	70.1
				4	94.7
			1200	1	66.2
				2	55.4
				3	66.2
				4	70.1
			1300	1	64.7
				2	54.7
				3	70.1
			1400	1	80.8 67.0
			1400	5	50.8
				2	30.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
81	9	15	1400	3	55.4 69.3
		21	730	1 2 3 4	67.0 62.4 70.8 72.4
			830	1 2 3	64.7 59.3 66.2
			930	4 1 2 3	78.5 60.8 52.4 57.0
			1030	4 1 2 3	67.0 57.8 50.8 54.7
			1200	4 1 2 3	67.8 60.8 49.3 48.5
			1300	1 2 3	73.9 57.0 52.4 60.8
			1400	1 2 3	73.9 73.9 63.1 98.6
		24	730	4 1 2 3	57.0 62.4 60.8 66.2
			830	1 2 3	98.6 72.4 61.6 67.0
			930	1 2 3	78.5 64.7 60.8 68.5
			1030	1 2 3	78.5 73.9 63.9 67.0
			1200	1 2 3	73.9 83.9 73.1 77.8
			1300	4	30.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
81	9	24	1300	2	98.6 82.4
				4	90.9
			1400	i	94.7
				2	82.4
				3	114.0
				4	25.4
	10	6	830	1	68.5 64.7
				2	70.1
				4	83.9
			930		70.8
				1 2 3	61.6
					65.4
			1020	4	85.5 73.9
			1030	2 3	61.6
				3	65.4
				4	81.6
			1130	1	65.4
				1 2 3	61.6
				3	67.0 98.6
			1300	i	66.2
				2	57.0
				4 1 2 3 4	65.4
				4	89.3
			1400	1	68.5 60.8
				3	64.7
				4	104.7
			1500	1	75.5
				2	59.3
				3	66.2 99.3
		12	830	i	.0
				2	. 0
				3	. 0
			020	4	.0
			930	1	.0
				3	.0
				4	. 0
			1030	1	56.2
				1234123412341234123	63.9
				4	83.2
			1130	1	.0
				2	80.1
				3	97.0
				4	100.9

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
TEAR	MUNIN	DAT	HOUR	ATEM	RANGE
81	10	12	1300	1	53.9
				2	61.6
				3	. 0
				4	90.9
			1400	1	91.6
				2	101.6
				3	95.5
			1500	4	97.8
			1500	5	83.2 78.5
				3	123.2
				4	97.0
		21	830	1	102.4
				2	88.5
				2	107.8
				4	124.7
			930	1	93.9
				2	87.0
				3	93.2
			1000	4	114.0
			1030	1 2	90.1 77.8
				3	97.8
				4	116.3
			1130	1	85.5
				2	67.0
				3	88.5
				4	108.6
			1300	4 1 2 3	81.6
				5	73.1
				3	81.6
				4	103.2
			1400	1	95.5
				1 2 3	68.5
				4	81.6
			1500	1	87.0
			1500	1 2 3 4	70.8
				3	76.2
				4	111.6
		27	830	1	100.1
				2	87.0
				3	108.6
				4	125.5
			930	1	93.9
				2	89.3
				3	100.1
			1030	1	134.8
			1030	2	67.0
				2	77.0
				3	,,,,

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
					HANGE
81	10	27	1030	4	109.3
			1130	1	77.0
				2	67.8
				3	76.2
				4	124.7
			1300	1	95.5
				2	75.5
					76.2
			1400	4	102.4
			1400	1	79.3 68.5
				2	70.1
					100.9
			1500	4 1 2 3	82.4
			1300	ż	87.0
				3	79.3
				4	114.7
	11	4	830	1	114.0
				1 2 3	98.6
					126.3
				4	166.3
			930	1	107.0
				2	100.1
				3	120.1
			1030	4	174.0
			1030	5	104.7
				3	114.0
				4	150.1
			1130	1	109.3
				2	100.1
				2	104.7
				4	157.1
			1300	1	112.4
				2	93.9
				3	106.3
				4	134.0
			1400	1	110.1
				2	91.6 103.2
				3	135.5
			1500	7	114.7
			1500	2	93.9
				7	101.6
				4	137.1
82	5	3	730	4 1 2 3 4 3 4 1 2 3 4 1 2 3 4 1 2 3 3 4 1 2 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 3 3 4 1 2 3 3 3 4 1 2 3 3 4 1 2 3 3 3 3 4 1 2 3 3 4 1 2 3 3 3 4 1 2 3 3 3 3 4 1 2 3 3 3 4 1 2 3 3 3 3 3 4 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	74.7
		Ī		2	83.9
				3	97.0
				4	77.0
			830	1	77.8
				5	82.4

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
82	5	3	830	3	73.9
				4	88.5
			930	1	69.3
				2	86.2
				3	70.1
			1000	4	66.2
			1030	1	67.8
				2	80.8 53.9
				4	97.0
			1200	1	45.4
				5	94.7
				3	56.2
				4	149.4
			1300	1	77.8
				2	55.4
				3	101.6
				4	154.8
			1400	1	88.5
				2	77.0
				3	90.9 124.7
		7	730	1	78.5
		'	750	2	74.7
				3	75.5
				4	149.4
			830	1	80.8
				2	67.8
				3	87.8
				4	89.3
			930	1	88.5
				2	87.0
				4	84.7 138.6
			1030	1	101.6
			1030	5	80.8
				3	87.0
				4	188.6
			1200	1	121.7
				2	93.2
				3	124.0
				4	199.4
			1300	1	122.4
				2	95.5
				4	118.6
			1400	1	134.8
			1400	2	98.6
				2 3	112.4
				4	97.0
		11	730	1	.0

HONTH	DAY		WITTH	VISUAL
MONTH	DAT	HOUR	VIEW	RANGE
5	11	730	2	.0
3	••	750	3	. 0
			4	. 0
		830	1	61.6
			2	47.0
			2	50.8
			4	. 0
		930	1	46.2
			2	67.8
			3	179.4
			4	83.9
		1030	1	81.6
			2	.0 41.6
			4	.0
		1200	1	.0
		1200	ż	.0
			1 2 3	57.8
			4	91.6
		1300	1	85.5
			2	77.8
			3	77.0
			4	87.8
		1400	1	.0
			2	.0 56.2
			4	43.9
	19	730	i	55.4
			1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	61.6
			3	78.5
			4	89.3
		830	1	36.2
			2	33.9
			3	80.1
		020	4	106.3
		930	7	65.4
			4	41.6
			4	123.2
		1030	1	70.1
			2	56.2
			3	48.5
			4	60.8
		1200	1	60.8
			2	55.4
			3	57.0
		1200	4	83.2 69.3
		1300	1	22.3
			3	48.5
			4 1 2 3 4 1 2 3 4	65.4

YEAR 82

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
82	5	19	1400	1	.0
				2	50.8
				3	20.8
				4	97.0
		23	730	1	63.1
				2	70.1
				3	70.8
				4	94.7
			830	1	60.8
				2	77.0
					86.2
				4	107.8
			930	1	53.1
				2	53.1
				4	63.1
			1030	1	87.0 67.8
			1030	1	60.1
				2	66.2
				4	94.7
			1200		70.8
			1200	1 2 3	70.8
				3	64.7
				4	111.6
			1300	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 4 1 2 3 4 4 4 1 4 4 1 2 3 4 4 4 4 4 1 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	73.1
				2	69.3
				3	76.2
			,	4	100.9
			1400	1	82.4
				2	67.8
				3	64.7
				4	96.3
		27	730	1	77.0
				2	66.2
				3	81.6
				4	120.1
			830	1	82.4
				5	71.6
				3	81.6
				4	100.1
			930	1 2 3	79.3
				2	77.8
				3	77.0
			1020	4 1 2 3 4 1 2 3	102.4
			1030	3	80.8
				3	79.3
				4	120.9
			1200	1	80.8
			1200	2	90.1
				3	73.9
				_	1367

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
82	5	27	1200 1300	4 1 2	102.4 73.9 83.9
			1400	3 4 1 2 3	80.8 110.1 43.1 73.1
	6	4	730	3 4 1 2	80.8 120.9 95.5 92.4
			830	3 4 1 2	106.3 141.7 89.3 85.5
			930	3 4 1	99.3 134.0 83.2 77.8
			1030	2 3 4 1	85.5 122.4 75.5
			1200	2 3 4 1	71.6 77.0 111.6 71.6
				4 1 2 3 4	72.4 72.4 90.1
			1300	1 2 3 4	67.8 66.2 77.0 86.2
			1400	1 2 3	70.8 60.1 62.4
		8	730	1 2 3	77.8 75.5 70.8 83.2
			830	4 1 2 3	93.9 73.9 67.8 70.8
			930	1 2 3	94.7 67.8 65.4
			1030	1 2	69.3 90.9 82.4 63.1

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
82	6	8	1030	3	66.2
				4	84.7
			1200	1	78.5
				2	63.9
				3	64.7
				4	95.5
			1300	1	73.1
				2	62.4
				3	66.2
			3 / 00	4	96.3
			1400	1	80.8
				2	64.7 77.0
				4	83.9
		12	730	1	110.9
		•-	, 50	2	104.7
				3	134.8
				4	207.1
			830	1	92.4
				2	87.8
				234123412341234123412341234123	98.6
				4	130.1
			930	1	97.0
				2	92.4
				3	98.6
			1030	*	133.2
			1030	7	95.5 86.2
				3	93.9
				4	125.5
			1200	i	97.8
				2	100.1
				3	87.0
				4	59.3
			1300	1	100.1
				2	94.7
				3	95.5
				4	130.9
			1400	1 2 3	107.8
				2	95.5
				3	77.0
		16	730	4	117.8
		10	130	2	90.1
				2	91.6
				4	123.2
			830	1	90.9
				S	83.2
				3	92.4
				4 1 2 3 4	134.8
			930	1	98.6

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
82	6	16	930	2	86.2
92	9	10	730	3	112.4
					134.8
			1030	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 3 4 3 4 3 4 3 4 3 4 3 3 4 3 3 4 3 3 4 3 3 4 3 3 3 3 4 3 3 3 3 3 3 4 3 3 3 3 3 4 3 3 3 3 3 3 3 4 3	83.2
				5	77.8
				3	84.7
				4	93.9
			1200	1	102.4
				5	85.5
				3	87.8
			1224	4	132.4
			1300	1	107.0
				3	80.8
				4	125.5
			1400	i	103.9
			1400	ż	111.6
				3	101.6
				4	134.0
	9	4	730	1	83.9
	,			2	69.3
				3	81.6
				4	86.2
			830	1	78.5
				2	73.1 77.8
				6	91.6
			930	1	77.8
			,,,,	ž .	60.8
				3	76.2
				4	104.7
			1030	1	73.9
				2	68.5
				3	67.0
				4	96.3
			1200	1	77.0
				2	73.9
				3	75.5 74.7
			1300	1	69.3
			1300	2	65.4
				3	79.3
				4	77.8
			1400	1	85.5
				123412341234123412341234	57.8
				3	83.9
				4	89.3
		8	730	1	. 0
				2	. 0
				3	. 0
				4	• 0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
82	9	8	830	1	104.7
				2	84.7
				2	26.2
				4	57.8
			930	1	85.5
				2	71.6
				3	71.6
				4	72.4
			1030	1	93.2
				2	73.1
				3	79.3
				4	108.6
			1500	1	88.5
				2	74.7
				3	104.7
				4	104.7
			1300	1	67.0
				2	75.5
				3	124.0
				4 1 2 3 4 1 2 3	154.0
			1400	1	105.5
				5	40.8
				3	60.1
				4	151.7
		16	730	1	101.6
				2	100.9
				4 1 2 3 4 1 2 3 4	117.0
				4	222.5
			830	1	93.2
				2	94.7
				3	110.9
				4	154.0
			930	1	88.5
				2	80.8
				3	105.5
				4	139.4
			1030	1	93.2
				2	87.8
				3	95.5
			1200	4	120.1
			1200	1	98.6
				2	84.7
				3	96.3
			1200	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3	118.6
			1300	1	102.4
				2	86.2
				3	84.7
			1400	4	140.9
			1400	1	107.0
				2	86.2
				3	91.6

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
		16	1.00		121 7
82	9	16 20	1400 730	4	121.7 125.5
			, 50	2	134.0
				3	120.9
				4	. 0
			830	1	86.2
				2	77.0 48.5
				4	23.9
			930	1	80.1
				2	70.8
				3	97.8
			1020	4	67.0
			1030	5	87.8 57.0
				3	92.4
				4	102.4
			1200	1	90.1
				2	73.9
				3	90.1
			1300	4	136.3 97.0
			1300	2	77.8
				3	74.7
				1 2 3 4 1 2 3 4	75.5
			1400	1	102.4
				2	73.1
				۵	78.5 114.0
		24	730	1	94.7
				1 2 3	90.1
					101.6
				4	135.5
			830	1	93.2
				2	83.9 93.9
				4	125.5
			930	i	96.3
				2	78.5
				3	88.5
			1000	4	124.7
			1030	1 2 3	90.9 80.8
				3	86.2
				4	124.0
			1200		94.7
				1 2 3	87.8
				3	92.4
			1300	4	128.6 119.3
			1300	5	90.1
				_	,,,,

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
82	9	24	1300	3	103.9
			1400	1	100.1
				2	107.0
				3	98.6
		20	720	4	142.4
		28	730	1	88.5 134.0
				3	106.3
				4	50.8
			830		72.4
				1 2 3	57.0
				3	66.2
			030	4	42.3 78.5
			930	2	108.6
				3	120.1
				4	177.1
			1030	1	69.3
				2	57.8
				3	77.8
			1200	1	94.7 66.2
			1200	2	67.0
				3	53.9
				1 2 3 4 1 2 3 4 1 2 3	120.9
			1300	1	46.2
				2	71.6
				3	16.2
			1400	1	68.5
			1400	2	93.2
				3	143.2
				4	150.9
	10	2	830	1	112.4
				2	83.2
				4	108.6
			930	1	96.3
			/50	2	80.1
				3	105.5
				4	125.5
			1030	1	94.7
				2	80.1
				2 3 4 1 2 3 4	90.9
			1130	1	89.3
			1130	2	77.0
				3	107.8
				4	120.1
			1300	1	90.9

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
				7101	RANGE
82	10	2	1300	2	61.6
J.	• •	-	1300	3	93.2
				4	124.7
			1400	1	93.9
			1400	2	73.9
				3	94.7
				4	123.2
			1500	ĭ	97.0
			1300	1 2 3	74.7
				3	86.2
				4	120.1
		6	830		.0
		0	630	1 2 3	.0
				2	68.5
				4	127.8
			930	1	
			930	1	.0
				2	50.8
				4	
			1030	1	97.0
			1030		.0
				2	.0
				3	38.5
				4	90.9
			1130	1	.61.6
				2	51.6
				3	50.0
				4	93.9
			1300	1 2 3 4 1 2 3	83.2
				2	74.7
				3	91.6
				4	108.6
			1400	1	97.8
				2	80.8
				3	93.2
				4	138.6
			1500	1 2 3	103.9
				2	82.4
				3	94.7
				4	129.4
		10	830	1	103.2
				2	90.1
				2	124.7
				4	137.1
			930	4 1 2 3 4 1 2 3 4	103.2
				2	91.6
				3	60.8
				4	116.3
			1030	1	91.6
			1030	2	80.8
				-	00.0
				3	86.2

					VICUAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
82	10	10	1130	1	96.3
				2	77.0
				3	69.3
				4	57.0
			1300	1	94.7
				2	81.6 92.4
				4	79.3
			1400	1	101.6
				1	83.9
				3	74.7
				4	67.0
			1500	1	121.7
				4 1 2 3	103.2
				4	121.7 171.7
		14	830	1	70.8
		14	930	2	67.0
				2	60.8
				4	103.9
			930	1	74.7
				2	68.5
				3	65.4
				4	114.7
			1030	1	89.3 84.7
				2	83.9
				4	117.8
			1130	1	83.9
				1 2 3	69.3
				3	90.1
				4 1 2 3	139.4
			1300	1	84.7
				2	70.1
				3	77.0 131.7
			1400	4	83.9
			2400	ż	71.6
				3	67.0
				4	143.2
			1500	2 3 4 1 2 3	83.9
				2	75.5
				3	67.8
		10	020	4	117.8
		18	830	4 1 2 3 4 1 2 3	96.3 83.2
				3	97.8
				4	141.7
			930	1	90.9
				2	81.6
				3	93.2

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
0.3	3.0	10	030		114 0
82	10	18	930 1030	1	114.0 87.0
			1030	5	75.5
				3	95.5
				4	126.3
			1130	i	89.3
				2	68.5
				2	123.2
				4	114.7
			1300	1	97.8
				2	80.1
				3	117.0
				4	137.1
			1400	4 1 2 3 4 1 2 3	94.7
				2	82.4
				3	84.7
				4	129.4
			1500	1	95.5
				1 2 3	73.1
				4	84.7 114.7
		22	830	1	127.8
		22	030	2	99.3
				3	137.1
				4	113.2
			930	1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3	101.6
				2	95.5
				3	109.3
				4	150.1
			1030	1	100.9
				2	112.4
				3	117.0
				4	138.6
			1130	1	118.6
				2	77.0
				3	146.3
			1300	4 1 2 3	155.5
			1300	2	82.4
				3	147.1
				4	188.6
			1400	1	103.2
			•	2	85.5
				3	110.1
				1 2 3 4 1 2 3 4	187.1
			1500	1	113.2
				2	100.1
				3	69.3
				4	156.3
83	5	4	830	1 2	65.0
				2	57.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
83	5	4	830	3	50.0
				4	64.0
			930	1	74.0
				2	51.0
				4	57.0
			1030	1	84.0
			1030	2	83.0 63.0
				3	74.0
				4	90.0
			1130	1	83.0
			1130	2	69.0
				2	62.0
				4	51.0
			1300	4 1 2 3	88.0
				2	82.0
				3	57.0
				4 1 2 3	70.0
			1400	1	90.0
				2	81.0
				3	43.0
				4	41.0
			1500	1	96.0
				3	81.0
				3	61.0
		12	030	4 1 2 3	71.0 123.0
		12	830	2	97.0
				2	88.0
				4	75.0
			930	ì	99.0
			,50	4 1 2 3	92.0
				3	72.0
				4	148.0
			1030	1	121.0
				2	80.0
				3	96.0
				4	110.0
			1130	1	99.0
				5	75.0
				3	65.0
				4	79.0
			1300	1	82.0
				2	74.0
				3	56.0
			1400	4 1 2 3	114.0
			1400	1	61.0
				3	69.0
				4	106.0
			1500	1	74.0

					VICUAL
YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
				ATEM	
83	5	12	1500	2	.0
				3	64.0
				4	93.0
		24	830	1	89.0
				2	85.0
				3	81.0
				4	121.0
			930	1	88.0
				2	75.0
				3	72.0
				4	100.0
			1030	1	82.0
				5	70.0
				3	70.0
			1120	4	82.0
			1130	1	84.0 75.0
				3	63.0
				4	63.0
			1300	1	83.0
			1300	2	75.0
				3	60.0
				4	35.0
			1400	1	91.0
				2	82.0
				3	58.0
				4	42.0
			1500	1	97.0
				2	90.0
				3	60.0
				4	75.0
		28	830	1	77.0
				2	72.0
				3	67.0
			030	4	102.0
			930	1	72.0 70.0
				2	59.0
				4	101.0
			1030	1	70.0
			1030	2	66.0
				3	55.0
				4	82.0
			1130	2341234123412341234123412341234123412341	71.0
				2	65.0
				3	53.0
				4	107.0
			1300	1	74.0
				2	70.0
				3	43.0
				4	48.0

YEAR.	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
				A15.M	RANGE
83	5	28	1400	1	76.0
				2	69.0
				3	48.0
				4	40.0
			1500	1	82.0
				2	65.0 79.0
				4	93.0
	6	1	830	ì	32.0
		•	000	2	43.0
				3	25.0
				4	50.0
			930	1	46.0
				5	37.0
				3	44.0
			1030	1	51.0 44.0
			1000	2	42.0
				3	35.0
				4	55.0
			1130	1	37.0
				2	52.0
				3	42.0
				4	48.0
			1300	1	42.0
				2	45.0 35.0
				4	41.0
			1400	1	54.0
				2	51.0
				3	40.0
				4	59.0
			1500	1	59.0
				2	47.0
				3	34.0
		5	830	1	43.0
		,	0.50	2	.0
				3	28.0
				4	.0
			930	1	113.0
				2	75.0
				3	. 0
			1000	4123412341234123412341234123412341234123	.0
			1030	1	117.0
				3	93.0 71.0
				4	61.0
			1130	i	108.0
				2	89.0
				3 .	66.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
83	6	5	1130	4	59.0
			1300	1	93.0
				2	54.0
				3	54.0 100.0
			1400	4 1 2 3	104.0
			1400	2	81.0
				3	51.0
				4	79.0
			1500	4 1 2 3	118.0
				2	82.0
				3	86.0
				4	74.0
		9	830	1	75.0
				2	74.0
				3	73.0
			930	1	101.0 75.0
			930	2	71.0
				3	63.0
				4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 4 4 1 2 3 3 4 4 1 2 3 3 4 4 1 2 3 3 3 4 4 1 2 3 3 3 4 4 1 2 3 3 3 4 4 1 3 3 3 4 4 1 3 3 4 4 1 3 3 3 4 4 1 3 3 3 4 3 3 4 3 4	89.0
			1030	1	70.0
				2	69.0
				3	59.0
				4	90.0
			1130	1	87.0
				2	82.0
				3	91.0
			1200	4	83.0
			1300	7	66.0 56.0
				3	51.0
				4	24.0
			1400	i	68.0
				2	50.0
				3	29.0
				4	30.0
			1500	1	69.0
				2	79.0
				3	52.0
				4	83.0
		13	830	1	126.0
				2	91.0 79.0
				4	92.0
			930	1	97.0
			,,,,	2	90.0
				3	54.0
				4 1 2 3 2 3 4 1 2 3 4 1 2 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 3 4 1 2 3 3 3 3 4 1 1 2 3 3 4 1 2 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 4 1 2 3 3 3 4 1 2 3 3 4 1 2 3 3 3 4 1 2 3 3 3 4 1 2 3 3 3 3 4 1 2 3 3 3 3 3 4 1 2 3 3 3 3 3 3 4 1 1 2 3 3 3 3 3 4 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	86.0
			1030	1	110.0
				2	104.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
83	6	13	1030	3	67.0
			1130	1	56.0 76.0
				2	65.0
				4	71.0 69.0
			1300		86.0
				1 2 3	64.0
				3	45.0 57.0
			1400	i	68.0
				2	83.0
				3	64.0
			1	4 1 2 3	49.0
			1500	1	119.0
				3	118.0
					105.0
		21	830	4 1 2 3	89.0
				2	78.0
				3	69.0
			930	1	96.0 80.0
			930	2	72.0
				2	66.0
				4	86.0
			1030	1	81.0
				1 2 3	68.0
	•			4	55.0 81.0
			1130	1	80.0
			1130	ż	71.0
				3	59.0
				4	80.0
			1300	1	85.0
				5	65.0
				3	55.0 77.0
			1400	1 2 3 4 1 2 3 4 1 2 3	93.0
			1400	ż	76.0
				3	56.0
				4	72.0
			1500	1	93.0
				2	78.0
				3	56.0 72.0
		25	830	4 1 2 3 4 1 2 3 1	.0
		23	330	2	.0
				3	113.0
			930	1	. 0
				2	90.0

					VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
83	6	25	930	3	.0
				4	85.0
			1030	1	61.0
				2	56.0
				3	52.0
				4	89.0
			1130	1	68.0
				2	50.0 54.0
				J	61.0
			1300	ĭ	66.0
				2	59.0
				3	50.0
				4	46.0
			1400	1	69.0
				2	64.0
				3	52.0
			1500	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 3 4 1 2 3 4 1 3 3 4 4 1 3 3 4 3 1 3 4 1 3 3 3 4 1 3 3 3 3	.0
			1500	1	71.0 61.0
				2	34.0
				4	46.0
	9	1	830	1	99.0
		_		2	95.0
				3	91.0
				4	135.0
					127.0
			930	1	94.0
				3	87.0 82.0
				4	127.0
				7	110.0
			1030	1	86.0
					70.0
				2	72.0
				4	133.0
					108.0
			1130	2	53.0
				2	77.0
				4	68.0 136.0
				•	106.0
			1300	1	102.0
				2	106.0
				3	84.0
				4	60.0
					119.0
			1400	1	79.0
				2	106.0
				3	51.0
				4	68.0

V5.45		D.4.V			VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
83	9	1	1400	4	120.0
03	,	•	1500	1	96.0
			1300	2	87.0
				3	74.0
				4	76.0
		9	830	1	85.0
				2	67.0
				3	69.0
				4	92.0
			930	1	73.0
				2	58.0
					57.0
			1030	4	90.0
			1030		71.0 62.0
				2	57.0
				4	79.0
			1130	1	70.0
				2	62.0
				1 2 3	63.0
				4	78.0
			1300	1	73.0
				2	60.0
				3	46.0
				4	84.0
			1400	1	88.0
				2	65.0
				4	45.0
			1500	i	61.0 80.0
			1300	5	67.0
				3	50.0
				4	68.0
		17	830	1	96.0
				2	86.0
				3	81.0
				4	102.0
			930	1	74.0
				2	70.0
				3	46.0
			1030	4	92.0 75.0
			1030		68.0
				3	64.0
				4	82.0
			1130	1	72.0
				5	54.0
				3	62.0
				4	92.0
			1300	1	78.0
				2	67.0

V5.5		0.00		147514	VISUAL
YEAR	MONTH	DAY	HOUR	VIEW	RANGE
83	9	17	1300	3	55.0
03	,	1,	1300	4	68.0
			1400	1	88.0
			1 100	2	73.0
				3	55.0
				4	74.0
			1500	1	72.0
				2	60.0
				3	44.0
				4	89.0
		21	830	1	104.0
				S	98.0
				3	93.0
				4	134.0
			930	1	93.0
				2	89.0
				3	83.0
				4	104.0
			1030	1 2 3	105.0
				2	88.0
				3	78.0
			1120	1	110.0
			1130	1	96.0
				2	72.0 72.0
				4	94.0
			1300	ī	86.0
			1300	2	81.0
				2	65.0
				4	81.0
			1400	i	83.0
			1,00	ż	81.0
				3	59.0
				4	79.0
			1500	i	104.0
				2	80.0
				1 2 3	57.0
				4	75.0
		29	830	4 1 2 3	107.0
				2	107.0
				3	83.0
				4	91.0
			930	4 1 2 3	105.0
				2	98.0
				3	92.0
				4	138.0
			1030	1	96.0
				2	87.0
				3	91.0
				4	118.0
			1130	1	118.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
83	9	29	1130	2	91.0
				3	81.0
				4	94.0
			1300	1	133.0
				2	134.0
				4	76.0 84.0
			1400	1	121.0
			1400	1 2 3	100.0
				3	88.0
				4	90.0
			1500	1	144.0
				2	91.0
				3	108.0
				4	96.0
	10	3	830	1	51.0
				2	33.0
				3	92.0
			930	2 3 4 1 2 3 4 1 2 3 4 1 2 3	.0
			730	2	39.0
				3	38.0
				4	89.0
			1030	1	.0
				2	32.0
				3	30.0
				4	67.0
			1130	1	. 0
				2	44.0
				3	73.0
			1300	1	50.0
			1300	7	.0
				3	.0
				4	.0
			1400	1	.0
				4 1 2 3 4 1 2 3	.0
				3	45.0
				4 1 2 3	.0
			1500	1	. 0
				2	56.0
				3	.0
				4	.0
		11	830	4 1 2 3	117.0
				3	108.0
				4	78.0
			930	i	104.0
			,50	2	102.0
				1 2 3	62.0
				4	84.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
83	10	11	1030	1	81.0
				2	93.0 71.0
				3	100.0
			1130	1	129.0
			1130	4 1 2 3	87.0
				3	71.0
				4	78.0
			1300	1	91.0
				2	85.0
				3	78.0
			1.00	4 1 2 3 4 1 2 3	85.0
			1400	1	112.0
				2	90.0 47.0
				4	66.0
			1500	ĭ	117.0
				2	90.0
				3	58.0
				4	74.0
		15	830	1	75.0
				2	62.0
				3	64.0
•			930	4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 1 2 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3	83.0 83.0
			330	2	56.0
				3	63.0
				4	75.0
			1030	1	76.0
				2	78.0
				3	64.0
			1120	4 1 2 3 4	88.0 82.0
			1130	7	59.0
				จ	61.0
				4	85.0
			1300	1	80.0
				1 2 3	64.0
				3	63.0
				4	102.0
			1400	1	61.0
				2	68.0
				3	53.0 84.0
			1500	ī	85.0
			1300	ż	65.0
				3	91.0
				4	41.0
		19	830	1	126.0
				4 1 2 3 4 1 2 3 4 1 2 3	118.0
				3	106.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL
83	10	19	830	4	137.0
			930	1	112.0
				2	98.0
				3	88.0
				4	124.0
			1030	1	104.0
				2	100.0
				4	87.0 115.0
			1130	1	107.0
			1150	ş	98.0
				3	77.0
				4	103.0
			1300	1	95.0
				2	97.0
					73.0
				4	90.0
			1400	5	107.0 84.0
				3	67.0
				4	92.0
			1500	i	119.0
				2	99.0
				2	65.0
				4	82.0
		27	830	1 2	120.0
				2	103.0
				3	101.0
			930	4	141.0
			930	5	102.0 93.0
				3	88.0
				4	119.0
			1030	1	102.0
				2	91.0
				3	75.0
				4	100.0
			1130	1	89.0
				2	88.0
				4	72.0
			1300	1	93.0 107.0
			1300	1 2 3	73.0
				3	69.0
				4	94.0
			1400	1	103.0
				2	80.0
				3	61.0
				4	91.0
			1500	1	105.0
				2	91.0

YEAR	MONTH	DAY	HOUR	VIEW	VISUAL RANGE
83	10 .	27	1500	3	60.0
				4	84.0

04MAY83	DATE	VIEW	MILE
04MAY83 3 57 04MAY83 4 677 12MAY83 1 94 12MAY83 1 94 12MAY83 2 69 12MAY83 3 72 12MAY83 4 103 24MAY83 1 87 24MAY83 2 78 24MAY83 2 68 24MAY83 3 66 24MAY83 3 56 24MAY83 3 57 28MAY83 1 74 28MAY83 3 57 28MAY83 3 57 28MAY83 4 81 01JUN83 1 44 01JUN83 1 44 01JUN83 1 93 01JUN83 1 93 01JUN83 1 93 05JUN83 1 93 05JUN83 1 72 09JUN83 2 68 09JUN83 3 50 05JUN83 1 72 09JUN83 2 68 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 1 72 13JUN83 1 77 13J	04MAY83	1	82
04MAY83	CBYAMA0		69
12MAY83 1 94 12MAY83 2 69 12MAY83 3 72 12MAY83 4 103 24MAY83 1 87 24MAY83 1 87 24MAY83 2 78 24MAY83 2 78 24MAY83 3 66 24MAY83 1 74 28MAY83 1 74 28MAY83 1 74 28MAY83 2 68 28MAY83 3 57 28MAY83 4 81 01JUN83 1 44 01JUN83 1 93 01JUN83 1 93 01JUN83 1 93 05JUN83 2 67 05JUN83 1 93 05JUN83 1 72 09JUN83 1 72 13JUN83 1 72 13JUN83 1 73 13JUN83 1 73 13JUN83 1 73 13JUN83 1 75 13JUN83 1 75 13JUN83 1 77 09SEP83 1 79 17SEP83 1 79			
12MAY83			
12MAY83			
12MAY83			
24MAY83			
24MAY83			
24MAY83 3 66 24MAY83 4 74 28MAY83 1 74 28MAY83 1 74 28MAY83 2 68 28MAY83 3 57 28MAY83 4 81 01JUN83 1 44 01JUN83 2 45 01JUN83 3 36 01JUN83 1 93 05JUN83 1 93 05JUN83 2 68 05JUN83 2 68 09JUN83 1 72 09JUN83 1 72 09JUN83 1 72 13JUN83 1 77 13JUN83 1 97 13JUN83 2 79 13JUN83 1 97 13JUN83 2 79 13JUN83 1 97 13JUN83 1 97 13JUN83 2 79 13JUN83 1 97 13JUN83 1 97 13JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 3 59 01SEP83 1 97 01SEP83 1 97 01SEP83 1 97 01SEP83 1 97 01SEP83 1 77 09SEP83 1 79 17SEP83 2 88			
24MAY83			
28MAY83 1 74 28MAY83 2 68 28MAY83 3 57 28MAY83 1 44 01JUN83 1 44 01JUN83 2 45 01JUN83 3 36 01JUN83 1 93 05JUN83 1 93 05JUN83 2 67 05JUN83 2 67 05JUN83 2 67 05JUN83 3 50 05JUN83 1 72 09JUN83 1 72 09JUN83 1 72 13JUN83 2 79 13JUN83 2 79 13JUN83 1 97 13JUN83 2 79 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 2 79 13JUN83 2 79 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 2 79 13JUN83 3 71 13JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 3 59 01SEP83 1 77 01SEP83 1 87 01SEP83 1 77 01SEP83 2 89 01SEP83 1 77 09SEP83 1 77 17SEP83 2 63 09SEP83 1 77 17SEP83 1 79		_	
28MAY83			
28MAY83 3 57 28MAY83 4 81 01JUN83 1 44 01JUN83 2 45 01JUN83 3 36 01JUN83 1 93 05JUN83 1 93 05JUN83 2 67 05JUN83 1 77 05JUN83 2 68 09JUN83 3 59 09JUN83 3 59 09JUN83 3 77 13JUN83 1 97 13JUN83 1 97 13JUN83 1 97 13JUN83 1 97 13JUN83 2 79 13JUN83 1 97 13JUN83 1 97 13JUN83 1 97 13JUN83 1 95 21JUN83 1 85 21JUN83 1 87 21JUN83 2 64 25JUN83 3 59 21JUN83 3 59 21JUN83 1 87 21JUN83 2 64 25JUN83 3 55 21JUN83 3 55 21JUN83 3 55 21JUN83 4 80 25JUN83 1 77 01SEP83 1 87 01SEP83 1 87 01SEP83 1 77 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 17SEP83 1 75			
28MAY83			
01JUN83			
01JUN83 3 36 01JUN83 4 49 05JUN83 1 93 05JUN83 2 67 05JUN83 3 50 05JUN83 1 72 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 3 59 09JUN83 3 71 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 3 71 13JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 1 47 25JUN83 1 47 25JUN83 2 72 21JUN83 2 72 21JUN83 3 59 01SEP83 1 47 01SEP83 1 87 01SEP83 2 89 01SEP83 1 77 09SEP83 1 77 17SEP83 2 63 09SEP83 1 77 17SEP83 2 63 17SEP83 1 79 17SEP83 1 79 17SEP83 2 68 17SEP83 1 79	01JUN83	1	44
01JUN83 4 49 05JUN83 1 93 05JUN83 2 67 05JUN83 3 50 05JUN83 4 53 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 1 97 13JUN83 2 72 13JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 1 47 25JUN83 1 47 25JUN83 1 59 25JUN83 1 59 01SEP83 1 67 01SEP83 2 89 01SEP83 1 77 09SEP83 1 79 17SEP83 1 79	01JUN83	2	45
05JUN83 1 93 05JUN83 2 67 05JUN83 3 50 05JUN83 1 72 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 1 97 13JUN83 1 97 13JUN83 1 97 13JUN83 1 73 21JUN83 1 85 21JUN83 2 79 13JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 1 85 21JUN83 1 85 21JUN83 1 87 21JUN83 1 87 21JUN83 2 72 21JUN83 2 72 21JUN83 3 59 21JUN83 1 87 01SEP83 1 67 01SEP83 2 89 01SEP83 1 77 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 17SEP83 1 77 17SEP83 1 78 17SEP83 1 79 17SEP83 1 78 17SEP83 1 79	01JUN83	3	36
05JUN83 2 67 05JUN83 3 50 05JUN83 4 53 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 3 59 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 4 73 12JUN83 2 72 21JUN83 2 72 21JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 1 47 25JUN83 1 47 25JUN83 2 54 01SEP83 1 67 01SEP83 1 77 01SEP83 2 89 01SEP83 1 77 01SEP83 2 89 01SEP83 1 77 01SEP83 2 63 09SEP83 1 77 09SEP83 1 75			
05JUN83 3 50 05JUN83 4 53 09JUN83 1 72 09JUN83 2 68 09JUN83 3 59 09JUN83 1 97 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 2 54 25JUN83 1 47 25JUN83 1 59 01SEP83 1 67 01SEP83 2 89 01SEP83 4 109 09SEP83 1 77 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 3 55 17SEP83 2 68			
05JUN83			
09JUN83 1 72 09JUN83 2 688 09JUN83 3 59 09JUN83 1 97 13JUN83 1 97 13JUN83 2 79 13JUN83 3 71 13JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 1 47 25JUN83 2 54 25JUN83 1 47 25JUN83 2 54 01SEP83 1 67 01SEP83 1 87 01SEP83 2 89 01SEP83 1 77 09SEP83 1 75			
09JUN83 2 68 09JUN83 3 59 09JUN83 4 71 13JUN83 1 97 13JUN83 2 79 13JUN83 2 79 13JUN83 1 85 21JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 2 72 21JUN83 2 54 25JUN83 1 47 25JUN83 1 59 01SEP83 1 87 01SEP83 2 89 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 3 55 17SEP83 2 68 17SEP83 1 79 17SEP83 2 68 17SEP83 1 79 17SEP83 3 58 17SEP83 1 79 17SEP83 2 68			
09JUN83 3 59 09JUN83 4 71 13JUN83 1 97 13JUN83 2 79 13JUN83 3 71 13JUN83 1 85 21JUN83 1 85 21JUN83 2 72 21JUN83 2 72 21JUN83 3 59 21JUN83 3 59 21JUN83 1 47 25JUN83 1 47 25JUN83 2 54 25JUN83 3 50 25JUN83 2 54 25JUN83 3 70 01SEP83 1 87 01SEP83 1 87 01SEP83 2 89 01SEP83 1 77 09SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 17SEP83 1 75 17SEP83 1 75 17SEP83 1 75 17SEP83 2 68 17SEP83 3 55 17SEP83 3 55 17SEP83 4 85 17SEP83 1 79			
09JUN83			
13JUN83 1 97 13JUN83 2 79 13JUN83 3 71 13JUN83 4 73 21JUN83 1 85 21JUN83 2 72 21JUN83 3 59 21JUN83 1 47 25JUN83 2 54 25JUN83 2 54 25JUN83 4 54 01SEP83 1 87 01SEP83 1 87 01SEP83 1 77 09SEP83 1 77 17SEP83 1 78 17SEP83 1 79			
13JUN83 2 79 13JUN83 3 71 13JUN83 4 73 21JUN83 1 85 21JUN83 2 72 21JUN83 3 59 21JUN83 4 80 25JUN83 1 47 25JUN83 2 54 25JUN83 3 50 25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 3 74 01SEP83 1 77 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 175EP83 1 75 175EP83 1 75 175EP83 1 79 175EP83 1 79 175EP83 1 79 175EP83 3 55 175EP83 4 85 175EP83 1 95 21SEP83 1 95			
13JUN83 3 71 13JUN83 4 73 21JUN83 1 85 21JUN83 2 72 21JUN83 3 59 21JUN83 1 47 25JUN83 1 47 25JUN83 2 54 25JUN83 2 54 25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 17SEP83 2 63 17SEP83 1 79 17SEP83 1 79 17SEP83 2 68 17SEP83 1 79 17SEP83 2 68			
13JUN83 4 73 21JUN83 1 85 21JUN83 2 72 21JUN83 3 59 21JUN83 4 80 25JUN83 1 47 25JUN83 2 54 25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 1 87 01SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 1 77 09SEP83 1 77 17SEP83 1 78 17SEP83 1 78 17SEP83 1 79 17SEP83 2 68			
21JUN83 1 85 21JUN83 2 72 21JUN83 3 59 21JUN83 4 80 25JUN83 1 47 25JUN83 2 54 25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 2 89 01SEP83 1 77 09SEP83 2 63 09SEP83 1 77 09SEP83 2 63 175EP83 4 78 175EP83 1 79 175EP83 4 78 175EP83 4 78 175EP83 5 59 175EP83 4 78 175EP83 4 78 175EP83 1 79			
21 JUN83 2 72 21 JUN83 3 59 21 JUN83 4 80 25 JUN83 1 47 25 JUN83 2 54 25 JUN83 3 50 25 JUN83 4 54 01 SEP83 1 87 01 SEP83 2 89 01 SEP83 4 109 09 SEP83 1 77 09 SEP83 2 63 09 SEP83 1 77 17 SEP83 2 63 17 SEP83 1 79 17 SEP83 2 68			
21 JUN83 3 59 21 JUN83 4 80 25 JUN83 1 47 25 JUN83 2 54 25 JUN83 3 50 25 JUN83 4 54 01 SEP83 1 87 01 SEP83 2 89 01 SEP83 3 74 01 SEP83 4 109 09 SEP83 1 77 09 SEP83 2 63 09 SEP83 1 77 17 SEP83 1 79 17 SEP83 1 95 21 SEP83 2 84			
21 JUNA3 4 80 25 JUNA3 1 47 25 JUNA3 2 54 25 JUNA3 3 50 25 JUNA3 4 54 01 SEP83 1 87 01 SEP83 2 89 01 SEP83 3 74 01 SEP83 4 109 09 SEP83 1 77 09 SEP83 2 63 09 SEP83 1 77 17 SEP83 4 78 17 SEP83 1 79 17 SEP83 1 79 17 SEP83 2 68 17 SEP83 2 68 17 SEP83 3 53 17 SEP83 4 85 21 SEP83 1 95 21 SEP83 2 84			59
25JUN83 2 54 25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 1 79 17SEP83 1 79 17SEP83 2 68 17SEP83 3 59 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84	21JUNB3		80
25JUN83 3 50 25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 1 79 17SEP83 1 79 17SEP83 2 68 17SEP83 3 53 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84	25JUN83		47
25JUN83 4 54 01SEP83 1 87 01SEP83 2 89 01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 2 68 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			54
01SEP83 1 87 01SEP83 2 89 01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 1 79 17SEP83 1 79 17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
01SEP83 2 89 01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 1 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 53 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
01SEP83 3 74 01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
01SEP83 4 109 09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 1 78 17SEP83 1 79 17SEP83 2 68 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
09SEP83 1 77 09SEP83 2 63 09SEP83 3 55 09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 53 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
09SEP83 2 63 09SEP83 3 55 09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
09SEP83 3 55 09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
09SEP83 4 78 17SEP83 1 79 17SEP83 2 68 17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
175EP83 1 79 175EP83 2 68 175EP83 3 58 175EP83 4 85 215EP83 1 95 215EP83 2 84			
17SEPH3 2 68 17SEPH3 3 58 17SEPH3 4 85 21SEPH3 1 95 21SEPH3 2 84			
17SEP83 3 58 17SEP83 4 85 21SEP83 1 95 21SEP83 2 84			
21SEP83 1 95 21SEP83 2 84	17SEP83		
21SEP83 2 84	17SEP83	4	85
		1	95
21SEP83 3 72			
	21SEP83	3	72

Table 1.3.3-2 (cont)

# MEAN DAILY VISUAL RANGE BY VIEW 1983

DATE	VIEW	MILE
21SEP83	4	96
29SEP83	1	117
29SEP83	2	101
29SEP83	3	88
29SEP83	4	101
030CT83	1	7
030CT83	2	29
030CT83	3	39
030CT83	4	48
110CT83	1	107
1100783	2	93
110CT83	3.	72
110CT83	4	80
150CT83	1	77
150CT83	2	64
150CT83	3	65
150CT83	4	79
1900783	1	110
190CT83	2	99
190CT83	3	80
190CT83	4	106
270CT83	1	104
270CT83	2	88
270CT83	3	75
270CT83	4	103

TABLE 1.3.3-3
MEAN SEASONAL VISUAL RANGE HY VIEW

SEASON	YEAR	VIEW	MILE
SPRING	83	1	67
SPRING	83	2	69
SPRING	83	3	57
SPRING	43	4	56
FALL	83	1	52
FALL	83	2	66
FALL	83	3	64
FALL	83	4 .	59



#### 1.3.4 Atmospheric Diffusion Studies

Atmospheric diffusion modeling studies were completed in the Fall of 1982 and reported in the January 1983 Environmental Monitoring Report. No new modeling studies were conducted during this reporting period.



#### 1.3.5 Inversion Studies

No temperature inversion heights are being measured during the Interim Monitoring Period.  $\ensuremath{\mathsf{N}}$ 



#### 1.3.6 Air Quality Assurance

#### 1.3.6.1 Quality Assurance Program

The quality assurance program and procedures have been documented in Air Monitoring Quality Assurance Manual and Standard Operating Procedures, Cathedral Bluffs Shale 0il Co., August 1981. This document was submitted in August 1981 to EPA, Region VIII for approval. Copies were also sent to the 0il Shale Project Office and the Colorado State Department of Health.

These quality assurance procedures define requirements for instrument selection, installation, calibration, maintenance and auditing in accordance with regulations of the Clean Air Act. These procedures are followed by on-site personnel regarding air monitoring equipment. Copies of the quality assurance manual are retained in each air quality trailer for easy reference; these include standard forms for recording calibrations, repairs and data problems.

## 1.3.6.2 Station "Up-Time" Summaries

For this operational period air quality station AB23 and the co-located 60-m meteorological tower (AA23) have been in continuous operation. Monthly summaries of data acquisition instrument efficiencies (or "up-time") have been included in each monthly air quality data report. These monthly efficiencies are summarized on Table 1.3.6-1 for this reporting period.

### 1.3.6.3 Air Quality Audit Summaries

Air quality audits have been conducted by either an independent consultant or by CB Environmental Services' Grand Junction Office personnel at Station AB23 since 1976. Audit results from December 1981 to present are reported in Table 1.3.6-2. Audit performance goals for the instruments are to achieve values of  $\beta$  within + 10% of unity where

 $C_2 = \beta C_1 + \alpha$ 

 $\mathsf{C}_2$  = Concentration of gas obtained by audit service  $\mathsf{C}_1$  = Concentration of gas obtained by station calibration

 $\beta$  = Constant = Linear slope of regression line  $\alpha$  = Constant = C<sub>2</sub> intercept of regression line

Thus a  $\beta$  of 1.0 and an  $~\alpha$  of 0.0 indicate perfect agreement between station and the audit.

In addition, in December 1981 a systems audit was conducted by EPA, Region VIII's independent contractor. Audit recommendations and actions taken by CB were reported in the previous data report.

TABLE 1.3.6-1

Instrument "Up-Time" - Sta. AB23, AA23 - 1983

Channel NU2x NU2 NU2 NU2 CC SC2 SC2 H25 TSP Wind Speed 10m Wind Direction 10m Sigma Wind Dir. 10m Sigma Wind Dir. 10m G0m G0m Femperature 10m G0m G0m	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	_ 3000000000000000000000000000000000000	A 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	A 0100000000000000000000000000000000000	× 888888888888888888888888888888888888	F C C C C C C C C C C C C C C C C C C C	Nonth	4 00000000 0 00000000000000000000000000	S 00000 00 000000000000000000000000000		N 000000000000000000000000000000000000	٩
Delta Temperature Barive Humidity Solar Radiation Barometric Pressure Precipitation	98 68 77	100 100 0 0	1000	100 100 75 100 0	98 78 24 24	100 100 100 100	888888	000000	000000	000000	1000	

	83	0 7	200	37				
	8/29/83	1.040	1.02	(5) 1.057 0.999	(3)	<u>ê</u>	APCD	
8 Value	6/28/83	0.973	0.969	(5) 0.962 1.023	(3)	(3)	EPA	
	3/31/83	0.962	0,933	1.023	(3)	(3)	APCD	
	9/28/82 12/12/82	0.995	0.987	1.022	(3)	(3)	NAR .	
	9/28/82	1.026	0.996	1.005	(3)	(3)	APCD	
	6/15/82	1.002	0.968	0.977	(3)	1.017 1.042 1.020 0.993 1.039	CB E/S	
L	4/1/82	0.974	1.023	0.974	(3)	0.964 0.965 0.979 1.082 1.017		
-	12/28/81	1.040	(2) 0.974	0.982	Down Down 0.942 1.005	0.962 0.957 (2) 0.989 0.971	CB E/S	
INSTRUMENT		NO.	\$ 202 202 203 203 203 203 203 203 203 203	0 °	03 02 800 NO	0.5500 S	7	
STATION		AB23			AB20	AB26	Audit (4) Agency (4)	

436

variuncino or gas phase titration channel of the audit device.

Half action discontinuod.

Half action discontinuod in the contractor.

Half actions of Air Poll Unition Control Division.

EPA = Environmental Protection Agency, Region VIII.

GE K/S = Cathedral Biuffs Environmental Services Department, Grand Junction. (2)

II- 179

#### 1.3.6.4 Air Quality Precision Checks

The procedures followed for precision calculations were set forth in the CB Quality Assurance Manual and are identical to those contained in Ambient Monitoring Guidelines for Prevention of Significant Deterioration (PSD), EPA-450/4-80-012, November 1980. The precision probability limits and percentage differences for both gases (automated analyzers) and particulates (manual hi-vol analyzer) are presented in Table 1.3.6-3 for the April-June 1983, and July-September 1983 quarters.

Single Analyzer Precision - C-b Tract TABLE 1.3.6-3

Automated

(A) or Manual Ξ Ø ×

Time Period - April - June 1983 Lower 95% Limit -3.77 -2.15 -4.19 -3.33 -1.30 (%) Upper 95% Limit (%) 0.16 1.77 -0.27 0.59 2.62 Standard Deviation 3.76 4.80 4.87 2.07 3.17 S.j Di fferences Mean -0.19 -2.23 -1.37 -1.81 99.0 · G No. of Paired Samples 9 9 9 9 9 Dasibi 1003RS UV Instrument Beckman 866 IR Teco 43 P.F. Teco 45 PF ML8840E Station AB23 Gas 502 N02 H<sub>2</sub>S 03 00

Ø × Ø Σ

-11.35

18.63

7.65

3.64

2

Hi-vol

TSP

Pulsed Fluorescence Chemiluminescence т. С

Ultraviolet Absorption = Infrared I.S

TABLE 1.3.6-3

Single Analyzer Precision - C-b Tract

Station AB23	(823				Time Per	iod - July -	Time Period - July - September 1983
Gas	Instrument	No. of Paired Samples	Mean Differences $\overline{\overline{d}}_j$	Standard Deviation Sj (%)	Upper 95% Limit (%)	Lower 95% Limit (%)	Automated (A) or Manual (M)
202	Teco 43 P.F.	2	-4.21	8.31	-2.25	-6.17	۷.
N02	ML8840E C	Ω.	0.29	1.93	4.07	-3.49	A
03	Dasibi 1003RS UV	2	-1.91	2.50	0.05	-3.87	A
00	Beckman 866 IR	5	-3.97	6.82	-2.01	-5.93	ď
H2S	Teco 45 PF	rs.	0.75	6.33	1.21	2.71	<b>V</b>
TSP	Hi-vol	6	-2.33	4.29	6.08	-10.74	X

P.F. = Pulsed Fluorescence C = Chemiluminescence IR = Infrared UV = Ultraviolet Absorption





## 1.3.7 Data Reports

SEPTEMBER

JUNE

-

JULY

AUGUST



## LIST OF TABLES

			Page
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER		rage
	Nitric Oxide (NO) at Station AB23		.II-188 .II-189 .II-190 .II-191 .II-192
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS		
	Wind Speed at Station AA23 - 10 Meter Lével		
	Wind Speed at Station AA23 - 30 Meter Level		
	Wind Direction at Station AA23 - 10 Meter Level		
	Wind Direction at Station AA23 - 30 Meter Level		11-190
	Wind Direction at Station AA23 - 60 Meter Level		
	Wind Direction and Vector Average at Station AA23 - 10 Meter Level		
	Wind Direction and Vector Average at Station AA23 -		
	30 Meter Level		
	60 Meter Level		
	10 Meter Level	٠	.11-204
	30 Meter Level		
	Sigma Horizontal Wind Direction at Station AA23 -		
	60 Meter Level		.II-206
	Ambient Air Temperature at Station AA23 - 10 Meter Level		
	Ambient Air Temperature at Station AA23 - 30 Meter Level		
	Ambient Air Temperature at Station AA23 - 60 Meter Level		
	Delta Temperature (60m - 10m) at Station AA23		.11-210
	Relative Humidity at Station AB23 - 3 Meter Level		
	Solar Radiation at Station AB23		.II-212
	Barometric Pressure at Station AB23		
	Precipitation at Station AB23		
	Precipitation at Station AD28	•	.II-215
	(60m - 10m) at Station AA23		.II-216

EIST OF TABLES (CORRES)	р	
NUMBER OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY CONCENTRATION AND WIND DIRECTION		age
Nitric Oxide (NO) at Station AB23	I I I	I-218 I-219 I-220 I-221 I-222
SUMMARY REPORT: FREQUENCY TABLE OF WIND SPEED BY DIRECTION		
Station AA23 - 10 Meter Level	1	I-225
FIVE MAXIMUM INDEPENDENT SLIDING AVERAGES, STATION AB23	1	I-227
DATA ACQUISITION INSTRUMENT EFFICIENCY, STATION AB23	1	I-228

LIST OF TARLES (Contd)

DAY

NITHIC OXIDE (UG/M3)

CB-THACT THAILEH AB23 JUNE 1983 CATHEDHAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME)

PEAK	-	-	-	-	-	~	-	-	~	2	~	-	-	2	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-		(
	0	0	0	-	0	0	7	-	-	-	-	-	-	-	-	0	0	-	-	0	0	0	0	-	-	-	-	-	-	0	7	
54	0	0	-	-	-	2	-	-	-	2	~	-	-	2	-	-	-	-	-	-	-	-	8	-	2	2	2	-	-	-	-	
23	0	0	0	0	0	-	0	0	0	0	-	0	0	-	-	0	0	-	0	0	0	-	0	-	0	0	7	-	-	-	0	
25	0	0	0	0	0	-	0	-	0	7	0	-	~	0	0	0	0	0	-	0	0	0	0	-	0	-	-	-	0	-	0	
21	0	0	0	-	0	~	-	-	-	-	-	-	0	0	0	-	0	0	-	0	-	0	0	0	~	~	-	-	0	0	-	
50	9	0	0	0	0	0	-	-	-	-	0	0	-	~	-	-	0	-	-	0	-	0	-	0	0	~	-	-	0	-	-	
2	0	0	-	-	0	0	~	-	0	0	-	~	-	-	0	9	-	0	~	-	0	0	0	0	-	0	-	(CA)	-	0	~	
2	-	•	0	0	0	9	0	-	9	-	•	0	0	0	0	0	0	-	0	0	-	0	0	9	-	0	0	(CA)	•	0	0	
-	0	-	0	0	0	•	0	-	0	~	0	0	0	-	-	-	0	-	-	0	0	0	0	-	-	-	-	(CA)	0	0	-	
16	-	0	0	-	0	•	0	(CA)	-	-	0	-	0	0	0	0	0	0	0	0	0	0	~	-	-	0	0	(CA)	0	-	0	
15	0	0		0	-	0	•	(CA)	0	~	0	~	~	~	-	0	-	-	0	0	0	-	0	-	-	-	2	-	-	0	-	. 1
*	0	0	0	0	0	0		Ü																			(CA)		0	0	0	
13	0	-	-	-	~	-	0	(CA)	-	-	-	-	-	0	0	0	-	0	0	-	0	-	0	-	~	0	-	0	-	0	~	
12	-	9	0	-	-	0	-	(CA)	-	-	0	0	0	0	0	0	~	0	-	0	0	0	9	0	0	-	0	-	-	0	0	
=	-	~	0	-	0	0	0	(CA)	0	-	0	0	~	-	0	-	0	0	0	-	0	0	-	-	0	0	0	-	-	0	-	
10	0	0	0	0	0	0	0	(CA)	~	0	-	-	-	~	0	0	~	-	0	0	0	-	0	-	-	0	7	-	-	0	-	
•	-	0	-	-	0	0	0	(CA)	-	0	0	-	0	0	~	-	-	-	-	~	0	0	-	-	-	~	-	0	-	-	-	
œ	-	0	0	0	~	-	0	-	0	0	0	~	0	-	-	0	0	-	-	0	-	0	-	0	-	-	-	-	~	0	-	
-	0	0	~	-	0	0	-	o	-	-	-	-	-	-	-	-	0	0		0	-	0	0	0	0	-	-	5		0	-	
•	0	0	0	0	0	0	-	0	~	-	~	0	0	0	0	0	-	-	-		0	~	0	0	0	-	-	~	0	0	0	
S.	0	-	0	-	0	0	-	0	-	-	0	-	0	0	~	0	0	-	0	0	0	-	0	-	-	0	0	-	0	0	0	
*	0	0	0	0	0	-	-	0	,000	md	0	0	-	-	-	0	-	0	0	-	-	0	-	0	-	-	0	0	-	0	-	1 4
m	0	-	0	0	0	~	-	0	-	0		-	-	0	-	-	0	-	-	0	0	-	0	-	-	-	-	~	-	0	-	
2	-	0	0	0	-	0	1	0	0	-	~	-	-	~	-	0	0	-	~	0	-	0	0	-	~	0	0	-	-	-	-	
-	0	7	0	-	-	0	0	0	~	0		-	-	0	0	-	0	0	0	0	0	0	0	0	0	0	-	-	-	-	0	

P X

CB-TRACT
TRAILEM AB23
JUNE 1998
CATHEDMAL BLUFFS SHALE OIL CO.

	PEAK	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4
			>
	24	000000000000000000000000000000000000000	• •
	23	000000000000000000000000000000000000000	o ~
	22	000000000000000000000000000000000000000	o ~
	21	000000000000000000000000000000000000000	<b>-</b> ∼
	70	00000000000000000000000000000000000000	- N
	5	00000000000000000000000000000000000000	o ~
	18	N N O O O O O O O O O O O O O O O O O O	<b>o</b> 4
	11	00000000000000000000000000000000000000	<b>-</b> ~
	16	0 N 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	<b>o</b> ~
TIME)	15		<b>⇒</b> ~
	2	20000000000000000000000000000000000000	o N
STANDARD	2	5	<b>o</b> N
(LOCAL	12		o N
HOUR (1	Ξ	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	o 7
Ī	0.1	2	0 2
	٥	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	۰ ۸
	80		0 ~
	1	N 0000000N 000000000000000000000000000	0 7
	٠	N 0 0 0 0 N 0 0 0 0 0 0 0 0 0 0 0 0 0 0	o N
	S	N 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 ~
	4	000000000000000000000000000000000000000	0 ~
	e	0.0000000000000000000000000000000000000	0 0
	2	000000000000000000000000000000000000000	0 0
	-	000000000000000000000000000000000000000	o ~
	UAY	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	A Y

CB-THACT THAILER AB23 JUNE 1943 CATHEDHAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME)

10 11

UAY

24 AVE PEAK

	٥.	Δ1	٥.		01	_	_	21	01	_	٥.	٥.	_	_	_	_	_	_	_	01	_	2	01	٥.	0.	_	_	_			2
10	, ,					_	_	. •		_		. •	_	_	_	_	_	_	_	, ,	_			•		_	_	_	_		
0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	~	0	0	0	0	0	0	~
0	0	•	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
9	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2
0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	~
0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	9	0	0	0	0	~	0	0	0	(CA)	0	0	0	~
0	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	9	0	0	0	0	2	0	2	0	0	(CA)	0	0	0	~
0	0	0	0	0	0	0	0	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(CA)	0	0	0	2
0	2	0	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(CA)	0	0	0	~
0	0	2	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
2	0	0	0	~	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	(CA)	0	0	0	0	2
0	0	0	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0
0	0	2	0	0	0	0	(CA)	0	0	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	10	0	0	0	0	~
0	0	0	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	9	0	0	0	0	9	0	2	0	0	0	0	0	0	~
2	0	•	2	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	9	0	0	0	2	0	0	0	0	0	0	9	0	2
0	0	0	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	2
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
C	9	0	0	0	N.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	~	0	0	0	0	0	0	0	2
C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
																													0	0	
																													0	0	
0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	0	0	~	0	2	0	0	0	0	0	2

> ×

CB-THACT THALLER AH23 JUNE 1993 CATHEOMAL BLUFFS SHALE OIL CO.

	PEAK	106	135	120	118	06	82	78	92	100	90	108	104	96	120	100	98	104	100	110	110	80	16	80	88	110	92	80	92	106	122		135
	AVE	99	63	96	88	16	99	19	67	18	15	87	80	10	14	18	15	92	83	87	98	7.0	99	69	20	16	4.	99	29	92	68	11	
	54	69	88	98	90	67	45	65	73	69	19	90	64	64	16	69	80	90	16	96	69	19	19	53	69	29	69	21	73	86	13	7.0	86
	53	9	88	84	84	73	39	61	9,	7	69	100	4.0	64	82	63	18	80	16	96	73	65	65	21	73	7	1,4	29	73	96	73	12	100
	22	63	26	84	98	73	39	61	16	7.4	=	96	47	55	73	63	19	90	80	36	14	63	29	19	69	80	85	65	63	95	7	72	96
	21	69	98	84	001	16	47	9	18	84	19	82	69	53	29	29	92	80	18	88	7.3	19	53	7	51	82	80	67	55	90	65	72	001
	20	98	104	86	901	7.8	65	69	8.5	84	14	98	63	14	69	19	16	80	18	96	73	65	63	18	29	001	82	63	64	95	69	11	901
	16	88	150	801	10	82	1.	7.	84	98	84	46	90	80	98	13	95	9.4	80	10	18	91	1.	16	29	102	84	14	57	<b>†</b> 6	18	94	150
	18		_	_	_																			16								88	118
	-	86	22 1	0.8	18 1	82	7.8	4.	84	00	82	90	94	80	06	18	98	88	80	08	98	80	73	4.	88	02 1	92	18	59	90	00	68	. 22
	91		_	_	_																			18								88	
(ME)	15		_	_	_							_								_				80						_	_	68	_
. S	1																							90				-				68	_
STANDARD																													=				_
	13	_	_	_											_									18							_	06	
(LOCAL	12	106	120	116	95	73	85	16	7	16	88	96	98	18	8	95	88	96	86	86	100	18	67	18	8	84	26	78	98	86	110	68	
HOUR	Ξ	65	106	120	96	73	80	14	7.1	86	90	95	96	16	82	96	86	100	96	06	110	16	65	78	78	98	95	80	16	96	104	18	120
	10	64	100	118	98	6.9	78	14	61	95	88	98	86	7	90	100	80	104	96	84	102	16	65	1.	7.8	90	90	14	69	98	100	84	118
	•	43	96	104	80	63	14	65	43	88	98	80	104	69	7.1	46	69	102	100	11	96	73	99	63	18	19	80	9	61	69	46	11	104
	80	43	84	88	19	19	21	55	37	18	63	80	86	19	19	84	45	85	95	19	06	69	19	21	16	53	21	19	45	64	98	67	96
	-	47	73	16	63	63	55	37	35	9	64	9	95	19	64	13	53	67	80	63	80	65	61	57	9	41	55	63	33	57	9.4	61	85
	•	64	5.7	73	65	63	65	43	55	61	65	63	76	55	53	69	63	98	14	69	18	19	61	19	53	55	13	39	35	65	9.4	62	96
	ru.	51	51	14	69	82	65	37	55	69	67	65	98	63	55	11	61	85	90	73	88	63	63	63	53	16	25	55	27	19	85	9	88
	•	35	51	73	73	80	63	7	69	63	63	69	14	9	69	7.3	63	7.8	14	73	88	63	19	69	64	7.1	47	65	7	91	98	65	88
	m	39	51	18	16	80	63	43	65	69	19	69	82	84	29	16	19	14	73	73	80	19	69	69	65	29	65	56	41	16	85	67	84
	2	33	57	80	84	06	61	45	57	69	19	69	8.0	96	53	78	19	18	7.	18	96	69	19	63	65	21	65	69	47	16	84	68	96
	~	45	63	14	0.6	06	61	39	55	7.1	19	65	84	65	55	14	61	82	7.1	69	98	65	19	63	53	57	53	55	64	7.1	85	99	06
	DAY	1	2	3	4	5	9	1	20	7	0.1	11	12	13	14	15	16	17	18	61	20	21	22	23	54	52	56	27	28	56	30	AV	z X

	823	3	CATHEDRAL BLUFFS SHAI
CB-TRACT	THAILER A	JUNE 1983	CATHEDHAL

HOUR (LOCAL STANDARD TIME)

LE OIL CO.

PEAK	770 770 770 770 770 770 770 770 770 770	9.0
AVE PE	4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	65
24 A	100000000000000000000000000000000000000	69
23	100000000000000000000000000000000000000	620
25		600
21	7 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	59
20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	90
6	0.0000000000000000000000000000000000000	5.8
18	700770070070070070070070070070070070070	57
11	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	57
16	CA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 69
15	2	57
4	2	980
13	00 00 00 00 00 00 00 00 00 00 00 00 00	58
12	00000000000000000000000000000000000000	59
Ξ	C C C C C C C C C C C C C C C C C C C	959
10	N. V.	65
<b>5</b>	2	09
20	30 (C	61
~		90
9		61
S		600
*	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	99
6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	60
N	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	61
-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	61
DAY	30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	P A

			AVE	0 0	0	- 0	0	0	-	-	-	2	-	0	-	2	0	0	-		٠,	•	0	0	0	-	-	-	4	e 1	N
			54	0 0	0		. 0	0	e	0	0	e	0	0	0	3	0	0	0	e .	0 0	- 0	0	0	•	9	•	0	9	е і	m
, co			23	0 0	0	00	. 0	0	9	9	۳	m	0	9	9	0	0	0	0	0	۰ د			0	•	3	0	0	2	2	•
E 01			25																											S	m
SHAL			N																												
FFS			23	•	0	00		0	9	0	0	3	•	0	0	3	0	•	•	0 1	0 (		•	0	0	3	3	3	2	e .	m
1823 13 18LU			50	0 0	0	00	0	0	0	٣	0	9	9	0	0	0	•	•	0	e (	0 (		•	•	0	0	0	e	'n	0	m
CB-TRACT TRAILER AB23 JUNE 1983 CATHEDRAL BLUFFS SHALE OIL CO.			19	0 0	0	00		0	0	9	0	e	0	0	0	e	0	0	9	0	m (		0	0	0	e	0	9	80	0	m
TRAIL JUNE CATHE			18	0	•		0	0	0	3	0	6	9	0	9	3	0	0	3	e (	0 (		0	0	0	3	0	е	2	6	m
			11	0 0	-	00		0	0	9	0	3	9	0	e	0	0	0	3	0			0	0	0	0	0	0	S	e .	•
			16	0						0		e	9			80	0	0	0	e 1	m (			0		9		0	S	۳.	•
	(E)	į			_			_		0	_		_	_	_	_	_	_	_				_	_	_	_	_				_
	11		15					_	,	CAD	.,		1.,	Ĭ	Ĭ	EMT.	_	_	_		.,			Ĭ	_	**,	,		-		.,
	STANDARD TIME		*	(CA)	•	00	0	0	e	(CA)	0	e	ß	3	3	E	0	0	0	0	0 (	0 0	0	0	0	0	9	(CA)	ĸ	e ·	m
			13	0 0	0	00	0	0	9	(CA)	•	•	0	0	9	(MT)	e	0	0	0	•		•	•	0	3	9	•	(CA)	e i	S.
	IL OCAL		15	0 0	0	00	0	•	0	(CA)	0	e	e	0	٣	9	9	9	0	0	0 (	70	0	•	0	9	9	•	(CA)	e .	m
	HOUR		=	0 (	•	00		0	6	CA)	٣	0	е	0	9	3	9	0	9	e .	0 (		•	•	0	9	e	0	CA)	е .	m
	1		10	0	0	00		0	9	CAJ	9	e	6	9	•	9	0	0	0	е .	0 (		0	0	0	e	0	0	3	е .	m
			6							=			3	0										0		9		0	2	6	
										CA																					
			8	0 0	0	00	0	0	0	9	0	0	0	0	0	0	9	۰	3	0	0 (	0	0	0	9	0	3	0	3	2	m
			_	0 0	0	00		0	0	0	3	6	0	3	0	0	0	0	0	0	en (	70	0	0	0	0	0	0	0	S	m
			9	0 (	0	0 0	0	0	0	0	9	S	0	0	0	0	0	0	0	0	m (		0	0	0	0	3	0	3	е.	0
			2	0 (	0	00	0	0	0	0	e	m	0	0	0	0	0	0	0	0	en (		0	0	0	0	0	0	0	S:	r.
CIDE			4	0 0	0	00	. 0		0	0	3	0	E	0	0	0	0	0	0	0	m (			0	0	0	9	3	0	S	m
010																															
SULFUR DIOXIDE (UG/M3)			3	0 0	0	00	0	0	0	3	0	0	0	0	0	0	0	0	0	0	9 (		0	0	0	0	e	(2)	0	0	
SUL			2	0	0	00	0	0	0	3	3	0	0	0	0	3	0	0	0	0	0 0	0 0	0	0	0	0	3	3	3	2	m
			_	0	0	0 0		0	0	~	0	0	9	0	0	0	0	3	0	0	0 0		0	0	0	0	0	0	0	S	en
					î																										

> A

- 6

CB-TRACT
TRAILER A823
JUNE 1983
CATHEDRAL BLUFFS SHALE 01L CO.

HOUR (LOCAL STANDARD TIME)

PEAK	-	9	-	-	-	-	3	0	8	8	80	60	8	-	9	*	4	*	9	9	4	9	4	9	4	4	9	*	-	0	00
AVE		-	0	0	0	0	0	0	9	-	-	1	9	4	4	3	9	2	~	9	9	۳	9	~	9	2	~	-	-	0	8
54	0	-	0	0	0	0	0	0	9	1	1	_	4	6	e	-	9	-	-	•	e	-	-	0	3	-	-	0	0	0	42
23	0	-	0	0	0	0	0	0	9	_	-	1	4	9	6	9	9	-	-	4	3	3	-	0	3	9	-	0	-	0	22
22	•	6	0	0	0	0	0	0	9	_	-	-	4	4	9	6	9	3	-	4	9	9	9	0	3	-	-	0	0	0	22
21	0	9	0	0	0	0	0	0	9	1	~	80	9	9	4	6	٣	e	e	4	9	e	-	0	6	-	-	-	0	0	m 60
20	-	*	0	•	-	0	0	0	9	-	_	1	*	9	9	3	9	9	9	•	4	4	9	0	9	9	-	-	-	0	e -
6	0	-	0	0	0	-	0	0	9	8	-	_	9	•	•	6	•	9	e	•	4	3	e	0	*	9	-	•	-	•	m 80
18	-	-	0	0	0	-	0	0	1	1	_	~	9	*	4	9	9	6	9	•	4	۳	9	-	۳	6	9	9	-	0	e ~
=	-	0	•	•	•	•	•	CA)	_	1	1	1	9	4	9	4	9	4	-	9	4	*	9	-	4	3	٣	e	0	0	e ~
16	-	0	0	-	-	0	0	(A)	-	-	-	-	9	•	•	9	*	۳	9	4	4	e	4	-	4	*	9	-	-	0	6 ~
12	-	0	0	-	0	-	0	0	œ	80	00	_	9	9	*	3	e	٣	9	9	4	4	+	3	4	4	-	9	-	0	m в
1	(CA)	-	0	-	0	•	ø	0	(A)	8	0	1	4	1	•	4	4	4	9	9	•	9	4	9	4	4	CA)	3	0	•	E 60
13	7	0								~	0	7	9	9	*	6	*	e	9	9	4	9	4	-	4	e	_	9	-	0	e 0
15	-	-	0	-	0	0	0	0	(A)	œ	1	1	9	*	4	3	*	-	3	+	4	*	*	3	4	-		9	0	0	m @
Ξ	0	-	0	_	0	0	۳	0	A) (A	7	7	-	4	9	9	9	4	9	۳	*	9	4	3	-	9	e	-	4	0	0	e ~
10	-	0	0	_	0	0	3	0	A) (C	_	1	9	9	•	9	۳	9	_	-	e	3	3	4	_	4	۳	-	-	0	0	2
•	-		0	0	0	0	0	0	0	1	_	1	8	*	*	-	4	-	-	e	3	+	3	_	3	3	3	-	0	0	N 60
œ	_	0	_	0	0	0	-	0	0	_	1	7	_	•	9	-	۳	-	0	_	9	9	3	-	3	3	3	-	0	0	2 >
-	0	0	0	0	0	0	0	0	0	9	9	_	_	9	4	9	-	-	0	_	9	3	9	-	3	۳	3	-	0	0	2
•	0	0	0	0	0	0	0	0	0	9	7	7	7	4	4	9	3	0	_	_	3	3	3	~	0	۳	ω.	0	-	0	~ ~
'n	0	0	_	0	0	0	0	0	0	9	_	7	89	3	4	-	_	_	-	-	3	4	3	-	0	_	3	0	0	0	N 60
4	0	0	_	0	0	0	0	0	0	9	9	7	_	4	3	3	_	_	_	-	3	3	€.	-	0	_	3	0	0	0	2
e	0	0	_	0	0	0	0	0	0	7	7	8	7	9		3	_	_	~	_	4	3	3	0	0	_	3	0	0	0	2 8
2	0	0	0	0	0	0	0	0	0	7	9	7	7	4	3	e	_	_	-	0	4	3	3	_	0	_	_	0	0	0	2
_	0	0	0	0	-	0	0	0	0	9	7	_	_		-	-	0	-	_	0	4	_	-	-	0	_	3	_	-	0	2
DAY	7	2	3	4	2	9	1	8	6	0	-	2	3	4	5	91	1	8	6	0	-	2	3	4	5	9	1	8	6	0	P X
_										~	_	_	_	_	_	~	_	7	~	.4	C	en	N	cu	·V	CV	10	···	14	4-1	47

C-B TRACT JUNE 1983 OCCIDENTAL OIL SHALE, INC.

AD56	Ĵ	<u>_</u>	<u></u>	-	Ĵ	<u>_</u>	<u>_</u>	-	-	_
AD42	Ĉ	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u>^</u>		<u></u>	<u> </u>
STATION AB26	· ·	^ <sub>&gt;</sub>	^ <b>.</b>	^ ·	^ _	<u></u>	^ <b>.</b>	^ ~	<u></u>	· ·
AB23	(IM)	6.6	1.9	12.3	24.2	27.2	13.4	15.6	13.9	27.2
A420	^ ~	^ J	^ ~	^ <u>.</u>	^ _	<u></u>	<u> </u>	^ ~	<u></u>	-
DAY	m	1	==	15	19	23	17	AVE	ВМ	PEAK

WIND SPEED # 10M METERS/SEC

CATHEDRAL BLUFFS SHALE OIL CO.

TRAILER AA23

CB-TRACT

STANDARD TIME) HOUR (LOCAL

4 ¥

TIME)
STANDARD
(LOCAL
HOUR

CB-TRACT TRAILE AA23 JUNE 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PEAK	12	6	S	80	S	7	S	9	1	9	15	9	6	2	9	89	6	0.	6	0	6	00	œ	•	_	4	4	80	1	٥	12	
	AVE	4	4	~	3	٣	2	~	3	9	3	9	e	e	2	e	4	9	~	S	9	1	S	S	٣	e	2	~	3	4	•	*	
	54	9	-	-	-	-	0	~	9	0	-	e	4	-	-	4	2	1	00	0	-	-	4	-	4	-	-	6	-	1	m	m 80	
	23	3	2	-	-	2	-	4	3	9	-	4	~	0	0	•	2	1	80	~	S	-	m	2	٣	2	0	2	~	4	4	e 9	
	22	9	2	e	0	2	-	2	9	e	9	6	0	~	0	4	*	٥	80	9	1	2	2	S	2	2	-	9	2	9	4	6.0	
	21	-	4	S	-	2	2	3	S	ń	9	80	m	0	S	0	-	80	•	۰	1	S	4	9	4	2	-	٣	٣	9	٥	4 00	
	50	4	S	4	~	9	~	3	9	1	4	5	2	~	9	4	2	9	9	9	S	4	3	5	m	N	9	4	N	9	s.	*~	
	61	S	9	-	*	S	9	2	4	S	S	S	~	9	•	~	9	9	30	_	30	S	4	*	-	9	2	4	~	4	*	4 20	
	18	1	1	-	S	S	_	2	9	nu n	9	00	9	4	e	m	9	6	o	6	6	1	*	9	-	1	٣	9	4	S	'n	n 0.	
	11	2	0	2	89	*	-	9	2	_	•	=	~	~	-	9	1	9	o	6	6	20	2	9	4	S	4	2	S	9	00	11	
	16	-	2	9	9	S	9	2	-	2	4	10	0	S	-	S	7	2	00	0	6	6	9	4	4	٠	4	2	4	٠,	٥	10	
1	15	80	89	~	4	S	*	e	S	2	9	10	-	6	-	S	80	*	7	6	6	6	9	89	C)	9	4	-	8	_	-	10	
NDARU	<b>*</b>	12	4	-	4	S	4	3	9	9	2	12	e	4	2	S	9	3	6	6	6	6	9	4	9	4	2	-	80	9	00	12	
N N	13	=	1	4	9	4	9	2	~	2	٣	•	e	1	2	*	80	9	00	•	6	80	9	4	9	٣	3	-	8	9	30	11	
LUCAL	12	3	80	2	9	S	CJ	-	~	4	4	8	4	4	~	٣	1	2	6	80	00	6	9	_	2	4	2	~	1	9	<b>®</b>	206	
¥00F	=	2	0	2	7	4	~	2	9	-	0	1	4	2	2	4	1	-	6	1	9	6	S.	80	4	v	-	-	٣	9	•	40	
	10	-	6	2	4	4	~	-	-	2	-	6	~	~	-	*	4	-	10	1	1	8	1	2	4	4	2	m	2	2	6	10	
	•	~	80	-	2	4	2	-	-	4	-	80	9	٣	-	S	-	-	•	-	00	80	30	~	2	N	-	0	8	-	<b>®</b>	6.0	
	œ	~	•	-	2	3	-	-	-	0	-	80	4	2	o	-	-	-	30	2	1	80	1	2	2	-	-	~	2	-	ø	e 0	
	-	2	4	0	0	2	0	0	-	2	0	2	3	0	(CM)	2	2	-	4	-	0	9	1	2	-	-	9	-	2	-	n.	2	
	•	-	2	-	-	-	~	0	-	-	~	9	4	-	-	٣	2	0	0	•	-	1	S	4	2	-	0	•	9	-	<b>3</b> 0	O1 20	
	r.	~	~	-	-	0	~	-	-	3	~	3	S	~	(CM)	'n	3	0	4	~	2	7	9	-	9	0	-	0	-	-	1	2 ~	
	*	2	2	0	-	-	-	0	0	9	-	~	4	2	0	٣	2	-	~	٣	-	1	4	1	4	~	-	C)	٣	(CM)	00	CV 60	
	m	3							(CM)	3	2	2	~	~	-	٣	2	2	2	4	~	1	9	1	2	-	0	~	2	-	٥	7	
	2	2	-	0	2	0	2	(CM)	-	4	2	2	2	4	-	-	-	-	2	4	-	1	3	9	2	4	(CM)	-	0	0	•	2 -	
	-	0	3	-	0	-	-	0	-	2	3	2	4	e	-	0	-	-	4	4	-	9	5	3	2	2	-	-	3	-	9	2 9	
	DAY	1	2	~	4	2:	9	1	30	6	10	=	12	13	14	15	16	17	81	7	50	51	22	53	54	52	97	17	58	58	90	Š ž	

			SHA
	123	•	BLUFFS
200	TRAILER A	JUNE 1983	CATHEDHAL

HOUR (LOCAL STANDARD TIME)

LE OIL CO.

PEAK	13	10	9	9	9	20	2	8	8	1	13	1	6	9	9	90	1	=	10	10	10	120	8	8	8	5	2	6	7	10	,	13
AVE P	4	S	٦,	٣	4	~	~	3	4	٣	7	4	٣	2	٣	4	4	90	9	1	00	Ø	S	٣	4	2	2	4	2	00	4	
54	3	-	-	-	~	-	3	9	9	2	4	4	2	2	4	2	J.	10	-	90	*	9	2	S	2	-	9	0	6	S	6	2
23	2	2	-	0	2	-	4	*	9	4	S	4	-	-	*	8	6	=	9	9	٣	4	9	9	-	-	2	-	1	-	۳.	-
22	3	e	4	-	٣	5	S	4	6	2	•	0	2	N	4	S	=	-	4	1	e	2	-	9	2	~	4	3	80	9	*:	-
21	-	'n	S	~	٣	٣	4	1	_	1	0	4	(CM)	9	-	8	10	10	1	8	S	*	*	S	2	-	4	٣	-	60	n c	10
50	4	9	4	4	*	2	~	30	30	S	9	~	2	4	4	9	30	80	80	9	4	٣	9	•	8	0	S	2	_	٥	n a	0
18	2	90	-	4	9	4	m	S	_	S	9	~	4		2	9	1	6	89	89	9	4	4	0	9	2	S	-	S	S.	ın c	•
18		30	-	9	9	30	~	_	9	4	6	4	*	3	4	1	9	6	10	10	9	2	_	-	99	4	3	2	2	9	9 :	10
-1	5	0	8	90	S	~	3	9	90	e L	12	3	3	2	•	1	9	10	10	10	5	2	~	S	S	S	9	9	9	20	90	71
91	00	2	9	1	S	_	8	-	~	*	=	_	'n	-	S	99	9	9	10	0.7	10	_	4	S	9	*	2	4	~	9	5.5	-
15																	4														9:	=
*																	3														9 5	13
13																	9														9 0	7
12																	2														9 9	7
=																	8														30	2
10																	-														4 :	
•																	2														*:	
00									_								-															
_										÷							-														N :	c
9							_										0														mo	•
2																	•														6	
*								_									2														93	
m							=										2														6	
2																	2													3	8	
, A																	-													3	60	
DAY	_	ď	-1	4	J.I	9	_	3)	2	10	=	16	~	14	15	16	17	18	19	20	21	22	23	54	25	56	27	28	52	٦	A 3	L

DAY

TIME	E
TAMBAGO	DANDARD
3	n
140011	LOCAL
OHIO	200

BLUFFS SHALE OIL

CATHEDRAL

JUNE

CB-TRACT

CB-TRACT
TRAILER AA23
JUNE 1983
CATHEDRAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME) 11 12 13 14

1	592	196	303	303	323	281	321	168	129	178	184	168	596	288	182	222	239	189	554	196	182	196	158	149	202	307	147	240	195	201	215	
	2	3	8	7	6	9	/ _	6	6	-	2	9	0	2	2	6	4	2	9	2	4	9	2	2	5	9	9	2	8	9	9	
				175 8			-			_		_	_	•				•													3 166	
í	rq.	_	.0	223	_	_	_	_	_	~	(*)		_		_	(*)	_	_		_	_	_	_	_	_	_	_	10	_	_	163	
3	529	135	204	135	7.4	205	127	138	96	190	312	149	176	194	140	284	186	191	566	166	195	187	145	196	159	158	133	562	190	194	177	
77	297	159	202	106	36	148	114	140	186	193	303	136	189	194	246	311	183	194	212	173	193	216	150	153	136	65	143	256	185	197	178	
3	31	198	218	54	356	113	43	148	181	194	250	46	338	197	318	274	187	199	508	180	198	228	203	143	7	25	159	220	186	195	190	
	<b>6</b> 4	232	359	334	338	178	352	164	196	211	260	147	313	222	280	260	506	514	552	199	502	542	133	13	508	255	145	88	199	512	220	
•	23	248	6	568	338	556	359	270	220	556	218	158	305	281	230	253	569	252	228	202	205	231	112	73	149	308	134	213	218	519	238	
	292	09	118	302	145	905	336	910	0.2	103	513	104	904	337	013	445	88	913	35	503	504	555	901	331	663	503	18	76	35	554	550	
2	661							ľ					. ,		•	•	Ĭ	•		Ĭ				•							233 8	
	_	_		308 3	,	.,	1-,		_			_										_		,	,	_	_				250 2	
	227 2					Ĭ.								~			_	•				Ĭ	_								257 2	
2			. ,							•					-	•			•									•				
			_	325	1.7	,	,				_	(-)	1-9	,							_		_	,	,-,	(-)			10		992 +	
,	222			.,			•	.,											•					•				-			254	
:	293																	_		•	_									•	257	
2	345	240	318	314	339	333	323	7.3	208	178	205	157	4	1	215	509	354	208	203	199	199	190	198	247	300	321	359	354	221	201	258	
•	323	205	354	312	319	314	309	331	204	132	192	176	339	53	212	116	90	201	332	190	172	192	149	519	297	20	0	57	98	195	252	
D	20	166	1	318	310	330	556	309	16	=	161	503	316	12	185	36	65	207	73	161	166	188	96	221	301	19	214	87	120	161	165	
	96	173	341	243	289	85	305	101	84	=	101	191	233	CH)	101	110	118	198	86	98	139	181	117	9.6	69	173	291	127	194	188	131	
0	152	126	205	506	272	121	120	192	66	146	101	170	241	197	121	=	8.1	132	112	251	155	187	154	119	4	80	194	145	143	185	149	
n	180	526	138	318	241	83	10	175	108	131	108	528	163	(H)	113	112	307	138	554	138	191	991	157	114	65	211	538	37	168	061	158	
٠				556										_																	175	
7				101 2		-	-												-								-	-	٥		176 1	
u				109 1				_																							178 1	
							_																			_						
		-		4 229		_							-			-											_				v 186	
Š				4	-	_		_		-	-	-	-	-	-	=	-	=	-	2	2	2	2	N	N	2	2	2	N	3	PV	

JUNE 1983 CATHEDHAL BLUFFS SHALE UIL

THAILER AA23

WIND DIRECTION AND VECTOR AVERAGE VELOCITY (DEG & MPS) 10 METER LEVEL

CB-TRACT TRAILER AA23 JUNE 1983 CATHEDRAL BLUFFS SHALE 01L CO.

TOR	VEL	1.5	2.3	0.3	1.5	1.8	0.5	0.4	0.1	1.2	1.3	2.1	1.2	1.2	0.4	1.6	1.8	1.3	4.0	3.2	3.9	4.4	3.1	2.4	9.0	9.0	0.2	0.6	-	2.3	4.0		1.3
VECT	DIR	241	212	197	312	337	589	315	182	154	198	210	172	307	518	190	233	220	203	221	197	188	201	167	165	290	314	130	270	211	502	211	
	54	233	182	307	270	307	197	197	115	95	06	10	164	119	135	174	229	176	204	153	156	223	158	25	156	135	236	112	212	193	200	169	:
	23	227	148	253	516	140	159	143	125	115	329	339	114	65	* * *	167	251	184	193	246	158	218	150	148	136	191	117	06	215	199	188	174	1:1
	22	245	126	214	190	112	205	143	137	06	191	313	53	199	0	191	268	194	191	251	168	552	176	149	196	173	149	125	261	192	194	188	1.3
	21	255	158	506	152	4.7	157	131	142	191	198	304	139	199	204	194	594	186	961	212	172	205	508	142	153	145	14	133	233	193	198	188	1.8
	20	31	961	515	30	358	103	47	151	181	198	253	82	344	202	318	270	189	201	207	181	202	221	205	151	20	37	159	212	189	197	192	1.3
	19	44	233	336	339	341	178	355	164	961	212	292	143	313	526	284	263	508	516	227	199	208	246	135	06	218	255	146	8.1	199	515	519	1.6
	18	24	549	89	301	341	526	358	274	217	227	220	159	307	284	230	255	271	223	230	204	208	231	115	73	155	312	133	217	223	220	235	2.0
	11	563	99	150	306	351	309	340	313	270	002	515	105	305	344	212	245	683	613	237	505	505	552	901	336	562	508	68	761	535	922	0 % 2	2.1
	91	201	132	11	329	350	326	307	4	117	233	202	122	293	304	111	35	984	513	556	508	202	861	501	317	317	185	131	308	623	013	534	2.0
IME)	15	55 5																														240	2.4
ARD 1	14	568	83 2	11	45 3	145	123	60	39	112	60	96	201	41 6	2 65	98	48 2	00	2 10	2 20	07	66	17 2	5 62	88	16	3	41	06	30 2	14	237	2.3
STAND	13	10	10	(*)	(*)	***	(*)	(*)	(*)			_	(+)	(*)	10		10	(*)	212 2	.0	10	_	10			(*)		_	10	10	10	243 2	2.2 2
OCAL.	15			_	.,							_			. ,				505			_		_		1.7						2 622	2.1 2
IOUR (L		10		_	17)	(-)	***		477		,,		4-1	1-,	٠,				213 2	10		_	_			(*)	£+1		***			2 622	2.0.2
P	10																		2 111													227 2	1.7 2
	6	4-7		1:3	4-7	,		1.,			_	•	_				10	(-)	201 2				_	_		(-)	(-)		1:7			2 502	1.4 1
	9																		208 20	.,												89 20	1.1
	_													. ,					94 20									•					
	9		_		•	10		,,,					_	(0			_	_	_			-	_	_			_	10	_	10	_	4 141	0 0.8
	2			, ,	10			,,,			_		_		_	_		_	4 55	_		_	_	_	_					_	_	4 154	1 1.0
									-				-						2 144													B 164	1:1
	4										_			_	_	_		_	98		_	_	_	_	_	_	,,				_	168	1:1
		.,				10	_	10		_			10			_	_	10	80	-	10	_	_	_	_	_	•	10	_	***	_	179	1.0
																			99													174	1.0
	٧ ا																		139												-	175	6.0
	OA	-	1		4	5	9	1	8	6	10	-	12	13	4	15	16	11	1 H	19	20	21	22	23	24	52	26	27	29	50	30	S	3

TOTAL NUMBER OF ORSERVATIONS = 715

NOTE: \*\*\* = MISSING DATA

VECTOR	VEL	2.0	3.4	0.5	2.1	2.5	0.7	0.5	0.4	1.7	2.1	0.4	1.7	1.6	0.5	2.5	2.5	1.9	6.1	4.5	5.4	6.2	4.5	3.6	1.0	9.0	0.4	6.0	1.5	3.6	6.3		1.9
VEC	DIR	245	211	195	316	336	293	348	143	157	196	508	171	303	254	188	235	215	202	222	196	183	197	163	161	281	301	138	274	207	202	207	
	54	242	173	89	277	339	236	147	109	66	141	65	156	120	202	152	529	174	205	36	155	184	146	62	152	145	546	106	235	188	506	165	1.8
	23	240	145	237	223	109	114	123	129	115	192	336	46	109	Ξ	149	307	178	192	592	152	193	136	142	140	187	170	109	223	189	191	165	1.7
	22	529	135	204	135	14	205	127	138	96	190	312	149	176	194	140	284	186	191	566	166	195	187	145	196	159	158	133	295	190	194	184	2.1
	21	297	159	202	106	36	148	114	140	186	193	303	136	189	194	246	311	183	194	212	173	193	516	150	153	136	65	143	556	185	197	185	2.8
	20	31	198	218	24	356	113	43	148	181	194	250	94	338	197	318	274	187	199	208	180	198	228	203	143	4	22	159	220	186	195	193	2.2
	19	43	232	329	334	338	178	352	164	196	211	260	147	313	222	280	260	506	214	225	199	205	245	133	4	508	255	145	88	199	215	217	5.4
	18	23	248	6	599	338	526	359	270	220	526	218	158	305	281	230	253	569	222	228	202	205	231	112	73	149	308	134	213	218	519	231	5.9
	17	262	9	118	302	347	305	336	310	270	201	213	104	304	337	210	544	288	218	235	203	204	222	106	331	293	203	87	194	235	554	238	3.1
_	16	199	132	7.1	325	348	358	307	0	118	558	506	142	560	594	208	234	282	212	228	205	201	197	202	315	315	180	129	305	228	503	233	2.8
TIME		223	201	350	308	346	332	311	65	86	218	506	253	292	278	207	544	231	214	205	509	211	220	231	6	314	53	145	303	236	220	539	3.4
ANDARD	14	227	281	311	343	339	321	310	336	215	207	191	298	337	258	199	546	298	207	204	504	198	516	558	87	319	359	137	586	229	211.	532	3.2
ST	13	240	519	173	325	349	310	324	9	88	509	195	312	327	343	506	250	287	210	509	509	197	508	193	311	338	336	40	568	212	202	241	3.0
(LOCAL	15	222	199	164	304	329	327	287	340	99	245	204	312	321	346	211	524	12	204	506	202	184	178	195	257	327	324	52	298	210	204	227	6.5
HOUR	=	293	230	315	345	334	320	305	241	307	135	203	148	4	9	516	519	31	210	210	214	180	193	202	231	309	307	53	305	212	221	227	2.8
	10	345	240	318	314	339	333	323	73	20A	178	205	157	4	14	215	508	354	208	203	199	199	190	198	247	300	321	359	354	221	201	552	2.3
	6	323	502	354	312	319	314	309	331	204	132	192	176	339	58	212	116	80	201	332	190	172	192	149	519	297	50	0	25	98	195	201	1.9
	60	20	166	1	318	310	330	556	309	16	==	191	508	316	12	185	36	65	207	73	191	166	188	96	221	301	19	214	87	120	191	187	1.6
	7	96	173	341	243	583	85	305	101	84	=	101	191	233	***	101	110	118	198	86	98	139	181	117	96	69	173	291	127	194	188	151	1.2
	9	152	156	502	206	272	121	120	192	66	146	101	170	241	197	127	===	81	132	112	251	155	187	154	119	19	80	194	145	143	185	157	1.6
	S	180	556	138	318	241	83	10	175	108	131	108	228	163	***	113	112	307	138	224	138	161	188	157	114	65	211	238	37	168	190	159	1.6
	4	268	231	104	559	268	287	238	194	112	86	108	150	107	141	114	133	215	108	232	180	151	184	153	114	162	193	262	236	* * *	195	168	1.6
	Ŧ	652	175	267	101	243	204	243	*	113	218	103	540	49	34	114	136	250	нз	545	546	159	185	144	130	151	32	525	163	Ξ	191	175	1.3
	N	564	168	139	109	210	227	***	280	108	153	101	202	508	549	110	133	549	101	524	543	165	190	147	185	133		222	125	158	187	174	1.6
	-	284	545	104	529	263	240	117	661	116	119	148	120	539	143	163	201	237	160	288	241	152	191	160	128	140	251	223	114	207	161	171	1.3
	DAY	-	2	6	4	5	9	7	8	6	10	11	1.5	13	14	15	91	11	1.9	19	50	21	22	23	54	52	56	27	28	53	30	C.	>

TOTAL NUMBER OF OHSERVATIONS = 714

NOTE: \*\*\* = MISSING DATA

TOR	0.00	Š	e.	•	•	•	vic	, r	2	-	•	2	2	2	7.	5	9	7.	S	4	-	•	0	-	-	4	-		2.	
VECT	247	321	339	290	2	147	108	211	175	307	556	196	539	212	202	522	196	182	195	164	166	588	316	150	280	205	203	208		
24	262 176 19	278	- 1	215	140	128	191	09	148	132	211	140	291	173	208	358	161	188	143	68	152	133	258	122	305	191	212	169	2.3	
23	251 155 213	320	95	6	118	136	187	336	98	180	210	135	341	175	195	273	158	195	135	149	151	186	228	140	352	188	201	169	2.1	
22	272 147 212	58	45	182	119	7	100	311	190	162	195	126	599	182	193	278	170	195	215	148	194	146	251	145	319	194	204	187	2.6	
21	317 166 213	99	32	147	102	143	184	300	141	* * *	197	317	316	184	198	519	180	195	232	160	157	125	31	157	280	188	506	190	3,3	
20	35 204 225	21	359	129	41	149	197	248	109	341	506	319	277	189	200	212	184	202	232	204	140	48	347	163	227	161	204	198	2.1	
19	45 235 321	333	339	184	356	170	23.0	258	153	315	526	277	260	205	213	225	197	203	545	136	20	204	516	149	109	201	516	218	2.8	
18	24 251 14	305	339	227	0	270	225	217	163	307	281	228	253	566	221	227	200	202	231	114	62	146	309	137	212	215	220	231	3.2	
11	258 59 121	305	346	291	339	311	100	211	101	309	336	210	546	288	217	532	201	202	220	109	331	562	202	98	196	235	223	237	3,3	
16	199 138 71	325	348	359	311	354	230	205	196	262	596	205	234	281	210	227	202	199	197	205	316	316	179	129	306	558	208	232	3.1	
TIME 15	222 201 348	310	347	331	315	68	217	203	253	. 593	283	205	243	231	212	204	207	508	218	230	13	314	28	148	305	234	519	237	3.6	
NDARD 14	226 281 309	345	341	321	314	337	207	190	297	337	263	201	546	862	506	203	203	197	215	227	98	325	356	131	583	228	508	235	3.4	
STA 13	240 280 176	328	350	313	331	350	210	194	316	329	345	207	549	287	509	207	208	195	208	194	315	339	337	36	562	210	201	242	3.2	
LOCAL 12	222 197 165	305	335	333	290	338	944	203	312	322	343	208	224	6	202	504	205	184	178	193	522	359	359	59	300	509	203	922	3.1	
11 11	291 230 319	342	337	323	307	238	301	201	153		Ξ	217	219	28	208	208	212	179	193	200	230	311	305	55	304	211	221	922	3.0	
10	349 239 319	317	341	336	324	80	170	202	161	9	91	214	506	356	506	201	161	197	188	197	546	301	355	357	352	222	200	222	2.5	
σ	324 204 356	314	323	319	566	14	205	161	181	340	37	211	101	82	200	312	189	173	191	153	515	300	99	351	62	101	193	198	2.2	
80	21 167 0	317	318	317	261	91	9 0	189	211	325	-	194	43	7.2	506	82	191	167	188	109	519	312	06	519	104	168	161	188	2.0	
7	971	261	306	109	518	124	2, 0	154	197	251	7	==	137	124	202	170	184	144	181	136	118	5.1	06	584	145	179	188	164	1.7	
•	158 131 180	539	288	66	*	164	193	164	178	250	06	126	101	168	202	516	245	155	183	158	141	69	06	546	135	147	188	169	2 • 0	
2	188 235 117	292	267	270	343	146	164	153	227	146	85	66	114	257	149	245	130	164	180	151	120	25	06	263	346	125	193	170	1.8	
4	233	212	288	268	528	*	142	186	159	100	82	==	140	540	153	261	221	157	180	155	124	162	10	268	243	96	199	176	1.8	
9	271	18	274	543	* *	589	135	190	242	64	39	156	140	271	125	261	258	156	185	145	149	145	54	239	153	58	193	186	1.6	
~	285 174 238	113	274	238	165	272	121	167	198	211	564	182	163	270	160	267	258	163	161	147	197	131	302	237	203	199	190	187	1.9	
-	309	258	286	291	515	161	138	177	120	242	131	202	180	275	167	596	285	153	194	153	136	137	243	539	120	236	190	177	1.1	
DAY	- 2 -	4	ıs.	9	1	20	0 0	2 -	15	13	14	15	16	11	18	19	50	21	22	23	54	55	96	27	28	62	30	٧	>	

TOTAL NUMBER OF OHSERVATIONS = 714

~

NOTE: \*\*\* = MISSING DATA

II- 203

HOUR (LUCAL STANDARD TIME)

CB-THACT TRAILEH AA23 JUNE 1983 CATHEDHAL BLUFFS SHALE OIL CO.

PEAK	56	54	34	54	34	4 0	35	31	32	4 0	13	52	52	35	56	54	35	30	32	22	20	52	58	32	18	33	37	23	52	<del>2</del>	0.4
AVE	13	15	11	13	15	18	50	16	12	61	0.	15	*	51	13	12	16	13	41	10	0.7	15	13	16	13	13	15	13	13	•	7
54	6	=	52	19	10	21	15	1	80	17	_	1	17	35	9	S	1	2	16	*	14	14	=	-	16	=	9	13	S	18	12 35
23	10	1	12	9	10	10	10	13	9	30	10	80	=	(CM)	3	17	80	2	10	4	50	9	18	18	0	6	12	5	80	Ξ	30
25	00	_	19	=	=	10	4	15	13	23	6	13	9	13	9	00	9	•	=	N	13	13	_	=	_	S	10	13	S	S	10
21	16	9	4	10	15	2	1	=	18	2	•	1	12	2	15	18	9	9	Ξ	2	٣	4	91	07	13	9	Ξ	12	ß	*	18
20	9	90	S	10	S	1	S	1	_	'n	6	0.1	2	1	6	•	9	-	1	S	.S	S	=	30	17	12	-	1	S	4	11
19	9	01	0	Ξ	3	10	•	7	0.1	80	30	13	13	=	9	80	6	σ	Э.	=	•	•	6	13	=	17	80	13	_	_	10
18	10	07	7,	15	13	6	27	15	=	51	12	•	17	9	12	10	12	=	=	=	12	12	30	16	=	Ξ	15	11	15	3.	13
11	18	21	54	6	13	91	51	11	12	52	15	=	19	21	6	6	15	14	Ξ	=	12	15	12	10	13	6	91	=	13	=	14
16	16	54	50	0	15	10	35	53	16	*	12	19	15	34	18	13	15	16	15	12	12	7	10	-	13	80	16	53	Ξ	15	34
15	91	12	22	6	14	18	54	12	16	12	=	19	6	34	51	13	58	15	*	*	14	15	=	12	=	15	58	10	=	13	34
14	=	17	27	14	13	21	52	12	10	21	Ξ	10	52	35	21	15	35	14	13	13	12	18	52	=	16	18	37	12	16	13	18
13	12	12	=	15	4	8.8	32	11	16	30	13	15	0.	34	54	15	30	7	12	<u>+</u>	16	7	17	53	18	18	21	=	16	13	34
12	12	12	13	54	13	32	32	12	80	19	12	12	18	56	27	13	27	13	12	41	14	15	15	58	17	54	23	13	7 7	16	18
Ξ	15	10	34	15	=	0 \$	54	53	16	36	13	10	50	56	53	12	30	12	14	13	15	16	14	15	7	33	52	50	13	Ξ	19
10	56	6	30	16	10	33	58	31	16	0 4	Ξ	19	17	33	15	51	22	10	14	13	14	Ξ	58	21	13	22	12	19	51	=	20
6	61	6	31	23	6	51	35	12	17	37	6	90	15	58	=	54	34	6	56	Ξ	=	•	56	54	11	50	19	51	11	10	19
80	50	0	52	16	•	18	53	16	35	25	6	15	21	54	54	19	52	7	15	12	Ξ	80	7.	22	16	10	19	15	19	Ξ	32
1	10	14	19	(CM)	=	13	15	(CM)	6	13	12	52	23	50	6	12	91	30	32	=	6	8	15	35	18	10	10	=	52	5	16
9	15	1	50	S	15	19	23	91	1	61	S	•	12	00	S	S	13	23	31	13	9	52	æ	9	0	6	21	9	17	•	31
'n	18	9	10	16	15	12	(CM)	10	'n	=	9	10	9	15	*	30	13	6	=	10	S	18	S	=	=	9	2	30	14	S.	10
4	15	4	0	4	17	62	18	6	4	10	9	7	15	17	4	6	13	28	80	6	4	80	-	80	6	1	-	18	16	2	11 29
6	S	20	9	54	5	52	14	21	S	18	9	=	6	=	9	=	4	19	S	so.	S	6	_	15	12	(CM)	9	30	18	2	11 25
2	9	22	9	=	34	3	14	23	9	12	9	15	18	12	1	1	4	89	9	10	9	6	=	=	7	1	5	15	15	S	34
-	=	13	23	10	9	=	9	52	8	9	12	1	6	9	51	=	10	19	15	22	5	22	18	23	S	14	0	7	0	9	25.
DAY	-	2	3	4	'n	9	1	8	5	10	-	12	13	7.	15	91	11	18	19	50	12	22	23	47	52	56	27	28	67	30	A Y

CB-THACT TRAILER AA23 JUNE 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	PEAK	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	AVE	T
	24	22 2 2 2 2 4 5 2 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	23	20
	22	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	21	2007-4-0-10-20-20-20-20-20-20-20-20-20-20-20-20-20
	50	\$4\$4\$4\$
	2	609196118997769
	2	23.2 8 6 6 6 6 6 6 7 4 7 4 7 6 7 1 7 1 8 8 1 1 4 4 8 8 8 1 7 8 7 1 7 8 7 1 8 8 1 1 4 4 8 8 8 1 1 8 8 8 1 1 8 8 8 8
	11	\$ 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	91	7.4 3.6 2.1 4.2 5.2 3.3 5.6 5.1 4.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5.8 5
TIME)	15	111 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
STANDARD	<b>±</b>	34 6 9 9 9 9 9 8 8 9 9 9 1 1 1 1 1 1 1 1 1 1
	2	36 2 4 1 2 3 0 0 2 2 3 0 0 0 0 0 0 0 0 0 0 0 0 0
LOCAL	15	32.22.28.29.24.49.29.29.29.29.29.29.29.29.29.29.29.29.29
HOUR (	=	39 B R S S S S S S S S S S S S S S S S S S
I	01	25
	•	3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	<b>®</b>	31.7 6 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	-	C. C
	ø	22
	ru.	CA 6 6 8 3 4 3 6 9 9 2 5 6 5 6 7 1 1 4 5 5 5 6 7 1 1 1 4 5 5 5 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	*	CA 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	m	22 6 4 6 6 6 7 8 8 8 7 8 8 8 7 8 8 8 7 8 8 8 8
	N	(CH) 111 111 111 111 111 111 111 111 111 1
	-	22 2 2 2 2 2 2 3 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	DAY	A

CB-THACT THAILEH AA23 JUNE 1943 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	21	20	35	17	13	39	32	33	30	32	56	15	23	37	23	22	35	35	58	23	12	11	27	54	18	21	36	54	27	12		39
	AVE	10	80	4	0.1	-	12	7.7	=	=	15	12	1	Ξ	16	12	=	13	15	10	20	7	8	0.7	12	3	8	Ξ	15	0.1	9	2	
	54	1	7	S	12	9	4	~	1	4	19	2	4	9	91	4	15	4	2	50	3	4	4	0	e	9	9	S	11	2	0	1	50
	23	69	٣	13	80	9	=	4	9	S	=	_	4	15	23	4	12	e	N	80	4	12	7	90	15	2	0	14	54	2	e	8	54
	22	1	4	12	-	4	Ξ	4	30	13	1	9	7	4	37	4	9	٣	-	30	2	=	10	e	1	2	4	7	=	2	-	7	37
	12	1	٣	-	Ξ	S	e	4	4	+	2	30	2	CM)	-	œ	6	~	3	7	3	2	2	12	6	3	3	6	13	2	-	S	7.
	20	S	4	m	9	4	1	ຠ	m	4	2	_	70	2	~	9	_	•	4	2	5	7	S	_	•	18	12	٣	~	2	N	S	18
	19	1	1	10	5	1	1	9	70	_	2	9	1	3	10	9	1	9	1	9	8	9	9	_	13	90	16	9	22	2	2	89	22
	2	80	1	15	15	9	9	19	14	0	13	J.	S	13	14	10	1	=	90	Э	90	0.7	0.1	_	15	80	3	=	11	6	œ	10	19
	11	+1	50	56	~	=	=	11	14	07	11	6	S	15	18	80	89	10	Ξ	0.	30	10	12	20	80	6	4	12	3	=	20	Ξ	56
	16	14	17	11	7	01	1	53	52	07	13	0.7	7	=	56	16	10	7	13	10	10	Ξ	12	10	0.7	10	S	Ξ	61	5	15	13	56
TIME)	15	14	00	25	9	13	16	25	6	30	00	6	13	1	58	15	12	19	12	Ξ	12	15	13	80	12	6	00	17	80	6	=	13	30
DARD	<b>*</b>	6	15	21	=	10	16	50	10	5	15	80	7	50	31	91	12	28	=	=	10	=	15	50	~	8	15	36	10	13	=	15	36
STAN	13	6	6	60	0.7	15	21	32	14	07	21	Ξ	10	_	52	11	6	56	0	Э.	12	12	12	18	:53	17	15	11	20	4	=	14	32
LOCAL	15	10	10	6	91	=	58	23	10	S	11	=	0.7	13	23	25	12	52	0.7	=	Ξ	Ξ	12	12	22	13	50	91	12	=	12	14	28
1001	Ξ	15	00	54	14	30	39	19	61	13	32	0.	_	15	23	19	Ξ	35	Э.	=	10	=	13	10	12	10	19	58	19	=	00	16	36
-	10	21	_	50	13	20	23	25	33	12	52	80	-	15	54	12	55	54	80	Ξ	6	12	80	27	16	=	16	15	15	0.7	6	16	33
	٥	14	_	35	1.1	00	20	32	18	13	27	00	9	11	27	7	11	27	30	58	80	00	1	19	17	13	21	18	23	16	20	91	35
	30	50	9	58	13	3	17	19	11	(CM)	19	80	3	53	54	21	14	19	8	16	7	8	9	12	15	12	0	17	12	16	00	14	58
	1	Э.	6	10	6	2	0	15	8	51	(CM)	54	15	21	9	6	6	2	15	o	53	7	S	Ξ	54	00	0	9	2	27	9	=	27
	•	00	~	6	4	2	N	(CM)	00	10	1	50	S	S	0	10	=	=	31	6	8	2	3	٣	+	9	0	2	٣	15	~	7	31
	ıΩ	14	4	-	S	ß	60	4	S	15	0	18	S	4	nu.	9	11	17	10	7	9	8	17	2	9	9	0	-	8	15	2	1	18
	*	8	9	2	13	1	9	4	(CM)	12	1	21	S	4	-	0.1	6	9	32	6	4	2	9	*	S	*	-	9	'n	2	-	1	32
	e	4	3	S	7	30	15	(CM)	2	30	8	97	3	_	S	53	6	10	35	4	9	2	2	*	=	9	S	~	1	6	N	5	35
	~	9	91	19	13	4	9	9	5	2	4	23	3	10	2	53	1	2	53	5	4	2	4	4	00	3	9	3	11	2	m	6	53
	-	9	8	27	12	5	0.1	-	11	8	4	10	3	80	9	17	6	8	3	=	13	3	_	9	9	2	4	٣	4	3	~	10	27
	DAY		2	3	4	:S	9	1	89	6	10	Ξ	15	13	14	15	91	17	18	61	50	51	22	63	54	52	56	27	87	58	30	A	ĭ

FAK

CB-THACT
THALLER AA23
JUNE 1983
CATHEDHAL BLUFFS SHALE 01L CO.

	PE															-		-	-	-														
	AVE	=	89	12	=	3	10	12	12	12	15	17	9	-	10	*	11	18	21	61	19	21	21	18	91	13	15	1.4	91	17	19		+	
	54	9	9	6	7	9	2	6	9	æ	Ξ	6	3	~	7	12	12	17	18	15	18	14	17	13	12	6	Ξ	Ξ	12	17	13	:		2
	23	7	9	6	8	1	9	10	-	60	12	Ξ	3	3	8	12	13	17	21	16	18	14	16	13	13	6	10	12	13	17	15	:	= 7	3 6
	22	00	1	=	8	7	9	Ξ	7	8	13	12	9	S	6	12	15	18	51	17	61	17	18	13	*	6	7.0	13	13	17	16		75	17 E
	23	6	1	12	6	6	1	13	80	6	*	16	*	1	10	<b>†</b>	17	18	12	11	19	18	19	*	+1	6	=	13	15	11	16	:	5	7
	50	11	9	16	=	1	99	16	,	12	17	18	9	3	14	16	50	21	53	21	55	55	23	15	13	6	=	15	18	19	18	34	12	63
	6	13	1	18	15	13	6	18	10	7.	19	19	1	12	17	18	51	23	56	23	54	52	92	17	15	8	Ξ	18	19	23	22	:	1	97
	91	16	10	19	13	15	6	20	13	<u> </u>	25	51	4	12	18	51	21	52	27	92	56	92	27	18	18	6	12	20	50	54	23	9	91	7
	11	19	14	18	14	15	14	21	19	91	19	23	~	12	18	50	23	52	58	27	56	27	27	18	91	50	13	50	19	54	52		4	P 7
	16	19	10	61	15	91	91	21	18	91	17	54	4	10	17	23	23	56	88	27	56	27	58	61	16	25	12	18	22	54	56	000	000	D 4
TIME)	15	19	9	18	16	15	18	2.1	17	13	19	23	4	80	18	23	54	56	28	56	56	27	28	51	19	21	14	18	23	23	56		200	97
	*	21	10	16	18	14	19	19	13	12	25	23	+	12	17	23	54	56	27	56	56	56	28	27	91	17	20	18	23	23	24	9	000	Q 4
STANDARD	13	20	11	13	18	13	19	18	13	18	25	54	4	6	11	25	23	54	27	52	52	56	77	27	23	19	21	18	53	54	42	00	24	4
(LOCAL	12	11	=	14	19	=	18	17	11	14	50	54	_	11	11	21	54	25	56	52	54	47	27	97	53	21	20	17	25	23	23	0	17	-
HOUR CL	Ξ	13		18	18	6	11	16	18	19	21	23	1	8	15	19	23	51	52	24	23	54	52	56	22	19	18	15	25	23	25			٥ -
9	10	10	5	16	17	7	16	13	18	19	19	21	9	0	13	18	21	50	54	23	22	23	23	54	51	11	17	13	61	22	51		11	+ · •
	٠	8	=	13	14	9	12	15	14	18	17	19	2	7	=	17	17	17	23	61	51	51	23	55	50	14	13	13	17	17	50	91	67	2.5
	œ	7	12	11	=	9	6	6	13	14	15	61	_	9	99	13	13	14	51	91	61	50	51	8	61	12	-	=	13		61		513	9
	_							9																										
	•							٣																										0
	S							3																										<u></u>
	4							4																										0 -
	9							4																										٥ م
	~							4																										9 ~
	_							4																										. 2
	DAY							1																										- Z
	٥										-	-	-	-	~	-	-	-	-	-	W	V:	N	V	V	N	N	N	W	:V	)	•	a d	LI

28

AK

CB-TRACT TRALLER AA23 JUNE 1943 CATHEDHAL BLUFFS SHALE OIL CO.

	PEA	_	~	_	_	_	_	_	_	_	_	2			_	~	-	2	~	2	~	2	~	CV.	~	ď	_	_	~	~	-		^	
	AVE	1.0	1	15	=	9	6	12	10	10	14	91	'n	'n	10	13	13	12	13	18	19	50	5	15	15	13	10	10	14	15	12		7	
	54	-	9	10	9	9	4	=	-5	80	8	6	9	2	8	12	8	13	30	16	18	16	16	6	15	01	4	6	00	10	60		o	- 2
	23	7	9	Ξ	1	89	9	12	-	1	13	Ξ	٣	ភ	80	15	90	15	90	17	19	17	16	•	13	10	9	15	=	16	0	:	0 0	
	22	89	9	13	9	e	_	13	9	9	14	12	*	9	=	12	=	16	30	18	21	19	50	6	*	80	•	13	12	91	10	:	= =	
	21	80	9	15	6	4	1	14	1	9	91	91	4	7	12	13	12	15	80	50	21	21	21	=	15	80	4	Ξ	13	•	=	:	2 5	4
	50	=	9	16	15	9	9	16	6	9	11	19	2		7	+	15	1	11	25	25	22	63	*	<u></u>	٥	9	10	17	9	15		7 0	3 ~
	61	13	1	11	12	3	9	18	•	6	18	61	9	4	16	11	16	50	56	23	54	54	54	13	4	0	-	12	18	22	7	!	15	3 "
	18	14	10	18	13	9	9	19	11	~	61	21	4	25	18	61	91	23	27	54	52	54	56	*	17	90	9	18	PT	23	16		27	2
	11	18	13	18	14	7	13	19	13	•	18	22	٣	6	18	18	11	50	27	52	52	52	97	15	16	19	=	91	17	53	18	!	11	3 €
	91	18	10	18	15	12	4	19	*	12	11	23	4	1	91	50	17	50	27	52	54	52	56	91	4	21	20	12	21	23	16	;	11	. 4
TIME)	15	18	9	11	16	13	11	61	14	=	18	25	4	9	17	61	11	50	19	54	54	54	52	11	17	50	13	=	21	22	16		17	3 6
STANDARD	4	18	6	16	17	13	18	18	13	1	61	22	4	7	16	19	91	19	13	54	54	24	52	55	<b>*</b>	91	19	=	22	22	4	:	17	3 4
	13	18	•	13	17	=	11	11	=	17	61	22	4	80	15	18	15	18	=	23	53	54	54	55	.55	11	67	14	21	55	4	!	77	4
(LOCAL	12	91	10	13	18	0	17	91	13	15	19	22	9	6	15	18	15	16	=	23	25	23	24	21	25	19	19	<b>†</b>	21	22	13		27	2
HOUR (	=	13	1	17	17	9	16	14	15	11	19	51	1	1	13	11	•	<b>*</b>	3	25	21	25	23	21	19	18	17	12	50	21	15		5 5	3 ~
Ī	0.	10	8	*	16	2	*	13	16	18	18	50	9	9	12	16	17	13	<b>5</b>	22	21	21	25	21	19	11	16	15	18	21	=		5 5	1 ·v
	•	8	80	13	13	S	15	=	15	91	16	19	S	4	Ξ	14	91	4	8	18	21	51	25	11	18	14	13	12	91	13	15	:	5 2	1 4
	80	-	12	=	=	S	6	6	•	<b>+</b>	15	18	S	4	30	12	13	=	9	91	18	19	21	14	11	12	=	6	=	6	11	:	21	4
	-	9	6	1	6	9	9	9	8	10	6	14	9	3	3	0	-15	7	1	13	13	18	19	14	15	=	6	4	8	6	=		٥ ٠	- 7
	•	S	S	2	9	'n	٣	9	9	00	8	12	S	2	2	7	=	-	=	=	01	16	91	1,4	13	=	6	4	8	٣	9	,	- 4	-
	ısı .	2	9	*	9	4	9	4	7	8	80	12	9	2	-	1	01	-5	-	15	12	91	17	*	13	=	o	9	8	_	-		9 1	- 2-
	*	4	S	*	1	'n	e	S	1	89	8	=	9	3	-	8	=	-1	12	1	=	16	18	91	=	=	6	e	6	0	00		9 9	
	E .	S	S	2	7	Э	9	S	1	_	6	=	9	9	2	9	=	7	14	۳	12	17	19	91	10	=	0	4	6	6	80		æ o	2
	~	9	9	9	6	S	2	2	90	4	6	90	9	٣	9	9	6	œ	13	8	13	11	91	15	0	12	6	4	9	7	80		B 1	
	-	7	1	9	5	9	4	4	6	•	8	5	8	4	2	1	=	-	12	4	15	18	17	14	0	15	5	4	1	1	6		9 9	2
	DAY	-	2	3	4	2	9	1	9	6	10		12	13	14	15	16	11	18	19	50	21	25	23	54	52	56	27	28	53	30		PK	2 1

-

MONTHLY MINIMUM =

27

DAY

CB-TRACT
THAILER AA23
JUNE 1983
CATHEDHAL BLUFFS SHALE OIL CO.

	PEAK	19	13	18	18	14	18	19	18	18	21	23	6	=	11	22	23	54	27	56	56	56	27	56	25	51	19	61	23	54	54			17	
	AVE F	Ξ	8	120	12	6	10	12	12	12	15	11	2	9	10	15	11	18	25	19	50	21	55	19	91	13	12	14	16	18	50		*		
	54	1	1	10	8	99	9	12	1	10	13	6	4	4	6	13	13	18	25	11	19	18	19	<b>*</b>	15	=	10	15	13	50	1,1		15	20	
	23	8	89	11	8	8	7	12	8	6	14	11	3	9	6	13	15	19	25	17	19	18	19	14	13	=	10	13	13	19	18		13	2 5	,
	25	90	_	41	6	01	_	13	8	6	91	12	4	1	12	13	91	50	23	8	51	50	51	*	14	•	01	13	+	61	61		13	2 4	
	51																								15								41		
	20 2																								*								15		
	-																													-	-				
	19	12																					-										11		
	18	14	70	18	13	14	5	19	13	14	57	21	4	11	17	50	21	24	27	24	58	56	56	11	17	0	=	19	61	23	23		91	,	
	11	18	13	18	13	14	13	19	18	*	19	23	3	=	17	19	55	24	27	56	56	56	27	18	91	6	13	61	51	54	23		61	2	,
	16	19	=	18	7	*	15	19	11	16	11	23	9	00	16	22	25	54	27	52	52	56	27	19	15	21	15	18	21	23	54		61	2	)
TIME)	15	18	9	11	16	14	17	19	16	13	18	25	*	8	16	22	23	54	27	52	52	56	27	25	18	50	14	17	22	23	5	:	61	77	
DARD	14	19	6	16	17	13	18	18	13	7	21	23	4	=	16	22	25	54	56	54	52	52	27	56	91	91	19	17	23	22	23		19	,	,
STANDARD	13	18	6	13	17	77	17	17	13	11	21	23	*	89	15	21	25	23	56	54	54	54	56	56	55	18	61	91	22	23	53		61	0 4	٠
(LOCAL	15	17	=	13	18	•	11	16	16	91	19	23	9	6	15	19	22	21	52	54	23	23	56	52	25	61	19	15	22	55	25		18	9 4	5
10UR (L	=		9	9	10	8	9	4	20	8	6	2	~	80	4	8	2	0.	4	33	2	33	4	4	21	90	1	4	7	2	=		16	e 14	0
HOL	10	10																															17		
	1 6																																		
																									61								150		
	30	-	15	Ξ	=	9	6	3	13	7	15	18	•	4	9	13	14	14	21	16	16	19	21	18	18	12	12	Ξ	14	13	18	:		1 1	
	-	S	10	1	8	9	1	9	12	=	=	16	9	9	4	11	14	=	18	13	14	18	19	17	15	15	10	10	Ξ	7	18	:	= =	6	,
	9	4	9	9	9	9	4	4	=	•	6	13	9	2	3	00	12	9	16	12	=	17	18	16	13	=	6	0 7	6	10	17		0 0	0	3
	2	4	9	2	1	:S	4	4	0	6	6	12	1	N	e	60	12	9	91	12	12	17	18	16	13	11	6	10	6	6	-	(	6 0	91	å
	4	4	9	9	80	9	4	4	1	0	6	12	7	٣	6	89	12	10	11	13	12	18	19	11	13	12	6	7.0	10	6	18		0 7	, c	,
	3	'n	9	1	39	9	9	ភេ	90	89	10	12	1	7	9	9	12	11	11	4	13	18	21	11	14	12	6	10	10	=	18		0 :	7	,
	2	9	~	2	10	9	9	5	6	89	11	12	8	3	3	8	-	11	91	15	13	18	19	18	14	12	6	10	12	=	18		0 0	57	2
	-	1	1	9	6	1	9	2	11	20	10	13	6	4	3	6	15	13	11	18	15	61	61	18	14	13	0.1	10	12	71	61				,

MONTHLY MINIMUM =

2

Y Y Z

## CB-THACT THALEH AA23 UNA 16983 CATHEDRAL BLUFFS SHALE 01L CO.

TIME)	
STANDARD	
(LOCAL	
HOOM	

	PEAK	19	68	283	200	539	167	178	267	544	217	556	7.8	183	244	233	250	211	283	594	178	383	555	211	18	106	68	17	106	228	594		525	
	AVE	-52	-13	9	-10	5-	-21	-38	20	39	61	16	-52	-80	-33	-5	28	4-	0	91	=	43	101	-3	-38	-51	44-	-85	46-	47	31	8		
	54	67	67	100	100	139	83	156	68	106	217	-22	33	133	191	183	68	144	267	117	161	383	544	18	0	106	-39	-67	-161	156	594	113	383	
	23	56	68	156	20	100	122	178	=	46	506	44-	33	183	122	133	=	183	-161	122	=	333	272	12	-22	68	-50	11	-61	178	-83	87	1333	
	22	28	20	283	33	539	100	156	44	22	200	-50	18	106	244	26	46	211	-506	150	178	250	328	39	-11	22	-61	-17	-4H3	228	28	68	328	
	21	=	61	228	58	19	33	Ξ	20	9	217	-28	4	20	200	-17	36	178	61	594	150	506	328	0	18	-11	-61	-256	-28	217	583	92	328	
	50	-39	9	28	-28	-83	-58	9-	17	-22	17	17	-72	-150	9-	-111	-33	=	99	100	9	33	=	-39	9	-6	-89	-144	17	117	178	-1	-150	
	61	-78	-28	-106	44-	68-	-39	-111	-17	-28	-100	-28	-133	-117	-122	-33	44-	68-	-61	-33	-12	-12	-106	44-	74-	20	-67	-61	-61	-33	9-	-61	-133	
	18	-106	-56	-122	9-	===	19-	-144	19-	-56	-172	44-	-83	-139	-200	-111	-67	-117	46-	-100	16-	16-	-133	-61	- 78	11	-78		-100	68-	-61	-63	-200	
	11	-94	-133	+6-	-72	==	-167	-139	-122	-100	-94	16-	-78	-156	-133	-144	-89	-106	-106	-155	-100	-106	-==	-12	-12	-78	44-	-117	16-	-106	-114	-106	-167	
	16	-100	-17	-133	-78	-133	-128	-172	-117	-67	-67	-100	-83	-283	-211	-139	-128	-144	-128	-128	-117	-111	-117	-33	46-	-106	-67	-89	-172	-83	-11	-116	-17	
-	15	-106	44-	-122	-12	-117	-122	-211	-128	0	===	-83	100	-233	-206	-161	-156	-194	-128	-111	-128	-128	-144	-78	-89	-89	-100	-100	-122	-83	-144	-120	-233	-
2	<b>*</b>	-167	-128	-89	-106	-122	-167	-172	74-	=	-128	-106	-==	-206	-206	-150	-178	-156	-128	-133	-111	-133	-133	-139	-39	-50	-117	-117	-156	+6-	-133	-120	-206	:
	13	-172	-122	-50	-144	===	-211	-163	-33	-67	-194	-122	-100	-228	-172	-189	-128	-211	-139	-144	-128	-128	-144	-133	-194	-156	-161	-161	-167	-111	-155	-144	-33	
1000	12	-100	68-	-117	-139	-106	-189	-194	-12	12	-150	-117	-106	-556	-589	-244	-156	-122	-111	-122	-128	-155	16-	-117	-144	-161	-150	-139	-311	-111	-100	-140	-311	
2000	Ξ	-67	-78	-161	-111	-89	-167	-122	-78	-117	-144	-100	-18	-556	-272	-139	-117	-83	-106	901-	-111	-106	-83	-106	-106	-178	-133	-100	-156	-117	-111	-123	-272	
	10	-56	-106	-106	-100	-72	-117	-78	-72	-1	-83	-78	-61	-144	-194	-106	-78	-133	-83	-83	-78	-83	-12	-61	-139	-128	===	-78	-122	-117	-18	-98	-194	
	•	-67	-83	-100	-128	-61	-117	-144	9	46-	46-	-56	-78	-117	-89	-111	58	68-	-72	-50	-78	-78	-12	-83	68-	-83	-	-206	76-	17	-67	-19	-206	
	00	-72	-78	-28	-12	-50	7	-33	44	44-	22	44-	-117	-200	-33	-39	99	-11	-39	-25	0	-61	44-	9	+6-	-67	=	-61	9	172	44-	-35	-200	
	_	-78	20	61	-22	17	4 4	-61	150	7.8	106	144	0	-22	+6-	-61	167	19	117	33	139	-22	33	77-	44-	=	28	-39	33	222	9	34	222	
	•	-78	33	46	99	18	83	39	267	244	76	233	-39	9	96	200	178	61	178	Ξ	167	122	394	61	58	39	39	-33	9	211	33	104	394	
	S	-72	99	111	189	128	46	61	133	228	117	556	9-	39	144	222	239	106	194	150	106	189	261	==	11	9	39	-25	99	183	211	118	261	
	* .	9-	99	106	96	18	46	20	-	222	161	233	-50	9	194	233	250	128	283	178	128	200	400	83	44	33	17	-28	106	172	267	124	150	
	9	9	20	11	200	39	122	61	83	150	172	217	-100	0	128	233	228	100	544	106	==	183	456	72	17	18	9	-25	19	117	211	112	456	
	~	61	72	74	68	99	83	1	178	156	156	178	77-	٥	45	194	156	76	228	20	7.5	183	525	211	33	68	99	-33	83	17	200	110	525	
	-	-11	78	128	106	56	167	90	172	150	122	228	0	9-	19	183	500	72	228	133	83	189	450	907	18	78	68	-56	-417	18	228	105	450	
	DAY	-	2	~	4	S	9	1	8	5	10	-	12	13	14	15	16	17	18	19	50	51	22	53	54	52	56	27	28	67	30	A V	Σ¥Σ	

DAY

PEAK

		AVE	783	788	191	793	793	702	192	192	787	189	161	196	793	192	700	190	190	192	196	196	195	196	196	1 4 5	100	7007		797			
		54	185	161	161	194	194	767	793	190	787	161	161	195	192	193	780	190	189	194	961	196	195	761	200	200	700	100	26	792	197	785	
01L CO.		23	785	161	161	164	194	767	793	161	787	161	161	195	192	193	780	190	190	194	961	961	262	261	667	26.0	700	100		201	161	185	
SHALE 0		22	184	161	192	194	462	261	193	161	787	161	161	195	793	193	780	061	061	194	961	197	195	561	56	26.0	200	400	2	262	161	184	
S SH		21	184	6	16	193	*6	200	195	061	. 98	06/	96	195	261	261	26	684	687	193	961	96	96	26.	50	200	700			267	96	184	
CB-TRACT TRAILER AB23 JUNE 1983 CATHEDRAL BLUFFS		50	83	06	7.6	93	F6 .	200	95	06	85 7	06	96	76	26	26	200	88	69	93 7	95	96	45	25	90	26.	100			63	196	83	
ER AB 1983		19	_		7 161	_	- 1	_	_	_	_							_	_	_			_ '		_	- '	ľ		•		1 961	_	
CB-TRACT TRAILER JUNE 19 CATHEORA		1.8																									i						
0=70					190	_		- '	_	_	_		_	_	~ '			~	_	_	~	_	- '		- '					_	195	_	
		11	782	788	2 2	193	192	707	198	161	784	189	195	194	192	161	7.90	789	189	193	195	196	104	200	190	100	7004	100		791	196	782	
	_	16	182	788	190	193	192	707	191	192	784	190	195	195	192	191	780	189	789	193	196	196	194	200	196	100	700	2007	2	791	196	182	
	TIME	15	182	789	789	193	792	702	791	192	785	189	195	195	192	191	793	789	189	193	196	195	793	161	161	193	100	700	2	791	196	182	
	STANDARD	*	782	188	789	193	792	700	161	192	186	189	195	196	193	261	400	189	190	192	196	195	194	16.	161	193	700	700	2	161	196	182	
		13	182	788	2002	194	793	202	161	192	186	189	195	961	793	261	467	190	061	261	161	961	194	261	196	200	700	100		262	161	182	
	LOCAL	12	783	787	190	194	793	193	191	193	787	788	194	961	793	261	* 6	130	190	192	197	196	195	261	761	400	201	700		207	197	783	
	HOUR (	Ξ	783	788	190	194	194	100	192	193	187	188	161	161	194	192	701	190	161	261	161	161	195	561	261	161	701	700		792	161	783	
	I	10	783	787	161	194	194	193	192	194	188	188	194	161	194	792	795	190	161	193	197	161	195	193	261	167	701	100		261	161	783	
		•	183	786	162	194	194	194	192	194	788	181	194	161	194	192	795	161	161	192	161	161	262	193	196	200	701	700	2	797	161	783	
		<b>6</b> 0	783	786	162	193	194	107	192	194	788	187	193	161	194	792	791	161	190	192	961	161	196	193	261	193	101	700		792	161	783	
		۴	783	785	192	193	194	467	192	194	189	787	793	161	194	192	701	161	190	192	196	161	195	193	261	193	100	700	60	792	161	783	
		•	784	785	161	261	194	202	192	193	681	187	192	161	194	792	* 6	191	190	161	961	197	196	567	261	200	202	780	60	792	161	184	
SSURE		S	784	785	161	192	794	567	192	193	189	187	261	161	194	792	* 0	190	189	161	195	961	262	193	261	200	100	780	60	792	161	184	
BAROMETRIC PRESSURI		•	784	785	161	192	462	193	791	193	189	787	261	191	194	792	107	190	190	190	561	196	961	667	161	193	202	700	000	261	161	184	
HETRI IBARS		е	184	185	5 5	192	46	562	192	193	684	187	161	161	46	6 3	* 0	06	061	061	195	96	96	4.0	16	200	000	200	0	267	161	184	
MILL		~	183	785	5.5	261	461	193	261	193	062	187	161	161	194	192	193	064	064	681	561	961	96	*6	16.	260	200	788	0	261	161	183	
		-	183	785	2.52	192	164	462	792	193	061	181	161	161	195	792	193	189	061	691	164	961	196	46	16.0	202	202	788	000	792	161	183	

MONTHLY MINIMUM =

197

4 1 E

		TL PEAK		0	12	57.2		•	12 29 70 20	7.0
		7	22		18 15	107			23 105 140 140 138	_
,		54								-
11 C0		23		0		S				13 (
ALE 0		22				S.				5 5
CB-TRACT TRAILER AR23 JUNE 1983 CATHEDRAL BLUFFS SHALE 01L CO.		21				R)				ທທ
323 9 8LUF		20			12	ın ·			56	46
CB-TRACT TRAILER AB23 JUNE 1983 CATHEDRAL BLU		19							25	36
CATHE		18							25 25	37
		11								^
		16								-
	IME)	15			9 6	ю				12 ( ) (
	HOUR (LOCAL STANDARD TIME)	14							0.2	70
	STAND	13			12				0.2	82
	CAL	12								
	IR CLO	=								3 ( ) ( )
	HOL	10	_							-
		9	(MT) (MT)					ED.		9.0
		90	(MT					2		
								,,	18	20
		_							20	20
		9								Ĵ
2		2								50 ()()()()
PRECIPITATION CM*100		4								Ĵ
100		е								Ĵ
PRE CH*		2				20			52	
		-				57				57
		DAY	- 21	J 4 IV D	10 9 9	13 13 15 16	119	22 23 23 24	25 26 27 28 29 30	7.7
		_							4.010.0 0.0	444

II- 214

		TOTAL	13 5 5 6 7	4.1 5	0 E	142 198 8	747
		24	m				м
1 2		23	9.9			9	15
ALE (		22	m			01	13
FS SF		23	м			90 .	36
BLUF		20	63 5	S)		90 9	103
CB TRACT HRI AD28 JUNE 1983 CATHEDRAL BLUFFS SHALE OIL CO.		19	м м м			30	** **
MRI JUNE CATH		18				63	132
		:1			E .	9 m	61 132
		91	mm	w	\$2		36
	TIME)	15		e 0	52	20 2	5.8
	DARD	=	so.		53	50	œ *
	STAN	13		36	50		26
	OCAL	12					
	HOUR (LOCAL STANDARD TIME)	=					
	ž	10	m		m		'n
		6			52	е	88
		80			13		2
		1	m				m
		٠			m	m	'n
		ıs	e			m	ún
110N		*			m	m	ທ
PHECIPITATION CM*100		m	m		58		30
PHEC CM*1		2			m		m
		~					
		DAY	- N € 4 5 9 F	10 0 B	52113355	24 24 26 27 28 27 28 30 30	₹ II- 512

STABILITY CLASS USING DI/DZ DI 60-10M WS 10M

CB-TRACT
TRAILER AA23
JUNE 1983
OCCIDENTAL OIL SHALE, INC.

	AVE		
	24		
	23		
	22		
	12		
	50		
	61		
	18		
	17 1		
		□ < □ ○ □ < □ < □ □ □ ○ □ < □ □ □ □ ○ □ ○	
	16		
(ME)	15	U	
RD T	14		
TANDA	13		
AL S	12		
HOUR (LOCAL STANDARD TIME)	Ξ		
HOUR	10	ひりょきりょくりほじりひきょきじょりじじじひひきせょじょんり じ	
	6		
	œ		
	4		
	9		
	un.		
	4		
	_		
	m.		
	~		
	-		
	DAY	11	

HOURS MISSING=

CATHEDRAL BLUFFS SHALE OIL

NITRIC OXIDE (NO)

TAL		0	0	0	0	0	0	0	0	0	0	0	0	0	707	707	:
10																	•
2	_ :			. 0	. 0	. 0	. 0	. 0		. 0	. 0	. 0		. 0		0	:
			Ĭ	Ĭ							Ĭ	Ī					
3 2 2	-	0	0	0	0	0	0	0	0	0	0	0	0	0	30	30	
3	-	0	0	0	0	0	0	9	9	0	0	0	0	0	51	51	:
3 2 3	-	0	0	0	0	0	0	0	0	0	0	0	0	0	56	92	
3	-	0	0	0	0	0	0	0	0	0	0	0	0	0	18	18	
MSM	-	0	0	0	0	0	0	0	0	0	0	0	0	0	34	34	
3 S S	2	0	0	0	0	0	0	0	0	0	0	0	0	0	96	96	:
SSW SSW	2	o	0	0	0	0	0	0	0	0	0	0	0	0	149	149	
DIR	-	0	9	0	0	0	0	0	0	0	0	0	0	0	51	51	
S.																	:
SSE	~	0	0	0	0	0	0	0	0	0	0	0	0	0	51	51	
SE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	46	46	
ESE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	4 1	4 1	
ш	2	0	0	0	0	0	0	0	0	0	0	0	0	0	36	36	
ENE	2	0	0	0	0	Э	0	0	0	0	0	0	0	0	13	13	
Å	2	0	0	0	0	0	0	0	0	0	0	Э	0	0	18	18	:
NNE	-	0	0	0	0	0	0	0	0	0	0	0	0	0	13	13	
z	-	С	0	0	0	0	0	0	0	0	0	0	0	0	53	53	
	2			••			••	••	••	••				••		••	:
	A 110	. 59	.55	.09	. • 55	20.	.5.	.0 +	35.	30.	.55	- 0 -	15.	.01	5.	. 1	
	MAX MAX UG/4*	61	60 6	55 6	50 6	45 5	40 4	35 4	30	25 3	20 8	15 8	10 1	5 1	17	TOTAL	
	N NNE NE ENE E ESE SE SSE SSW SW WSW WWW NW	NNE NE ENE E ESE SE SSE SSEM SW WSW W WNW NW NAW CALM	N NNE NE ENE E ESE SE SSÉ NUND DIPECTION WIN WINW CALM 1 1 2 2 2 2 2 2 1 2 2 1 1 1 1 1 1 1 1	N NNE NE ENE ENE SE SSÉ NUMBRECTION WINN WINN CALM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	N   NNE   NE   ENE   E   E   E   E   E	N   NNE   NNE   NNE   ENE   ENE	N   NNE   NE   ENE   E	N   NNE   NE   ENE   E	N   NNE   NNE	N   N   N   N   N   N   N   N   N   N	N   N   N   N   N   N   N   N   N   N	N	N	N	N	N   NNE	N   N   N   N   N   N   N   N   N   N

<sup>0 =</sup> NO ORSERVATIONS

0

0

0

0

0 0

0

0

II- 217

CATHEDRAL BLUFFS SHALE OIL

-	
S	
لعا	
₹	
DIRECTI	
$\overline{}$	
_	
_	
므	
z	
QUIN	
3	
AND	
₹	
7	
-	
_	
£	
0	
=	
_	
Ø	
2	
-	
CONCENTRATION	
ī.,	
0	
¥	
=	
$\simeq$	
v	
H	
æ	
S	
11	
_	
ī	
÷	
¥	
AME	
SAMPLES	
HOUR	
HOUR	
HOUR	
HOUR	
ONE HOUR	
ONE HOUR	
ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	
OF ONE HOUR	

OXIDES OF NITROGEN (NUX)

				TRAILER	ER	AB23		PER I OD	19 11	PERIOD( 6/01/83 TO		6/30/83)	3)						
	z	NN	Z H	ENE	ш	ESE	SE	SSE	10 OI	DIRECTION S SSW E	N S	MSM	3	ANA	3 2	3 2	CALM	10	TOTAL
CONCENTRATION MAX UG/M**3	-	7	7	7	-	~	-	en .	-	7	-	-	-	-	-	-	0		
GT 65. :	0	0	0	0	•		°	0	0	0	0	0	0	0	0	0	0	:	0
60 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
55 60. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
50 55. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
45 50. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
40 45. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
35 40. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
30 35. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
25 30. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
20 25. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15 20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 15. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT 5.:	59	13	18	13	36	4 1	46	51	21	149	96	34	18	97	51	30	5	••	707
TOTAL :	62	13	18	13	36	41	46	51	51	149	96	34	18	92	51	30	5		707
MEAN CONC.	0	0	0	0	0	0	0	0	o.	0	0	0	0	0	0	0	0		0
. 0	ON =	= NO OBSERVATIONS	RVATI	SNO															

(10/19/83-RPI)

11- 218

NIMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

NITROGEN DIOXIDE (NO2)

CATHEDRAL BLUFFS SHALE OIL

	Z	NNE	RE	ENE	LLJ	ESE	SE	SSE S	S	DIRECTION	N SW	MSM	3	3 2 3	3	Z Z	NNW CALM	TOTAL
CONCENTRATION MAX UG/M**3	-	-	-	0	-	-	-	-	-	-	-	-	-	0	-	-	0	
6T 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	
60 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
55 60. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
50 55. :	0	Ó	О	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**
0554	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
40 45. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	40
35 40. :	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	••
30 35. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
25 30. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
20 25. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
15 20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10 15. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
5 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**
LT 5.:	. 29	13	18	13	36	41	46	51	51	149	96	34	18	56	51	30	5	: 707
TOTAL :	62	13	18	13	36	4 1	46	51	51	149	96	34	18	26	51	30	5	707
MEAN CONC.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	- N	SNOTIONS =	DVATI	ONO														

(10/19/83-RPI)

	ALE 01		TOTAL		0	2	~	13	39	88	172	152	137	19	31	13	-	0	718	100.
	CATHEDRAL BLUFFS SHALE 01			82	. 0	. 0	. 0		. 0			. 0	-	-	. 0	: 2	0	0	5	-
ERS	BLUF		NNW CALM	119	0	0	0	-	6	4	6	10	3	-	-	0	0	0	32	. 4
10 MET	FORAL		3	119	0	0	0	4	Э	7	19	12	~	0	7	2	0	0	53	7.
NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS	CATH		3 2 3	119	٥	0	0	2	~	2	6	5	4	2	0	0	0	0	25	e.
ECTION		83)	3	117	٥	0	0	-	0	4	9	2	4	-	0	0	0	0	18	e.
D DIR		6/30/83)	MSM	117	0	0	0	-	e	9	10	5	4	e	0	9	0	0	35	5.
NIM Q			MS NO	121	0	0	-	-	15	12	22	19	13	6	4	-	0	0	76	14.
ON AN		PERIOD( 6/01/83 TO	SSE S SSW	131	0	-	-	-	1	37	34	30	17	16	2	-	0	0	150	21.
TRATI		/9 )0	ND DI	Ξ	0	0	0	-	-	-	17	=	=	œ	-	0	0	0	51	7.
ONCEN		PERIO	SSE	115	0	0	0	-	-	s	9	ß	23	e	æ	2	0	0	50	۲.
ву с			SE	135	0	-	0	0	0	3	10	12	10	6	-	7	0	0	47	7.
MPLES		AB23	ESE	107	0	0	0	0	-	0	4	13	13	5	4	-	0	0	4.1	• 9
UR SA		ER	ш	101	э	0	0	0	-	0	3	9	17	.5	4	0	-	0	37	5.
NE HO		TRAILER	ENE	109	0	0	0	0	-	-	5	٣	3	-	~	0	0	0	15	2.
0 <b>J</b> O			Ä	121	0	0	-	0	0	2	3	9	2	-	e	0	0	0	18	3
UMBER			NNE	105	0	0	0	0	-	7	4	33	2	2	-	0	0	0	14	2.
z	020NE (03)		z	104	0	0	0	0	4	2	10	10	3	0	-	0	0	0	30	4.
	OZONE			CONCENTRALION MAX UG/M**3	GT 140. :	130 140. :	120 130. :	110 120. :	100 110. :	90 100. :	: •06 - •08	70 80. :	: -01 099	50 60. :	0504	30 40. :	20 30. :	LT 20. :	TOTAL :	PERCENT

0 = NO OBSERVATIONS

(10/19/83-RPI)

		CARBON MONOXIDE (CO)	(00)											CATH	EDHAL	L BLU	CATHEDRAL BLUFFS SHALE OIL	HALE	E 01
UG/H**3				TRAILER		AB23	Q.	PERIOD( 6/01/83 TO	0/9)	1783		6/30/83)	33)						
MAX MAX UG/M**3	Z	NNE	N.	ENE	ш	ESE	SE	SSE S SSW	D UIR	SSW	NSW	MSM	3	3 2 3	3	3 2 2	NNW CALM	10.	TOTAL
	в0	90	80	80	90	80	80	80	90	80	80	80	999	9.0	80	80	80		
GT 1300. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
12001300. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11001200. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
: -11000: :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
.0000 -1006	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0		0
: •006 - •008	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
700 800. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
: -002 0099	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
: -009 2005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
: -009 200*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
300 400. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
200 300. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
100 200. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT 100. :	50	13	17	13	37	4 1	9 4	51	51	150	16	34	18	97	55	30	5		710
FOTAL :	29	13	17	13	37	41	46	51	51	150	76	34	18	26	52	30	5		710
ME AN CONC.	63	4 9	68	63	25	69	9	69	69	53	21	61	21	21	64	99	68	-	69
0	0N = 0	= NO OBSERVATIONS	RVATI	SNO															
II-																			
- 6																			

(10419783-PPI)

WIND DIRECTION AT 10 METERS

CATHEDRAL BLUFFS SHALE OIL

SULFUR DIOXIDE (SO2)

3	
3	
AND	
ď	
z	
20	
=	
CONCENTRA	
=	
ū	
ž	
2	
Α	
n	
ı	
SAMPLE	
2	
S	
ĭ	
HOOH	
Ξ	
ONE	
Š	
_	
5	
COMBER	
2	
Z	

				TRAILER	ER	AB23		PERIOD( 6/01/83 TO	19 )	01/83		6/30/83)	33)						
	Z	NNE	Z	ENE	ш	ESE	SE	SSE	0 01	DIRECTION	N SW	MSM	3	2 3	3 2	3	CALM		TOTAL
CONCENTRATION MAX UG/M**3	_	2	π	~	_		~	S.	~	Ω.	5	2	81	81 . 26		7 165	~		
6T 13. :	0	0	0	0	0	0	0	0	0	0	0	0	-	-		-	•		3
12 13. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11 12. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 11. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
8 9. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7 8. :	1	0	0	0	-	0	0	0	0	0	0	0	0	0	7	-	0	••	4
6 7. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 6. :	0	0	-	0	1	0	0	~	0	11	4	0	2	-	2	0	0		24
4 5. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
3 4. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
2 3. :	5	-	4	S	6	7	10	7	80	45	27	5	2	1	13	20	-	••	161
1 2. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
LT 1.:	22	12	13	20	56	34	36	45	43	16	9	59	13	15	35	20	4		514
TOTAL :	28	13	18	13	37	41	46	51	51	150	96	34	18	24	51	30	S		706
MEAN CONC.	0	0	0	-	0	0	0	0	0	-	0	0	5	2	-	9	0		-
	-	0000		0110															

HYDROGEN SULFIDE (H2S)

CATHEDRAL BLUFFS SHALE OIL

				TRAILER		AB23		PERIOD( 6/01/83 TO	0/9	1/83		6/30/83)	3)						
10000	z	NNE	N.	ENE	u.	ESE	SE	SSE SSE	UIR	DIRECTION	38 N	MSM	3	3 2 3	3 2	3 2	NNW CALM	10	TOTAL
UG/M*#3	ις.	4	9	9	٠	æ	8	9	æ	13	æ	æ	٠	9	9	æ	2		
61 13. :	С	0	0	э	0	0	0	0	0	-	0	0	۰	0	0	0	0		-
12 13. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11 12. :	0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
10 11. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
в 9.	0	0	0	0	0	-	-	0	-	2	-	2	0	0	0	-	0	••	12
7 8. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
6 7. :	0	0	-	2	9	9	4	9	4	13	æ	4	٣	~	5	2	0		65
5 6. :	~:	0	7	0	ß	m	0	4	3	=	-	0	7	2	4	2	0		39
4 5. :	ß	4	7	7	2	e	0	S	9	28	12	2	0	7	S	5	0	••	98
3 4. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
2 3. :	3	~	S	-	9	30	13	15	18	28	22	80	4	œ	1	2	~		151
1 2. :	œ	e	4	Ŋ	9	6	11	6	~	50	54	œ	e	6	10	9	-	••	135
LT 1. :	Ξ	ιń	9	9	11	=	11	12	12	43	28	11	1	4	23	14	٣	••	223
TOTAL :	29	14	18	14	36	4.1	46	51	51	149	96	35	18	25	52	32	5	:	712
CONC	1	-	2	~	~	2	-	~	N	2	~	~	~	~	~	~	0		~
	1 0	= NO OBSFRVATIONS	RVATI	SNO															

11- 223

10 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

6/30/83)
10
6/01/83
PERIOD
AA23
STATION

									QNIM	D DIR	DIRECTION	z							
WINI SPEED		z	NNE	N.	ENE	w.	ESE	SE	SSE	S	SSW	NS.	MSM	3	3 2 3	3 2	3 2 2	VAR	TOTAL
		4	r.	4	4	4	4	4	'n	9	œ	œ	_	r.	¢	9	S	0	
•	,	c	0	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	0	
:		0	0	0	0	0	0	0	0	0	-	-	0	0	0	0	0	0	
φ φ		0	1	0	0	0	0	0	1	9	20	16	2	-	m	4	7	0	
ري •		5	0	-	-	-	~	٣	16	11	4 4	22	-	2	S	80	13	0	: 150
 •		15	5	7	7	54	27	62	22	15	32	38	14	9	10	31	13	0	: 295
		10	œ	10	7	12	12	15	12	13	23	20	6	9	œ	10	70	0	: 180
	**	30	14	18	15	37	4 1	41	5.1	51	150	16	35	18	56	53	32	0	
PERCENT		4	2	æ	2	ທ	ģ	7.	7.	7.	21.	14.	4. 2. 3. 2. 5. 6. 7. 7. 7. 21. 14. 5. 3. 4. 7. 4. 0.	e,	4	,	4	0	100

## 0 = NO OHSERVATIONS

II- 224

(10/19/83-RPI)

PERIOD( 6/01/83 TO 6/30/83) STATION AA23

		2	N.	Z.	E E	ш	ESE	SE	NIN	D DIF	WIND DIRECTION	N SE	303	3	3 2 3	3	3 2 2	VAR	1	TOTAL
WIND SPEED		٠	_	2	5	9	9	1	6	12	10	Ξ	10	7	80	30	1	0		
ME LENS/SEC																			:	
67 11.	••	0	0	0	0	0	0	0	0	-	0	-	0	0	0	0	0	0	**	,
8 11.	••	0	0	0	0	0	0	0	-	9	38	Ξ	~	0	Ŋ	~	0	0	••	9
5 8.	••	-	-	~	7	~	2	m	16	56	37	21	1	4	4	S	9	0		136
3 5.		~	e	0	2	-	11	15	14	14	28	14	1	2	r.	11	15	0	••	153
1 3.	••	14	m	7	60	22	30	22	13	æ	15	21	13	14	=	54	12	0	••	237
LT 1.:	••	œ	1	6	.v	10	10	14	1	30	10	S	11	4	4	9	4	0	**	126
TOTAL	:	25	14	=	16	34	53	54	51	63	128	73	: 25 14 11 16 34 53 54 51 63 128 73 46 27 29 53 37 0 71	27	29	53	37	0		714
PERCENT		*	۰ <u>*</u>	2.	2.	5.	÷	80	÷	6	18.	10.	• 9	4	4	۲.	5.	• 0		100.

= NO OBSERVATIONS 0

(10/19/83-RPI)

60 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

STATION AA23 PERIOD( 6/01/83 TO 6/30/83)

						•		ZIZ	D DIE	WIND DIRECTION	z							
MIND COFFE	z	NNE	Ä	ENE	ш	ESE	SE	SSE	s	SSW	NS.	MSM	3	M N N	3 2	3 2 2	VAR	TOTAL
MAX METERS/SEC	9	~	SO.	6 7 5 5 7 6 8 10 12 11 12 11 7 9 9 7 0	-	٠	<b>3</b> 0	10	12	=	12	11	-	6	5	_	0	
61 . 11.	0	۰	0	э	0	0	۰	0	-	4	-	-	0	0	0	0	0	
8 11.	 0	0	0	0	0	0	2	6	20	53	13	4	0	4	3	0	0	: 108
5 8.	 -	1	7	-	1	4	4	12	19	37	20	Ŋ	5	c	4	12	0	: 132
3 5.	 ٣	N	m	2	2	r2	16	14	<b>30</b>	21	14	6	11	٣	20	13	0	: 146
1 3.	 13	7	9	7	14	11	28	22	Ξ	11	10	12	1.7	11	21	11	0	: 224
LT 1.	 7	2	3	9	6	'n	7	4	9	4	1	10	6	9	7	2	0	: 97
TOTAL	 24	15	13	16	56	31	57	61	65	130	99	4.1	45	35	55	38	0	714
PERCENT	m	۲,	N	3. 2. 2. 2. 4. 4. 8. 9. 9. 18. 9. 6. 6. 5. 8. 5. 0. 100.	<b>.</b>	4	æ	6	÷	18.	ō.	•	•	S.	æ	ų	o	100.

0 = NO OBSERVATIONS

						JUNE 1983 CATHEDRAL BL	BLUFFS SHALE	01L CO.
COMPONENT	AVG. TIME	ME	RANK	DAY	HOUR (BEG)	VALUE		
202	3 HR	_	~~m~4·0	48288 88988	110000000000000000000000000000000000000	00000		
S02	24 HR			132098 135098	445000	400		
00	1 H	~	~0m4s	4444	250 200 200 200	00000		
00	8 HR	_	<b>-</b> 0€45	42220 42220	8008 2008 2	00000		
03	1 #	~	<b>-</b> 0≈45	22200 330000	113756	135 121 121 121 66 66		
PART	24 HR	~	~0.m4v	23 27 15 7	~~~~	22 24 20 20 20 20 20 20 20 20 20 20 20 20 20		

### DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

JUNE 1983

GASEOUS PARAMETERS	METEUROLOGICAL PARAMETERS	
NOX: 100 %	WIND SPEED	100
NO: 100	10 M: 30 M:	100 ¥
NO2: 100	60 M:	100
	WIND DIRECTION	
03: 100	10 M:	100
	30 M:	100
CO: 100	60 M:	100
SO2: 100	SIGMA HORIZONTAL	
	WIND DIRECTION	
H2S: 100	10 M:	100
	30 M:	100
	60 M:	100
	TEMPERATURE	
	10 M:	100
	30 M:	100
	60 M:	100
	DELTA TEMPERATURE:	100
	RELATIVE HUMIDITY:	100
PARTICULATES: 86 %	SOLAR RADIATION:	98
	BAROMETRIC PRESSURE:	100
	PRECIPITATION:	100





### LIST OF TABLES

		Page
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER	
	Nitric Oxide (NO) at Station AB23	.II-232 .II-233 .II-234 .II-235 .II-236
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS	
	Wind Speed at Station AA23 - 10 Meter Level	.II-240
	Wind Direction at Station AA23 - 10 Meter Level	.II-242 .II-243
	Wind Direction and Vector Average at Station AA23 - 10 Meter Level	.II-245
	Wind Direction and Vector Average at Station AA23 - 30 Meter Level	.II-246
	Wind Direction and Vector Average at Station AA23 - 60 Meter Level	.II-247
	10 Meter Level	.II-248
	30 Meter Level	
	60 Meter Level Ambient Air Temperature at Station AA23 - 10 Meter Level Ambient Air Temperature at Station AA23 - 30 Meter Level	.II-251
	Ambient Air Temperature at Station AA23 - 60 Meter Level Delta Temperature (60m - 10m) at Station AA23 Relative Humidity at Station AB23 - 3 Meter Level	.II-253 .II-254
	Solar Radiation at Station AB23	.II-256 .II-257
	Precipitation at Station AB23	.11-258 .11-259
	(60m - 10m) at Station AA23	. II-260

2201 01 111220 (001104)	D	age
NUMBER OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY AND WIND DIRECTION $% \left( 1,0\right) =0$		uge
Nitric Oxide (NO) at Station AB23 Oxides of Nitrogen (NO $_{\rm X}$ ) at Station AB23. Nitrogen Dioxide (NO $_{\rm Z}$ ) at Station AB23 Carbon Monoxide (CO) at Station AB23 Sulfur Dioxide (SO $_{\rm Z}$ ) at Station AB23 Hydrogen Sulfide (H $_{\rm Z}$ S) at Station AB23		I-262 I-263 I-264 I-265 I-266
SUMMARY REPORT: FREQUENCY TABLE OF WIND SPEED BY	DIRECTION	
Station AA23 - 10 Meter Level Station AA23 - 30 Meter Level Station AA23 - 60 Meter Level	I	I-269
FIVE MAXIMUM INDEPENDENT SLIDING AVERAGES, STATIO	N AB23	I-271
DATA ACQUISITION INSTRUMENT FEETCHENCY STATION AND	B23	1-272

LIST OF TABLES (Contd)

AVE PEAK 24.

23 22

CB-TRACT TRAILEH AB23 JULY 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	21	0	~	-	-	-	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0	0	0	-	-	0	0	0	-
	50	7	0	~	0	9	0	-	-	0	0	-	0	-	0	0	0	0	-	0	0	>	-	-	0	-	-	0	0	9	9	-
	5	0	0	0	0	~	-	0	•	0	0	0	0	0	0	9	0	0	9	0	0	0	0	0	0	-	0	-	9	-	0	-
	18	0	0	0	0	-	-	0	0	-	0	0	0	0	-	-	0	0	-		(PF)	0	-	0	0	0	-	-	0	-	-	0
	11	0	0	-	-	-	-	-	0	0	0	0	0	-	•	0	0	0	0	0	(PF)	0	(PF)	~	~	0	-	-	0	-	~	-
_	16	0	0	0	0	6	-	-	0	-	-	0	0	0	0	0	0	0	0	0	(PF)	-	(PF)	-	~	-	0	-	0	-	0	-
TIME	15	0	-	-	0	(CA)	0	0	0	-	0	0	0	0	0	0	0	0	0	0	(PF)	0	(PF)	-	-	0	-	0	~	0	0	0
STANDARD	1,4	0	0	0	9	(CA)	~	~	-	0	0	0	0	-	0	-	0	-	0	-	(PF)	0	(PF)	-	-	~	0	0	0	-	-	0
	13	.0	0	0	0	(CA)	0	-	-	0	0	~	0	0	0	-	-	0	0	~	(PF)	0	(PF)	-	~	-	~	~	0	~	-	-
(LOCAL	12	0	0	~	-	0	~	0	-	0	0	-	0	0	0	0	-	-	-	_	(PF)	~	(PF)	0	~	0	-	~	-	0	-	0
HOUR	Ξ	~	0	0	-	0	5	0	-	-	-	0	0	0	0	-	-	0	0		(PF)		(PF)	0	-	0	-	-	0	0	-	~
	10	0	-	-	~	-	0	-	0	-	-	-	0	0	0	0	0	-	0		(PF)		(PF)	-	-	0	-	~	-	0	-	-
	•	0	0	0	0	0	-	-	~	-	-	0	0	0	0	0	0	0	0	(CA)	(PF)	9	(PF)	-	0	0	0	-	~	0	0	-
	20	0	-	-	-	-	-	-	0	0	-	~	-	-	0	0	0	-	-		(PF)	~	(PF)	7	-	0	-	-	0	-	-	-
	~	0	0	-	-	-	-	-	0	0	-	-	-	0	0	~	~	-	0	-	(PF)	-	(PF)	7	~	-	-	~	-	0	0	-
	٥	0	-	-	0	0	-	-	0	-	-	-	0	0	0	0	0	0	0		(PF)		(PF)	0	0	-	0	-	0	-	0	0
	ιn	0	0	-	0	-	-	-	0	0	-	-	-	-	0	0	-	0	0	0	(PF)		(PF)	-	0	0	-	-	-	0	0	0
	*	0	0	-	0	0	0	0	-	-	~	-	0	0	0	0	-	0	-	0	(PF)	-	(PF)	-	-	0	0	0	0	-	0	0
	3	0	0	0	0	0	-	0	0	-	~	0	-	0	~	0	0	0	~	-	(PF)	-	(PF)	-	-	-	-	-	~	-	-	0

(PF) (PF)

(PF)

£

S X

CB-THACT THAILEN AB23 JULY 1983 CATHEURAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME)

	PEAK	0	0	~	2	2	0	2	0	0	2	2	0	0	0	0	0	2	2	2	0	4	2	2	2	2	0	2	2	~	2	4	4	
	AVE P	0	0	0	0	0	0	0	0	0	9	0	0	0	0	9	0	0	0	0	-	-	-	-	0	0	0	-	0	0	0	>	9	
	۷																				_		_											
	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	•	0	0	•	2	0	0	0	•	2	0	•	2	0 0	
	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	~	0 2	
	22	0	0	0	0	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	4	2	0	0	0	0	0	0	0	0	0	0 4	
	21	•	0	0	0	0	•	0	0	0	0	0	0	0	0	9	0	0	0	0	0	2	2	0	0	0	0	0	0	0	9	•	0 8	
	50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0 2	
	61	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	•	0	0	0	•	9 8	
	92	0	0	9	0	0	0		0	0	0	0	0	0	0	9	0	0	0	0	_	0	0	0	0	0	0	0	0	0	9	•	00	
	~																				PF													
	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	PF)	0	PF)	0	0	2	0	0	0	0	5	0	0 8	
	92	0	9	•	0		•	0	•		0		0	5	0		0		0	0	_	n,	_	0	_	0	0		0	0	0	•	0 2	
	~																				PF		PF											
	15	0	0	0	0	(CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(PF)	0	(PF)	2	0	0	0	0	0	0	0	•	0 7	
	<b>*</b>	0	0	0	0	CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	PF)	0	PF)	0	~	0	0	0	0	0	0	•	0 2	
,	13	0	0	0		CA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	PF)	0	96	٥.	0	0	0	0	0	0	0	0	00	
200	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	PF) (	0	PF)	0	0	0	0	2	2	0	0	0	0 2	
,																					٩		9											
	=	٥	0	0	0	0	0	2	0	0	0	~	•	0	0	0	0	0	0	9	(PF)	~	(PF)	0	0	0	9	2	0	0	0	0	0 %	
	10	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	63	(PF)	0	(PF)	2	0	2	0	0	9	0	~	0	0 ~	
	•	0	0	0	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	(CA)	(PF)	0	(PF)	0	N)	0	0	~	0	0	0	0	0 7	
	00	0	0	2	2	0	0	2	9	9	0	N	0	0	9	0	9	9	0	0	PF)	0	PF)	2	0	0	0	2	2	0	0	0	0 2	
	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	PF) (	0	PF)	0	0	0	0	2	0	N	0	4	0 4	
	۰	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	) (J	0	<u>آ</u>	0	0	0	0	0	0	0	0	N	0 2	
	S	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	F	0	<u>ا</u>	2	0	0	0	0	0	0	0	0	0 2	
	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	~	F) (P	0	<u>ه</u>	0	0	0	0	2	0	0	0	0	0 8	
	e	0	0	0	0	0	0	~	0	0	0	0	0	0	0	0	0	0	0		) (PF	0	( pF	2	0	0	9	0	0	0	0	0	0 2	
																					PF.		P .											
	~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(PF)	0	(PF)	5	0	0	0	0	0	2	0	0	0 2	
	~	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	9	2	(PF)	2	(PF)	2	2	0	0	2	2	2	2	0	- v	
	UAY	-	2	3	4	5	9	1	8	5	10	11	12	13	14	15	91	17	18		20		_										P A	

.-

CB-TRACT TRAILEM AH23 TUTY 1983 CATHEDWAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME)

PEAK	0	0	0	a	0	0	2	0	0	2	2	0	0	9	0	0	0	2	~	0	2	2	~	~	2	0	2	~	2	~	2	
AVE F	0	9	•	0	0	0	0	0	9	0	0	0	0	0	0	0	0	9	0	^	0	-	0	9	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	N	0
22	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	2	n,	0	0	0	0	0	0	0	0	0	0
	0				0	0	0	0		0	0	0			0	0	0	0	0	0	0	0	0	•	•	0	0	0	0	0	0	0
12	_																			0									_	_	_	0
20																																
5	0	0	0	0	0	0	9	0	0	0	0	0	0	•	0	0	9	0	0	0	2	2	0	9	9	0	0	0	0	9	0	0
18	9	0	0	>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(PF)	0	3	0	•	0	0	9	0	9	0	9	0
11	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	0	0	0	PF)	0	PF)	0	0	2	0	9	0	0	0	0	0
16	0	•	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	) (Je	0	) (J	0	0	0	0	0	0	0	0	9	0
15	0	0	0	0	CA)	0	0	0	0	0	0	0	0	0	0	•	0	0	9	E .	0	=	0	•	0	0	0	0	0	0	.0	0
<b>†</b>	0	0	0	0	A) (C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	g) (;	0	<u>a</u>	0	0	0	0	9	0	0	0	0	0
E .	0	0	0	0	000	0	9	0	0	9	0	0	0	0	0	0	0	0	0	) (PF	0	<u>a</u>	0	0	0	0	0	0	0	0	0	0
	0	_	_	_	I CCA		_	_	_	_	_	_	_	_	_	_	_	_	_	(PF	_	(PF	_	_	_	_	_	_	_	_	_	0
12																		_	_	(PF		(PF		_	_	_	•	Ī	_	_	•	
=	0	0	0	9	0	0	2	0	0	2	~	0	0	0	9	0	0	9	0	(PF)	~	(PF)	0	•	9	•	0	9	0	•	•	0
10	0	0	0	0	0	0	0	9	9	0	0	0	0	0	0	0	0	0	0	(PF)	0	(PF)	0	0	n,	0	0	0	0	0	0	0
3	0	0	0	2	0	0	0	0	0	0	~	0	0	0	9	0	0	0	(CA)	(PF)	0	(PF)	0	~	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	9	0	PF)	0	PF)	0	0	9	9	0	2	0	0	0	0
~	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	PF) (	0	PF) (	0	0	0	0	0	0	N	0	N,	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	PF) (1	0	_	0	0	0	0	0	0	0	0	~	0
S	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0		F) (P	0	-	0	•	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E C		<u>a</u>	0	0	0	0	2	0	0	0	0	0
m	9	_	•	_	_	_	01		0	-	1	_	0	0	0	0	0	0	0	1 (PF	0	1 (PF	-	_	•	_	0		-		•	0
																	_	_	_	(PF	_	(PF	_	_	_	_	_	_		-	_	
2	9								0											(PF)	,	(PF)			0							0
																-	-	-	AI		01											
AY 1	0	0	0	0	0	0	0	3	0	0	0	٥	0	0	_	Ŭ	•	_		(PF		(PF)			0	0			2	2	0	_

0

N 0

2 9

0

0

9 9

2

2

> A

CB-THACT THALLER ABC3 TUT 1983 CATHEDHAL BLUFFS SHALE 01L CO.

	PE				_	-						_		~		-																		~
	AVE	7.3	69	99	83	81	10	62	7.0	14	15	15	84	85	11	87	15	16	11	19	_	62	-	52	65	99	29	46	53	49	58	19	69	
	24	11	45	16	85	1.7	57	7.	16	69	18	84	14	69	80	63	9	92	7	67	19	47	53	4.	19	61	45	35	53	53	51	53	63	84
	53	7.1	4 1	14	86	17	63	19	69	69	80	91	73	73	18	65	69	7	69	65	65	43	39	43	69	61	64	35	21	21	69	19	63	.98
	25	69	43	7.8	82	69	57	57	63	73	84	14		69	98	67	69	69	69	63	61	33	41	47	53	67	53	35	57	29	69	53	62	98
	21	63	51	86	14	19	53	57	69	18	88	16	63	7	73	80	69	19	69	9	9	41	64	<b>6</b> 4	47	7	65	39	21	21	61	23	63	9.8
	50	69	61	95	96	14	7.3	65	69	90	88	98	18	73	73	84	82	13	1.	19	73	63	47	51	69	19	79	1 4	9	21	6.4	64	68	96
	61	14	69	45	100	80	69	29	80	80	94	96	46	85	94	85	98	90	82	18	18	29	19	61	73	11	69	41	69	11	43	69	75	100
	18	82	16	06	106	98	1	73	90	18	98	104	96	96	98	9.4	95	98	99	82	PF)	19	73	69	16	16	65	45	63	73	59	78	80	106
	11	80	16	96	108	98	78	80	80	18	88	112	86	96	88	98	96	98	88	80	PF) (	19	PF)	7	14	80	65	64	63	14	63	84	82	112
	16					98															~		_										82	118
TIME)	15					9.4															_		_										82	108
STANDARD TIME	4					9.0															_		_									•	81	901
	13					96															_		~										9.0	110
(LOCAL	15					102	_														_		_										18	108
H00H	=					46	_														_		_										11	901
Ī	0.					48	_														_		_										75	001
	•					98	_													_	_		_										10	06
	œ					73														_	_		_										19	84
	-					1.															_		_										55	9.0
	9					9.0															_		_										58	88
	S.					18															_		_										69	84
	4					84															_		_										9	84
	m					82															_		_										09	98
	2					7.8															_		_										63	49
	-					7.8															_		_										61	82
	DAY	-	2	-	4	2	9	1	8	6											20 (P		_										A V	Pĸ

HOUR (LOCAL STANDARD TIME)

PEAK	30	30	20	30	30	20	50	20	9	09	20	10	20	9	20	50	20	20	9	9	10	7.0	10	10	10	10	7.0	140	10	10	10		140
AVE	31	27	37	53	87	33	94	46	25	54	30	46	31	38	45	7	37	31	39	-	61	_	69	68	19	69	69	7.1	63	9	69	47	
24	20	30	30	20	30	9.0	20	90	9	20	50	20	20	30	20	30	30	30	30	9	7.0	7.0	10	9	7.0	10	7.0	10	10	9	10	48	10
23	20	30	30	20	30	20	20	20	9	20	20	20	20	30	20	30	30	30	30	9	10	7.0	10	9	7.0	10	7.0	10	9	9	10	48	10
25	20	30	30	20	30	20	20	20	09	20	50	20	20	30	20	30	30	20	30	9	7.0	7.0	10	10	20	7.0	20	9	09	9	10	47	7.0
21	30	30	30	50	30	20	20	20	09	20	20	20	20	30	20	30	30	50	30	9	10	7.0	20	10	10	10	10	10	7.0	9	7.0	64	10
60	30	30	30	20	30	20	20	20	9	20	50	9.0	50	20	20	30	30	50	30	9	10	10	10	0.2	2	7.0	7.0	7.0	7.0	10	10	64	10
61	30	30	30	.50	30	20	20	9.0	9	20	50	30	50	30	20	30	30	20	30	9	10	7.0	10	9	20	7.0	10	10	9	20	10	48	7.0
18	30	50	30	50	30	20	20	20	9	20	50	30	50	30	90	30	30	50	30	PF)	20	7.0	2.0	20	2	20	20	7.0	2.0	20	10	94	7.0
1.1	30	50	30	50	50	30	20	20	09	20	50	30	50	30	20	30	30	50	30	PF) (	09	PF)	10	10	10	20	10	10	9	20	10	46	10
9	30	50	30	50	CAI	30	20	20	9	20	50	20	50	30	30	30	30	50	3.0	PF)	9	PF) (	20	10	10	10	20	20	9	9	10	46	10
15	30	50	30	50	CA)	30	20	20	09	20	50	20	30	30	30	30	30	50	30	PF) (	9	PF)	7.0	7.0	10	10	10	10	09	09	09	46	7.0
<u>*</u>	30	50	30	50	CA)	50	20	20	09	20	50	20	50	30	30	20	30	50	30	PF) (	09	PF)	10	10	20	10	10	9	9	09	10	46	10
13	30	50	30	20	CA)	0	20	20	9	20	50	20	50	30	20	20	30	5.0	30	PF)	9	PF)	10	10	20	10	10	20	9	9	7.0	46	07
12	30	30	30	30	0	10	20	20	9	20	50	20	50	20	20	9.9	30	50	30	PF)	9	PF)	.02	10	10	7.0	2	7.0	10	09	10	46	7.0
Ξ	30	50	20	30	10	10	20	20	20	20	50	20	50	30	20	20	30	50	30	PF) (	9	PF)	10	10	10	10	20	7.0	7.0	9	9	45	10
30	30	50	20	30	10	10	20	20	20	9.0	50	20	50	30	20	20	20	50	30	PF) (	9	PF) (	10	7.0	7.0	10	10	10	10	9	10	46	10
•	30	20	20	30	10	30	20	20	20	9	20	20	30	20	20	20	20	30	CA)	PF) (	9	PF) (	10	10	20	20	20	20	10	09	09	48	10
20	30	50	20	30	20	30	20	20	20	9	30	10	30	20	20	20	20	20	09	PF) (	9	PF) (	10	10	10	10	10	140	10	09	10	54	140
-	30	30	20	30	30	30	20	20	20	20	20	20	20	09	20	20	20	20	9	PF) (	09	PF) (	10	10	7.0	7.0	10	10	10	09	10	25	10
9	30	50	30	30	30	30	20	20	20	20	20	20	20	30	30	20	20	20	20	PF) (	09	PF) (	7.0	7.0	70	10	10	10	09	9	09	64	10
S.	50	20	30	30	30	30	20	9.0	20	9	20	20	20	30	30	20	30	20	20	PF) (	09	PF) (	10	10	09	7.0	10	20	09	09	09	48	10
*	50	20	30	30	30	30	20	20	20	9	20	20	20	20	30	20	30	20	20	PF) (	09	PF) (	10	7.0	09	10	10	10	09	09	09	84	7.0
e	5.0	50	30	30	30	30	20	20	20	9	20	20	20	30	30	20	30	30	9.0	PF) (	9	PF) (	7.0	7.0	09	10	10	10	09	09	09	48	2.0
N																				_	09	_										84	10
-																				_	09	~										64	0.2
																				-		-											

ž ž

CB-TRACT
THAILER AB23
JULY 1943
CATHEDHAL BLUFFS SHALE 01L CO.

	PEAK	e	٣	9	9	'n	S	e.	m	٣	٣	3	S	2	8	S	S	S	89	2	3	S	S	S	S	80	00	0	9	10	00	so.		16
	AVE	N	-	-	-	~	-	-	-	0	~	-	-	4	.S	3	2	٣	4	4	_	~	_	4	4	4	9	9	9	9	4	4	9	
	54	0	0	0	0	9	9	3	0	0	3	0	0	S	2	9	3	e	2	S	0	<b>7</b>	9	3	S	S	80	S	e	S	0	S	9	Œ
	23	0	0	0	0	•	0	3	0	0	0	0	٣	S	S	9	9	۳	S	٣	٣	0	S	S	ß	S	S	S	S	S	3	s.	9	·
	22	0	0	0	9	٣	0	٣	0	0	0	0	0	9	S	٣	٣	9	9	S	٣	0	۳	e	e	m	S	S	9	9	9	m	2	α
	12	0	0	٣	0	6	9	٣	0	0	٣	6	٣	S	9	•	0	9	9	٣	٣	9	9	S	S	E	S	S	9	J.	•	•	9	α
	50	0	0	e	0	3	0	0	0	0	0	0	0	2	S	3	0	Ŧ	٣	0	9	٣	٣	n	e	9	80	S	S	8	7)	0	2	œ
	61	'n	0	e	9	3	0	0	0	9	0	0	n	S	S	5	0	٣	7)	10	9	0	S	3	S	٣	30	9	30	20	٣	m	۳	œ
	91	3	~	•	٣	۳	٣	•	٩	•	٣	:0	9	S	S	9	9	.S	S	S	)Ł)	m	S	S	S	6	S	20	2	20	e	m	4	œ
	11	3																			_					2							9	œ
	16	9	0	9	3		9	0	۳	0	9	۳	9	S	2	9	9	S	9	2	F) (F	ç	F) (F	S	S	Ç	89	89	S	89	2	m	4	æ
IME)	51	3	0	3	3	~	3	9	3	0	0	0	S	2	S	2	3	3	S	S	F) (F	9	E .	2	S	S	2	S	8	8	3	2	4	•
STANDARD TIME	14	8	0	0	9	۵,	e	0	3	0	0	0	0	S	S	9	S	ı,	e	S	F) (P	2	F) (P	2	2	90	80	8	8	10	S	2	4	0.
STAND	13	3	0	3	3	A) (C	۳	~										3			F) (P	5	_			2							4	α
(LOCAL		0	6	0	3	3 (0	9	9	0	0	0	3	0	2	.s	0	9	3	9	S	(P	5	-) (P	ເ	2	m	0	8	2	8	S	so.	3	•
		3	0	0	۳	5	5	~	3	0	0	0	3	.c	9	•	2	9	2	2	(P	۳	(P	3	3	S	8	2	10	S	S	S	4	0.1
HOUR	10	3							0	0	0	3	0	2	.5	2	3	7	S	2	(a)	0	(P	2		S								
	6	3							0	0	0	0	0	~	۳	2	9	۳			<u>a</u>	0	(PF)	3		2							9	œ
	00				0				3	0	0	0	~	2	S.	2	3	3	3	5 (CA)	(PF	2	PF (PF		3					S			۴	9
	_				0						0	0	0	3	2	3	3	0	3	_	(PF)	e	(PF)	2	3	.S								-
	9												0		3	3	<u>س</u>	9	3		1 (PF)	0	) (PF			3								-
	2	3	0		0	9	0	3										2			1 (PF	9	(PF	3		2								œ
		3	0	0	0	0	3	3	0												(PF)		(PF)	3		2								œ
		3						~	0	0	٦	0	0	9	2	3	3	3	2	20	(PF)	2	(PF)	2		3							3	
	2							0	0	3	0	0	3		2	3	3	3			1 (PF		1 (PF											1
					3							0	0	3	3	0	3	0 3	7			3				5							3	
	DAY					0	.0	_	*	•		_	01			0	.0	-			(PF)		(PF)											
	0	_	~	- 79	4	31	9	, mar	20	5	7	-	16	-	14	1 5	16	17	1.6	-	20	2	20	2	2	2	26	N	25	Š	3	T)	A	Y.

CB-THACT THAILEN AB23 JULY 1983 CATHEDHAL BLUFFS SHALE OIL CO.

PEAK AVE 24 23 21 18 17 (PF) 16 I IME) 15 (PF) (PF) (LUCAL STANDARD 14 (PF) (PF 13 (PF) 12 (PF) (PF) (PF) 10 (CA) (PF) (PF) (PF (PF) (PF) (PF) (PF) (PF) (PF

AD56	^	_	^	^	_	^	_	_	_	_	^
AD	~	~	~	~	~	~	~	~	~	~	_
AD42	-	_	_	-	-	-	~	^	-	_	_
₹	~	~	~	~	~	_	~	~	~	~	~
STATION AB26	^	_	^	^ :	^	^	-	^	^	^	_
STA	_	_	_	_	~	~	_	~	_	_	_
AB23	19.2	34.3	17.7	25.4	56	20.1	18.6	18.2	52.4	21.9	34.3
AH20	_	~	_	~	_	~	_	~	_	_	_
AH	~	~	~	~	~	~	~	~	~	_	~
DAY	1	2	σ	13	11	21	52	62	AVE	S.M.	PEAK

CB-TRACT
THAILER AA23
JULY 1983
CATHEDHAL BLUFFS SHALE OIL CO.

HOUR (LUCAL STANDARD TIME)

24 AVE PEAK

• 

DAY

F X F N 4 4 4 F F 6 M M M M F 6 F F 6 M 4 M M M M F M 4 M 4 M	* 0
4 M M = = M M 4 A A A A A A A A A A A A A A A A A	ע יי
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2
m = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	- 29
4 4 3 3 3 3 3 3 4 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	n n4
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	- 225
	5 m 4
ቀቀ֍⊶ቀ→	<b>-</b> €2
ቀ ወ ଓ ଧାଳ ଓ ቀ ଳ କ ଳ ଧାରାଧାଳ ଓ ଦେଓ ଓ ଓ ଜଳ କ ଲ କ ଲ ଲ ଲ ଅ ଅ ଅ	7 6
T	<b>n</b> mo
7 7 0 0 0 1 1 4 4 4 4 9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
# G G G G G G G G G G G G G G G G G G G	
F T T T T T T T T T T T T T T T T T T T	N 420
7 d d d d d d d d d d d d d d d d d d d	n 40
#	n n-
#	+ 70
T T T T T T T T T T T T T T T T T T T	1 8
2	v e-
W & H = O N N N N H N N N O H O H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N O M D H N	າ າວ
(CC CC	
0 40 10 00 0 10 0 10 0 10 0 10 0 10 0 1	n 29
	e an
2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	n 29
0 m m = - m m m m m m m m m m m m m m m m	25
4 4 6 6 9 9 9 4 4 4 4 4 9 9 9 9 9 9 9 9	v v.s
5 5	

Z X

AVE PEAK

,		54	9	4	00	~	ED 4	-	4	3	0	۰ ب	- '	~ ~	-	2	6	-	~	2	y (F	0	4	9	~	۰ د	U 4	m	,
11 CO		23	9	2	0 £	-	6	٠,	· so	3	0			٥	4	7	6	2	m (	v -		0	9	e .	m •	<b>-</b> u	n 🚁	2	
ALE 0		22	-	2	m o	0	S	n	2:	5	0	0 .	٠,	æ ~	2	3	9	2	4 .	<b>→</b> (	ე -ქ	0	2	2	m.	٠,	0 40	4	
FS SH		21	9	es e	m 0	4	~ .	2	9	4	~	m I	ı,	- 2	9	2	S	9	m (	N r	n 👍	9	9	_	ν.	•	- 00	2	
A23 BLUF		50	2	.0	9 m	9	S «	+ n	2	9	7	~	ο,	+ 0	9	4	9	4	90	v -	-	2	4	9	41	<b>.</b>	٧ ٢	0	
CB-TRACT HATLER AA23 JULY 1993 CATHEDHAL BLUFFS SHALE OIL CO.		19	2	•	<b>20</b> ~1	S	<b>~</b> •	J 4	4	7	9	N.	4 (	u :n	_	S	S	4	η.	<b>4</b> (	J M	2	2	S	4 (	n -		-	
CATH CATH		18	-	6	<b>30</b> N	m	٠,٠	. 4	. v	4	٣	m (	m,	• ~	30	20	4	4	(PF)	20 0	9	-	10	S	4 (	N -	• m	~	
		11	-	<b>.</b>	<b>30</b> ~	e	9 .	o un	1	S	9	٠,	m .	+ ·c	0	7	4		(PF)	5 (10)	-	~	9	7	4.	4 0	. m	4	
		16	7	90 :	æ ~	2	ıÇ 4		00	80	9	N C	N.	15	90	7	S	m	PF)	* 100		~	_	9	m,	<b>4</b> n	ı ın	*	
	TIME)	15	00	6	o 0	4	9	+ 0	0	-	9	4	٦,	2 2	5	8	S		(PF)	2		*	S	4	4	4 (	2	4	
	DARD	4	6	0	<b>80</b> N	n	<b>10</b>	n ~	10	2	2	4	0 1	- 21	8	90	2		(PF)	2 120		4	2	9	*	N 4	+ N	m	
	STANDARD	13	00	6	2 0	•	90 4	9 0	6	۳	2	∾:	N P	`=	6	10	1	٠.	(PF) (F	5 110		2	4	7	s c	n -	٠ ٦	1 4	
	(LOCAL	12	80	6	<b>30</b> ~	e	4	9	2	9	2	m d	ν,	۰ ~	<b>3</b> 0	10	(MT)	_	(PF) (P			-	4	4	20 (	u o	۰ م	4	
			1	0.	~ N	0	<b>3</b> U		_	2	2	4.	٦,	n ~		_	_		_ ,	7		0	5	4	* (	70	u ~	S	
	нопн	Ξ		-												_	(MT		(PF	10,	-								
		0.1	1	10	9 0	-	4:	9	9	-	-	α.	-	* *	1	9	CHT	S	(PF)	2	-	-	5	2	4 (	m c	, ~	4	
		6	æ	10	4 -	-	2	nu 1	00	-	~	٦.	- `	* ~	•	9	(MT)	1	(PF)	1 10,	*	N	9	9	4.	4 -	٠ ٧		
		80	00	200	~	0	e c	חת	m	2	7)	-	0 -	<b>→</b> 00	S	9	5	4	(PF)	0 (10)	2	-	9	-	4.	<b>-</b> -	۰ ۵	7)	
		_	30	<b>6</b> 0 :	0	-	40	u m	m	2	2	(CM)	0 .	<b>→ x</b>	-	2	3	3	(PF)	0 1	3	2	3	-	m	N 1	۰.	4	
		9	9	80 -	- 0	-	s -	• •	4	9	3	0	GE C	u o	-	4	4	4	(PF)	0 1		-	9	2	m .	<b>→</b> °	· ~	4	
30M		5	4	-	~ -	-	*	4	-	9	4	0	CM)	- 0	-	9	9	٣	(PF)	9	- 0	2	-	~	m r	າ ∢	٠ م	4	
9		4	6	*		-	e 4	m	0	-	6	0 -	7	E 6	-	9	S		(PF)	0 .		m	2	~	m	<b>.</b>	2 01	2	,
WIND SPEED		Э	~	4 (	N N	0		- m	-	-	4	0	0 -	- 0	-	9	S	~	(PF)	7		2	-	2	m r	<b>~</b> ) -	- 4	4	,
N E I N		2	4	5	~ -	-		1 4	4	4	3	0	٠.	- x	-	2	1		(PF)	1,10,		m	-	2	m	N C	7	4	
		~	2	9	m ~	CHO	0	1 4	.5	5	3	0	0,	<b>→</b> œ	•	4	1		(PF)	0 10		*	-	2	4 (	2 1	U 4	4	
		DAY	-	2	m d	5 (	9 1	- 1	0	10	=	12	13	+ 5	16	17	18					54	52	92	27	820	30	33	

Y X

13

10

4 30 201

5

UAY

		PEAK	2	= :	2 1	* "	-		15	7	90	4	•	S	Ξ	7	=	=	= '		. 80	•	_	4	12	6	30	4	80	6	٥	
		AVE	1	œ .	s a	u n	4	'n	·	9	4	3	2	2	2	90	9	~	9 4		~	-	4	2	S	4	4	٣	٣	4	4	
		54	_	S)	0 0	٥	<b>u</b> <	r un	15	4	4	0	N	7	6	-	9	9	= 1	200	. 6	2	3	0	4	9	9	2	3	2	4	
00		23	_	~ .	<b>~</b> <	٥ ،	u -		- 10	9	4	_		2	8	3	4	۳.	0 4	. ~		2	2	_		3	3	3	9	2	~	
011			_																													
HALE		22	Ф.	~	4 -	•	- 3	3 (0)	(2)	· un	S)	_	_	2	10	N	S)	4	20 "	7 11	Ī	4	S	a	4	m	•	4	80	•		
FS		. 12	-	4:	en -	1 1	- 0	• •	2	-	S	2	3	S	8	9	1	S	9 0	า 4	~	~	9	2	89	6	e	4	4	6	2	
HLUF		50	9	n I			- 4	3	~	9	9	4	3	4	4	1	-	S	~ -	+ ~	•	-	~	2	4	1	S.	4	~	20	-	
CB-TRACT TRILEH AA23 JULY 1983 CATHEDRAL BLUFFS SHALE OIL		19	9	9	<b>a</b> 0 n	d d	7	, m	4	4	1	3	~	4	۳	9	90	S	s «	, ,	.,	2	4	2	2	٥	S	4	-	4	_	
CB-TRACT TRAILEM JULY 19 CATHEDRA		18	_	0:	<b>30</b> 0	<b>.</b>		- 00	ı ın	_	4	9	4	~	4	8	30	90			. 20	0	S	2	2	9	4	2	-	er.	m	
0-70																				(PF)					_							
		11	30	0 1	oo n	4	1	, -	9	1	9	3	2	9	4	1	80	80	* 1	(PF)		(PF)	7	CJ.	7	_	4	4	0	4	3	
		16	9	6	σ-	- 0	J J	ı LC	9	•	90	3	2	3	2	13	6	30	S 4	(DE)	4	(PF)	1	~	7	-	4	4	2	2	4	
	(IME)	15	0	0.	6 0	2	1	o un	-	10	-	۳	4	2	=	14	01	6	•	(PF)		(PF) (	9	4	ş	S	4	4	3	2	4	
	STANDARD TIME	14	0	0 :	ao n	y r	, ,		1	10	2	2	4	0	30	13	0	80	9 (		_		S	4	9	3	4	~	4	2	3	
	TAND	13																0	~ 0	(PF)	-	(PF)	ıs	2		4	9	3	_			
	AL S			-	2 "					7						12	0 7	-		IPF		(PF)			•							
	ILUCAL	12	6	0 '	op n	J (*	n u	2	9	9	3	3	*	9	1	10	3	=	E T	(PF)	-	(PF)	9	2	*	4	99	2	2	2	5	,
	HOOH	Ξ	-	= '	~ 0	4 0	0 4		1	~	2	~	4	-	S	00	6	=	E S	(PF)	~	(PF)	'n	9	9	4	4	~	2	-	J.	
	_	10	8	=	90	u -	4 3	9	9	7	2	2	9	-	S	3	60	0 7	Ē	(PF)		(PF) (	3	~	9	2	4	4	~	-	4	,
		•	20	=	4 -		4 (*	) 4	9	8	_	2	_	_	4	8	9	_				_	4	۳	9	۳	4	4	~	3	4	
		00								*	C)		_	_	_	20	9	_	(MT)	(PF)		(PF)	3	21	9	2	,	2	_	~	,	
				0.7										(CM)						(PF)		(PF)										
		1	10	σ.	~ -		4 4	m	4	4	3	2	0	_	-	-	_	9	4 -	(DE)	CMO	(PF)	4	2	3	_	4	2	8	-	4	
		9	00	0 0	~	4.0	J <	r N	4	S	4	4	0	-	O.	=	0	S	S	(PF)	0	(PF)	2	~	4	3	~	•	9	-	4	
₩09		S	-	æ (	m -		4 <	r un	4	-	4	4	-	0	-	10	-	9	9	(PF)	_	(PF) (	N	2	2	e	٣	2	4	e	S	,
9.		4	S.	۰.		٠.	4 (1	ı ıçı	. (7)	-	2	4	_	0	0	10	_	_			_	_	-	3	2	3	m	2	٣	4	9	,
SEC		9	4	9:	nu n			٠,٠		0.1	O.	,	_	_	_	6	_	9		, (DF)	_	(PF)		3	_	9	3	n.	0	5	٠,0	
WIND SPEED																				101		(PF)										
3 N		2		9	4 -	- 0	-	2	5	4	4	3	0	0	2	10	2	9	30 L	(PF)	2	(PF)	3	8	(CM)	2	3	-	7	1	4	
		-	-	1	40	٠.	- ^	1 4	ı	-	9	4	0	-	0	11	3	9	20 .	DE)	-	(PF)	3	3	-	3	4	~	N	4	4	

\* 01

9 9 4

s N

5 1

10

Y Y

5	
Ł	
Š	
UINE	
5	
₹	GHEE
Ξ.	

UAY

TIME
CITAMORDO
OCAL
3
20100
В

CB-THACT THAILEH AA23 JULY 1983 CATHEDHAL BLUFFS SHALE OIL CO.

PREV	2002 2007 1006 1006 1007 1007 1007 1007 1007 1	187
24	188 2214 1066 1106 1106 1110 1110 1110 1110 11	163
23	100 100 100 100 100 100 100 100 100 100	164
22	22604 22604 22604 22604 2605 2603 2603 2604 2604 2604 2604 2604 2604 2604 2604	174
21	23333333333333333333333333333333333333	172
50	28 28 28 28 28 28 28 28 28 28 28 28 28 2	184
19	3311 3311 3311 3311 3311 3311 3311 331	202
18	22222232323222222222222222222222222222	212
1.1		217
91		556
15		230
*		231
13		536
15	5 5.	552
Ξ		533
01		552
•		210
œ	~ ~ ~	172
~		123
•		166
so	3 3 3	164
•	5 5	141
۳		148
2	~ ~ ~ ~ ~ ~	160
-	<b>~</b> ~	157
	5 5	

٦ ٧

### (LUCAL

TRAILER AA23 JULY 1983 CATHEDHAL BLUFFS

CB-THACT THAILER AA23 JULY 1983 CATHEDHAL BLUFFS SHALE OIL CO.

,		H00H	(LUCAL		STANDARD	-		
	0.1	=	72		4	12	9	
	0	0	0	210	208	205	202	-
	0	208	-	219	204	220	235	N
	-	9	8	286	287	262	293	~
	*		3	341	346	324	293	m
	:0	S	_	213	213	192	213	-
	6	6	80	199	201	506	215	m
	0	6	-	199	198	215	191	~
	0	C	0	207	504	201	223	2
	0	0	~	185	199	192	181	_
	3	*	a	359	311	262	253	~
	~	0	_	316	297	322	336	ຠ
	217	225	217	228	217	216	245	2
	æ	3	m	254	114	108	136	
	0	-	-	516	221	303	321	N
	3	0	3	195	229	242	232	ຕ
		(	×					•

PREV	222 222 222 222 143 178 178 178 178 178 128 128 128 1196 1196	189 189 168 168 168 183 175 1175	190
54	188 322 27 174 1174 1188 1188 1198 1197 1197 1197	219 174 172 172 172 173 173 171 160 160 135	174
53	315 315 315 1160 1176 1176 1176 1192 1192 1192 1192 1193 1194	197 171 171 171 171 171 171 171 171 171	165
22	197 2217 315 315 1188 1188 1180 1180 1181 1181 1181	135 174 177 177 188 193 193 193 193 193 193	164
12	204 3306 341 175 1175 1183 338 1143 1143 1143 1143 1143 1143	138 209 1112 1111 1141 1141 1150 1138	160
20	1198 321 321 321 321 321 340 340 340 176 176 1995	128 218 1111 1107 130 130 180 180 180 180 73	185
5	196 325 325 325 170 170 170 184 184 184 198 201 201 201	2411 611 611 119 119 119 119 119 119 119 1	197
18	2005 2005 2005 2005 2005 2005 2005 2005	57 1169 1169 1198 1198 1198 1198 1198 1198	214
=	198 293 293 295 207 207 207 207 207 207 207 207 207 207	215 210 2263 2264 1176 1176 1184 1188 355	213
91	202 203 203 203 203 203 203 203 203 203		555
15	202 202 202 202 203 203 203 203 203 203	212 249 249 1138 1138 221 225 225 225 221 239 211	526
7	208 2817 2817 2817 2817 2811 2817 2817 281		554
13	2210 2210 2210 2210 2210 2210 2210 2210		235
12	2217 2217 2214 2214 2217 2217 2217 2217	T	221
=	203 208 208 156 1199 222 225 225 225 225 225 225 225 236 236 236 24 25 25 26 26 27 26 27 27 27 27 27 27 27 27 27 27 27 27 27		558
10	2093 2093 3313 3313 1193 1195 1196 1196 1196 1196 1196		550
3	2004 2004 2008 2008 2008 2008 2008 2008		203
30	189 1999 1999 1997 1971 1973 1900 1944 1911 1911		183
-	1990 2555 2554 2554 1110 1136 1136 1135 1135 1135 1135 1135		111
•	1990 2255 2255 1800 1174 1173 1173 1174 1177 1177 1177		168
9	182 193 193 193 193 193 193 193 193 193		159
*	2013 2013 2000 2000 1006 1139 1139 1139 1139 1139 1139 1139	PF1 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	151
Э.	180 253 253 258 333 1139 1152 1164 1191 1191 1193 1193	• •	174
2	1118 2899 2899 3155 1145 1145 1169 1169 1169 1169 1169		170
-	552 688 744 711 711 711 525 526 527 527 527 527 527 527 527 527 527 527		29

٨

WIND DIRECTION AND VECTOR AVERAGE VELOCITY (DEG & MPS) 10 HETER LEVEL

CB-TRACT
TRAILER AA23
JULY 1983
CATHEDRAL BLUFFS SHALE 01L CO.

TOR	VEL	8 + 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.5	0.0000	8 0 8 1 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	400000	1.6
VEC	DIR	223 223 224 322 189 188	189 185 316 292	234 138 218 208	190	188 188 198 198 198 197	
	54	188 314 221 *** 146 205	188 230 323 ***	34.1 194 225	173 220 192 125 126 163	207 125 102 111 111 137 131	1.2
	23	187 308 202 202 174 133 198	170 176 348 203	227	188 202 199 145 152 177	101 146 99 117 145 118 126	1:
	22	204 204 234 66 200	123 176 337 210	259	206 131 135 144 168 168	1102 1112 1113 1113 1135 1136 1166	1.5
	21	194 292 331 209 194 153	161 184 329 40	174	201 215 215 146 99	205 167 178 201 148 139 143	1.7
	20	194 297 321 28 182 325	206 206 178 341 15	124	200 1127 1112 1109 160	159 119 119 153 206 213 147 200	6.0
	19	326 326 27 171 171	222 222 184 336 359	307 231 354	208 248 65 105 187	202 179 179 215 310 139	9.0
	18	242 242 248 349 143	208 176 353 329	342	213 238 256 *** 99	175 169 169 145 100 149 65	1,3
	11	201 234 297 356 177 334	209	266	213 217 217 217 265 265 265 265	209 180 205 139 113 113 176 359	1.8
_	16	204 293 309 220 217	230 183 255 345	244 128 322 235	227 227 235 235 236 2590 258	239 239 239 243 243 269 295	2.8
-	15	223 223 292 323 196 209	203 194 253 325	221 109 304 246	208 256 888 337 888	231 231 281 138 224 342 211	2.8
NDARD	14	210 209 288 342 217	208 203 313 296	514 52 220 231	209 227 227 334	227 230 285 230 225 225	2.6
ST.	13	214 289 345 214 202	211 168 330 319	225 256 217 197	205 210 261 ***	811 197 317 213 311 253 346 212	2.7
(LOCA	12	200 215 286 323 225 190	203 173 328 314	233 233 218 197	206	65 231 231 218 175 335 356 207	2.6
HOUR	Ξ	205 210 300 11 127 202	231 204 347 300	226 336 218 210	201	2643 227 227 2217 208 356 356	2.6
	10	340 357 357	203 210 336 336	306 206 197	203 205 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	204 204 215 215 214 214 209	2.4
	6	190 207 303 310 312 208	201 197 343 301	28 199 195	202 202 335	231 231 213 210 56 117 202	2.2
	œ	200 201 281 283 318	172 190 306 308	55 180	167 138 138 ***	196 120 182 146 70 70 131 198	1.5
	-	205 205 16 299 97	121 121 124 314 273	76	1118	112 78 152 100 121 171	1:3
	9	223 201 201 239 185 116	114 146 285 234	180	149 137 221 ***	114 130 130 138 110 140 160	:
	2	203 208 171 254 213	130	225	153	157 166 106 121 141 114 138	4.
	4	214 199 177 ***	107 45 58 231	158	152	123 221 125 86 109 117 128	1.3
	3	145 190 226 215 117	137	82 218 176	150 156 156 *** 218	128 127 112 91 108 107 152	: :
	2	186 186 287 225 213 91	152 152 155 318 244	223 165 165 185	163 165 165 468 168	138 138 127 169 134	4.
	-	263 263 888 127 262	129 191 302 268	45 45 194 194	157 181 176 *** 180	122 172 191 197 197 187	2:
	DAY	- C E 4 5 6 7	4 7 9 7 7	5 5 4 5 5	22 22 23 24	33 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	>

TOTAL NUMBER OF ORSERVATIONS = 694

NOTE: \*\*\* = MISSING DATA

11- 245

TOR	VEL	5.7	6.0	0.4	6.0	1.6	2.0	3.1	3.9	6.4	2.1	1.7	1.2	0.5	3.0	5.0	6.4	5.8	4.8	2.7	***	0.3	***	5.9	1.5	3.1	5.6	2.2	1.6	1.2	5.4	2.1		2.2
VEC	DIR	196	222	293	336	188	186	182	186	184	315	304	237	110	213	506	200	185	182	188		44	***	163	135	181	185	163	162	145	132	165	193	
	54	184	314	253	241	170	210	127	187	225	359	35	195	348	193	241	176	170	217	174	114	132	169	127	552	132	107	131	159	133	125	120	175	1.9
	23	185	310	16	***	168	197	161	171	175	349	06	178	208	191	556	166	197	197	177	140	143	185	96	355	148	101	143	182	143	117	134	170	2.3
	22	161	207	297	80	37	190	178	117	176	337	122	191	151	188	278	194	184	127	169	138	180	136	149	117	167	120	114	194	132	120	145	161	2.2
	21	198	297	334	100	180	53	208	991	182	332	34	228	155	190	12	202	196	130	207	143	100	113	145	161	163	172	113	190	144	135	117	168	2.5
	50	196	599	319	56	175	325	257	202	176	339	12	300	103	174	45	191	199	122	210	110	104	161	243	135	121	179	153	509	221	135	06	170	1.3
	19	196	310	323	52	170	88	596	519	184	333	358	304	22	230	353	203	204	149	242	9	86	197	184	117	89	197	175	211	306	120	214	207	0.8
	18	207	241	562	346	143	359	516	207	175	350	327	292	35	245	339	202	211	231	251	***	91	21	192	168	163	194	141	96	222	139	28	212	1.9
	11	199	232	594	359	178	332	160	208	176	248	334	275	102	263	316	216	211	215	211	* * *	592	* * *	149	207	174	201	134	107	180	164	355	213	5.5
	16	202	536	290	297	212	216	161	526	182	253	338	243	132	319	233	212	508	220	232	* * *	285	***	153	187	234	210	186	137	235	161	262	223	3.8
TIME)	15	208	221	290	321	193	207	516	202	193	253	320	219	109	304	544	213	205	212	251	* * *	327	* * *	170	133	228	522	275	133	222	338	210	526	3.8
ANDARD	14	509	206	586	345	215	203	199	205	201	310	562	215	46	220	558	802	208	204	519	***	331	***	191	100	222	63	333	282	228	357	252	218	3.6
STAN	13	212	221	285	341	213	201	200	508	186	326	315	227	254	516	196	213	204	208	253	***	345	* * *	151	11	194	300	506	305	543	347	208	519	3.7
(LOCAL	12	199	214	284	327	222	189	516	201	172	325	311	217	232	218	195	203	506	* * *	198	* * *	343	* *	159	62	214	558	212	169	336	350	201	213	3.5
	Ξ	204	508	297	9	140	201	197	558	202	341	304	225	331	516	207	961	199	* * *	193		349	***	236	239	207	223	210	203	352	0	217	218	3.5
Ι	0.1	197	211	310	345	357	195	199	202	802	335	337	221	29H	206	196	200	180	***	198	***	302	**	186	148	198	210	210	503	51	277	204	802	3.3
	6	188	506	302	311	308	206	160	200	195	335	302	26	37	197	192	164	177	***	197	* * *	331	***	197	192	192	224	208	207	57	113	198	961	3.0
	œ	161	661	275	281	315	114	133	173	061	306	302	55	0	98	180	168	165	185	134	* * *	318	***	191	961	160	177	176	180	65	130	189	177	2.2
	~	188	206	315	529	289	16	122	134	125	313	273	***	194	106	178	117	156	137	119	**	6	***	183	112	125	106	149	114	131	127	162	155	1.9
	9	188	223	184	564	156	109	148	125	138	589	152	330	***	166	179	202	141	174	131	* * *	287	***	161	135	156	152	141	176	143	184	141	166	2.5
	2	181	217	166	278	186	116	124	123	121	305	252	284		==	180	188	140	171	140		234	* * *	113	126	202	176	118	119	125	126	129	156	2.1
	4	198	207	178	232	101	118	179	110	46	54	251	120	157	* *	186	137	139	170	154	* * *	343	* * *	26	122	207	133	96	104	911	651	120	152	1.9
	٣	172	205	239	234	161	147	156	122	146	335	255	319	5.1	217	175	147	139	167	145	*	516	***	163	132	176	113	9.8	105	100	140	142	158	1.8
	ru.	1117	189	286	261	253	0.7	139	145	156	315	268	328	524	131	185	215	149	188	141		138	***	145	135	66	144	101	135	121	159	121	160	2.0
	-	31	187	264	43		IRR	109	122	161	301	306	216	09	101	193	230	153	174	172	0 0 0	112	***	132	119	156	179	46	107	120	123	145	161	1.8
	DAY	-	~	~	4	ď		~	x	0	10	=	12	13	14	15	16	17	18	61	20	21	22	53	54	52	56	27	28	56	30	31	٩	>

TOTAL NUMBER OF ORSERVATIONS = 699

00

JULY 1983 CATHEDRAL BLUFFS SHALE OIL

CB-TRACT

= 702 ORSERVATIONS 90 NUMBER LOTAL

> MISSING DATA 40 TE :

9 3 CB-TRACT
TRAILER AA23
JULY 1983
CATHEDRAL BLUFFS SHALE 01L CO.

HOUR (LOCAL STANDARD TIME)

DAY

	PEAK	32	13	40	0 4	64	56	52	15	21	37	37	20	43	58	18	56	18	21	64	6	45	15	15	40	22	28	16	37	33	33	27		20
	AVE	Ξ	5	13	25	51	14	13	10	12	17	18	21	53	13	01	13	=	Ξ	91	-	15	-	6	13	13	14	10	13	16	13	10	14	
	54	4	6	13	CM)	30	22	6	6	Ξ	00	CM)	17	7	9	S	18	12	80	Ξ	4	1	m	00	13	_	00	1	7	18	90	S	10	30
	53	4	13	12	18	11	10	13	Ξ	11	8	13	80	15	9	9	S	14	3.0	13	6	=	90	=	23	9	9	9	15	Ξ	S	1	=	23
	22	4	10	0	21	10	15	13	S	S	6	12	18	36	9	0	S	Ξ	~	21	-	8	4	9	CM)	12	16	9	(M)	9	9	9	07	36
	12	4	=	_	10	6	19	9	S	9	-	16	e	4	S	15	4	*	1	~	9	10	9	9	9	æ	20	=	ت ٣	10	-	01	30	61
	50																					1											_	15
	19																					1											0.1	51
	18																					6											2	53
	11																				~	15											16	34
	16																				_	25	_										18	45
	15																				_	36	_										19	
	4																				_	51	_										51	
	13																				_		_										21 6	
,	12																				_	2 23	_											
																			ŭ		_	0 42	_										1 21	
	=																		_		_	30	_										12 (	
	10																		_		_	22	_										67	
	•	Ξ	Ξ	- 6	35	16	97	14	Ξ	Ξ	37	*2	54	20	91	15	15	0.7	C M	13	(PF)	54	(PF)	6	15	15	52	Ξ	=	22	-	3	-1	37
	0	8	3	16	27	5.	17	10	14	18	54	10	15	54	51	3	13	10	14	15	(PF)	22	(PF)	15	15	22	28	Ξ	15	30	-	0.	15	28
	7	7	89	23	(CM)	13	7	22	10	6	13	14	(CM)	CMO	10	9	=	89	8	10	(PF)	10	(PF)	5	9	=	7	10	3	2	15	4	10	23
	•	10	80	40	Ξ	22	9	52	=	5	5	4	CMO	20	15	9	15	_	Ξ	5	(PF)	4	(PF)	5	=	61	21	~	1.4	4	12	4	12	40
	2	32	9	0	18	-	4	18	9	21	13	*	18	18	5	9	6	7	4	14	(PF)	4	(PF)	4	4	15	15	16	4	4	4	4	10	35
	*	17	S	12	(CM)	21	9	=	2	12	50	m	15	1	50	1	56	9	e	=	(PF)	13	(FF)	e	S	_	8	15	'n	9	6	S	10	92
	er .	18	9	1	1	15	80	18	15	50	18	4	(CM)	14	14	S	16	S	S	54	(PF)	٣	(PF)	=	4	13	1	1	9	9	6	4	10	54
	2	30	6	9	9	15	13	10	90	91	1	S	18	18	12	9	21	3	2	19	(PF)	Ξ	(PF)	2	S	-	1	1	6	4	2	4	5	21
	-	10	4	8	(CM)	30	52	90	6	11	1	10	13	13	1	1	5	18	4	13	(PF)	9	(PF)	4	5	6	11	1	7	3	2	=	10	30

A Y

# HOUR (LOCAL STANDARD TIME)

CB-TRACT TRAILER AA23 JULY 1983 CATHEDRAL BLUFFS SHALE OIL CO.

PEAK	14	13	28	35	44	23	53	13	33	38	36	4 4	4.1	20	16	35	14	18	44	89	34	*	21	38	28	58	53	34	37	36	56		4 4
AVE	9	90	12	50	18	13	12	6	12	15	17	18	21	=	30	Ξ	8	10	15	_	16	-	10	11	15	15	=	16	91	13	0.1	13	
54	٣	80	28	13	12	20	1	89	10	7	7	10	6	S	9	35	m	-	50	9	00	9	9	58	6	=	15	53	19	1	S	12	35
23	2	13	13	(CM)	15	30	9	10	14	20	17	æ	17	S	1	9	14	6	=	00	20	0	14	50	9	-	15	53	80	9	8	10	53
22	3	13	1	16	20	10	10	1	S	80	21	16	16	3	13	٣	-	1	18	S	6	4	4	58	15	16	6	30	ın	9	9	11	30
21	3	6	1	19	15	18	S	4	S	9	12	4	~	3	14	2	2	1	8	89	=	S	4	S	-	9	13	6	8	9	S	7	67
50	~	9	89	4	2	10	0	*	5	9	4	=	S	N	30	S	4	30	3	-	8	13	-	3	70	ð	10	٣	S	4	10	9	13
61	20	10	100	10	4	15	14	1	13	9	90	14	89	6	-	6	6	91	9	-	1	6	10	30	5	90	1	14	=	9	56	10	56
18	10	6	=	18	15	12	3	15	0	15	18	15	51	Ξ	1	=	10	13	18	(PF)	30	*	3	51	-	80	30	16	28	1	S	13	28
11	•	=	5	52	25	6	10	12	10	12	58	23	19	50	<u>+</u>	13	Ξ	18	7	(PF)	10	(PF)	6	21	10	10	6	80	37	=	89	15	37
91	=	70	12	30	36	12	*	Ξ	=	0	53	25	27	16	0	13	14	15	19	PF)	21	(PF)	6	54	7	=	00	0	28	Ξ	14	16	36
15	=	10	12	33	23	14	7	13	10	27	27	50	23	90	•	=	13	16	23	PF)	34	PF)	=	6	16	51	6	13	56	13	50	1.7	34
<b>*</b>	Ξ	15	=	28	22	=	14	13	10	54	31	54	4	7.	=	14	14	17	44	(PF)	19	(PF)	10	9	15	11	0.7	53	56	36	22	19	74
5	12	=	=	56	27	=	13	Ξ	10	52	34	4 4	36	13	0	12	13	91	11	(PF)	50	(PF)	13	11	54	27	6	21	32	23	20	61	7 7
15	=	10	=	53	58	17	=	=	0.7	19	32	30	82	15	13	13	Ξ	(HT)	51	(PF)	34	(PF)	-	35	17	15	10	34	30	35	12	19	34
Ξ	14	3	12	54	4	15	7	-	15	30	36	52	33	14	16	1	Ξ	(HT)	13	(PF)	52	(PF)	Ξ	38	3	13	13	18	18	52	10	19	4 4
0.1	10	3	15	82	31	12	12	6	-	38	53	51	30	12	=	13	=	(MT)	23	(PF)	20	(PF)	16	31	Ξ	=	12	15	07	56	15	18	3.8
•	01	3.0	18	35	14	21	13	10	6	31	61	27	7	15	0.	10	6	IMT)	15	(PF)	30	(PF)	3	14	12	23	10	10	21	1.7	6	16	35
œ	8	00	14	54	25	13	5	13	16	54	10	16	39	15	90	-	6	13	12	PF)	56	PF)	51	31	22	59	=	62	12	13	7	17	39
-	9	9	18	34	12	2	91	10	1	=	12	(CM)	15	13	2	=	1	6	5	(PF)	12	(PF)	4	15	13	27	10	9	10	14	3	11	34
•	1	un	54	=	=	٣	53	3.	4	4	4	o,	(CM)	13	S	10	1	9	3	(PF)	-	(PF)	30	19	58	56	30	50	4	15	3	11	58
ທ	3	4	-	6	15	4	15	9	33	o	4	13	(CM)	~	*	10	S	4	12	(PF)	13	(PF)	-	12	23	+1	23	4	*	9	3	10	33
4	10	4	9	50	4	60	00	S	15	13	4	11	18	(CM)	4	=	4	4	89	(PF)	12	(PF)	_	ហ	6	14	15	មា	4	7	ß	o	20
m	10	4	9	1	16	16	14	6	15	14	4	13	13	13	9	17	۳	ş	51	(PF)	7	(PF)	17	1	97	Ġ	10	9	Ξ	1	(e)	11	21
2	30	3	2	14	15	23	-	1	22	'n	4	6	50	15	4	15	m	2	50	(PF)	1	(PF)	9	4	22	6	30	11	12	3	4	10	23
-	11	~	1	14	(CM)	18	1	20	10	9	æ	18	50	5	2	_	1	3	13	(PF)	10	(PF)	5	5	=	97	~	01	6	3	6	10	56
DAY	-	2	*	4	'n	9	1	9	6	10	11	12	13	7 7	15	91	11	18	19	50	12	22	23	54	52	97	27	58	53	30	31	A V	ž

																					_		_												
	54	~	80	11	S	0	15	S	_	00	90	15	10	•	e	10	16	-	9	00	S	30	2	S	1	-	17	12	80	15	S	-	٥		
	23	-	10	12	9	13	_	4	6	90	6	6	7	90	2	Ξ	ıs	5	80	S	80	7	7	21	0	S	12	_	6	9	9	-	c	51.	
	25	2	10	~	ın	22	6	90	-	S	00	7	16	0.7	-	o	2	4	7	S	4	9	3	9	9	7.0	19	10	7	4	9	S	,	25	
	21	2	1	9	S	S	12	ហ	9	S	Ŋ		9	٣	2	80	-	2	1	-	9	6	~	9	-	S	4	17	2	S	S	4	ц	· -	
	50	3	9	1	3	-	-	9	4	99	9	4	12	S	2	~	4	6	9	-	9	9	12	0	2	6	4	9	•	4	4	m	ŭ	15	
	61	7	•	1	90	4	15	12	1	12	S	90	13	1	80	9	90	80	13	S	7	9	89	6	89	25	9	s	7.	4	37	27		27	
	8	5	89	5	17	7	10	1	=	80	13	15	7.	18	=	9	10	8	Ξ	11	PF)	9	6	99	19	S	1	1	11	19	1	6	:	15	
	11							00													_													54	
	91							13													_		_										71	35	
TIME)	15							13													~		~											27	
DARD	<b>*</b>							15													_		_											45	
STANDARD	13							12													_		_										:	37	
LOCAL	21							10													_		_											36	
D HOO	Ξ							10											~		_		_										,,,	41	
Ĩ	10							01											_		_		_											36	
	•							10											~		_		_										7.1	33	
	œ							20											_		_		_											24	
	~							13						-							_		_											20	
	•							50													_	ч	-										d	02	
	S.							Ξ													_		-										0	36	
	*							9													_		_										,	50	
	е							9													_		_										9	25.	
	2							S													_		_										,	11	
	-							ŝ																									5	. 53	
																					=		=												

AVE PEAK

CB-TRACT
TRAILER AA23
JULY 1983
CATHEDHAL BLUFFS SHALE OIL CO.

45

Ξ

A A

	PEA		(1)
	AVE	100 100 100 100 100 100 100 100 100 100	:
	54	111111111111111111111111111111111111111	20 20 11
	23	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20
	22	7 4 6 4 6 7 6 7 6 7 7 7 7 7 7 7 7 7 7 7	21
	21	146163346616166666666666666666666666666	21
	50	27-28-28-28-28-28-28-28-28-28-28-28-28-28-	14
	19	232222222222222222222222222222222222222	27
	18	**************************************	30
	11	22 23 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5	31
	16		31
TIME)	15	4 4 5 6 5 6 5 6 5 6 6 6 6 6 6 6 6 6 6 6	31
STANDARD	41	44456914444899999999999999999999999999999999	31
			16
OCAL.	12	23 28 28 28 28 28 28 28 28 28 28 28 28 28	31
400R		24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23
_	10	PF 9 1 2 2 2 3 3 4 7 4 5 1 2 2 2 3 4 7 4 5 1 2 2 2 3 4 7 4 5 1 2 2 2 3 4 7 4 5 1 2 2 2 3 4 7 4 5 1 2 2 3 4 7 4 5 1 2 3 4 7 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 5 1 2 3 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4 7 4	28 16
	•	2 2 2 2 2 2 3 2 3 2 3 2 3 2 3 2 3 3 3 3	27
	30	221222222222222222222222222222222222222	23
	-		21
	•	E 10 4 0 1 4 4 4 0 0 0 E 0 E 1 E 1 E 1 E 1 E 1 E 1 E 1 E	16
	'n	NE 2 2 2 2 4 4 2 2 2 2 4 2 2 2 2 2 2 2 2	19
	4	14000000000000000000000000000000000000	199
	m	710-0-0-1100-0-0-0-0-0-0-0-0-0-0-0-0-0-0	16
	2	E 0 0 L 0 0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	21
		E 9 1 B 2 L 2 9 L 2 9 L 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 8
	DAY	31.00 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	YZ

2252223330 2253330 22533330 2254 2277223330 22772224 2277223330

AK

C8-TMACT
TRAILER AA23
JULY 1983
CATHEDMAL BLUFFS SHALE OIL CO.

PEAK

AVE

54

23

22

CB-THACT
THAILER AA23
JULY 1983
CATHEDMAL BLUFFS SHALE OIL CO.

2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23
20 11 12 2 2 2 2 1 1 1 1 2 2 2 2 2 3 3 1 1 1 1	25 8
10 4 4 4 7 4 4 7 4 4 7 4 7 4 7 4 7 4 7 4	20 27 1
125 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22 28 8
17 19 19 19 19 19 19 19 19 19 19 19 19 19	22 29 12
1 24 4 2 8 8 8 2 4 4 8 8 8 8 8 8 8 8 8 8	22 4
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 54 - 4
0AARD 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	21 28 1
NA	28 28 6
100AP	20 27 9
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	20 27
1	26
5 7 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	18 26 2
8 11 12 12 12 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	16 23 4
- + 22 - # 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	21 6
6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	13
5 2 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13
4 9 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9	13
1116 8 4 5 2 4 5 2 8 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	14 20 8
5.5	

MONTHLY MINIMUM

53

15

21 24

16 22 5

18

21 6

A Z Z

PEAK AVE

OIL

BLUFFS SHALE

CATHEDHAL

THAILER AA23 JULY 1983

MINIMUM ONTHLY

ATE

CB-THACT TRAILER AA23 JULY 1943 CATHEDRAL BLUFFS SHALE 01L CO.

HOUR (LOCAL STANDARD TIME)

18		PEAK	256 181 181 181 181 183 183 183 183 183 183	344
18		AVE	6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
18		54	· ·	500
18		23	·	328
18   18   26   26   34   26   26   27   276   210   211   212   27   27   27   27   27		22		333
1   2   3   4   5   6   7   8   9   10   11   12   13   14   15   16   17   18   19   20     194   -22   -128   -125   -144   -144   -145   -148   -144   -111   -111   -17     194   -22   -128   -125   -144   -144   -142   -148   -144   -141   -111   -17   -17     194   -22   -128   -126   -126   -126   -144   -144   -142   -148   -144   -111   -111   -17     194   -22   -128   -126   -126   -134   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144   -144		21		
183   183   269   333   344   250   26   -56   -183   -164   -122   -106   -122   -105   -124   -118   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -111   -1		20		
18   2   3   4   5   6   7   6   9   10   10   12   13   14   15   16   17   18   18   18   18   18   18   18		19	·	
183   183   269   33   34   26   6   7   8   9   10   11   12   13   14   15   16   17   18   18   18   18   18   18   18		18		
1   2   3   4   5   6   7   6   9   10   10   12   13   14   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   15   16   16		11		•
18   18   28   33   34   25   6   7   8   9   10   11   12   13   14   15     18   18   22   217   256   144   -6   -56   -83   -200   -161   -161   -211   -472   -192     19   -22   -12   217   256   144   -6   -56   -83   -200   -161   -161   -211   -472   -192     19   -22   -13   17   28   56   28   -9   -18   -200   -161   -161   -211   -472   -192     19   -22   -13   17   28   29   -18   -126   -144   -10   -200   -174   -10     19   -12   -13   17   28   29   -18   -12   -13   -10   -20   -174   -10     19   -12   -13   17   28   29   -18   -12   -13   -10   -20   -174   -10     19   -12   -13   17   28   29   -18   -12   -13   -10   -20   -174   -10     19   -12   -13   17   28   29   -18   -12   -13   -10   -20   -174   -10     10   -12   -13   -13   -13   -13   -13   -13   -13   -13   -13     10   -12   -13   -13   -13   -13   -13   -13   -13   -13     10   -12   -13   -13   -13   -13   -13   -13   -13   -13     10   -12   -13   -13   -13   -13   -13   -13   -13   -13     10   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13     11   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13		16		'
1   2   3   4   5   6   7   6   9   10   11   12   13   14     193   183   289   33   344   259   26   -76   -72   -72   -100   -94   -12   -105     193   193   289   33   344   259   26   -94   -32   -95   -14     194   -2.2   17   28   56   39   14   -75   -14   -13   -13   -13   -13     195   195   133   144   217   267   194   -13   -14   -12   -13     195   195   133   144   217   267   194   -13   -14   -12     195   195   133   144   217   267   194   -13   -14     195   195   133   144   217   267   194   -13   -14     195   195   195   195   195   195   195   -14     195   195   195   195   195   195   195   -15     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195   195   195     195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   195   1	1 mE	15		
183   269   33   34   250   78   72   100   -94   -122   -123   -133   -142   -123   -133   -142   -123   -133   -142   -123   -133   -142   -123   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -143   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133   -133	D N			•
18   18   28   33   34   25   6   7   8   9   10   11   12     18   18   18   26   33   34   25   6   -6   -6   -6   -6   -6   -6   -16   -16     19   -22   -12   -12   -12   -12   -12   -12   -12   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13   -13	AND			٠.
1	AL o			
18   18   28   33   34   25   6   7   8   9   10     18   18   18   26   33   34   25   26   -56   -76   -76     18   18   18   26   33   34   25   26   -56   -76   -76     18   18   12   3   14   21   25   14   -6   -56   -76   -76     18   12   3   14   21   25   14   -6   -56   -76     18   12   3   14   21   25   13   -11   -12   -13     18   12   3   14   21   25   25   25   11   -75     18   12   3   14   21   25   25   26   26     19   25   23   25   25   26   26     19   25   23   25   25   26   26     10   26   23   25   25   26   26     10   26   23   25   25   26     10   26   23   25   25   25     10   26   23   25   25     10   26   23   25   25     10   26   23   25   25     10   26   26   26     10   26   26   26     10   26   26   26     10   26   26   26     10   26   26   26     10   26   26   26     10   26   26   26     27   27   27     28   27   27   27     28   27   27   27     29   20   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27     20   27   27	100	15	445 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	-61
18	200	Ξ	1 10064 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-67
183   183   289   33   344   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264		10	-7.5 -1.14 + 6.7 -1.14 + 6.7 -	-44
183   183   289   33   344   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   250   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264   264		6	11111111111111111111111111111111111111	-17
18		60		189
183   183   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284   284		-		-83
19		٠		267
18		ທ	256 250 250 250 250 250 250 250 250 250 250	344
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4	217 217 217 217 20 20 20 20 20 20 20 20 20 20 20 20 20	333
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		т	128 1128 1128 1128 1128 1128 1128 1139 1139 1139	128
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		nu n		4.55
> · · · · · · · · · · · · · · · · · · ·		-		•
		DAY		X X

STABILITY CLASS USING DI/DZ DI 60-10M WS 10H

CB-TRACT
TRAILER AA23
JULY 1983
OCCIDENTAL OIL SHALE. INC.

	AVE	
	54	
	23	W < W U U C O C C C C C C C C C C C C C C C C
	22	
	21	<b>₩000                                    </b>
	20	<b>□○8□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</b>
	19	□ B ∪ ◀ □ W □ B □ U B ◀ □ U □ U B B B □ □ W □ ◀ W □ □ B ∪ W ◀ U
	18	© C C C C C C C C C C C C C C C C C C C
	11	∪
	16	000<<80000<<80000000000000000000000000
ME)	15	
R0 11	<b>*</b>	0004408004484890008434 8
STANDARD TIME	13	0004808804444000084
(LOCAL S	12	
	Ξ	
HOUR	10	
	6	
	60	
	7	
	• .	
	ι.	
	4	
	~	
	-	~ ~ ~
	DAY	A K E

HOURS MISSING= 50 F=141 E=177 0=135 C= 44 8=115 TOTAL OCCURRENCES: A= 82

ALTHREE OF ONE HOUR SAMPLES BY CONCLATERION AND WIND DIRECTION AT 10 METERS

CATHEDRAL BLUFFS SHALE OIL

ISTIN	NITRIC OXIDE (NO)	DE CA	(0)															
				TRAILEP		AB23	Ī	PERIOD( 7/01/83 TO	1/0	1/83 T		7/31/83)	3					
	z	NN	S	ENE	'n	ESE	SE	S WIND D	SS	DIRECTION	<b>3</b>	MSM	3	3 2 3	3 2	NNW CALM	N W	TOTAL
CONCENTRATION MAX UG/M**3	-	-	-	-		-	2	1	~	2	~	-	-	-	2	-	-	
			-	-	c	0	0	0	0	0	0	0	0	0	0	0	. 0	0
	<b>=</b> (	0 0	•		, ,	-	0	c	0	. 0	0	0	0	0	0	0	0	0
60 65.	0	0	0	•	- 0				0	0	0	0	0	0	0	0	. 0	0
55 60. :	0	0	0	0	> 0		> <		, =		0	c	0	0	0	0	. 0	0
50 55. :	0	0	0	0	0	o .	> 0	> 0			, ,		-	0	0	0	0	0
45 50. :	0	С	0	0	0	0	<b>-</b>	0	<b>5</b>	> 0	, ,	, ,	, ,		c	o	0	0
40 45. :	0	0	0	0	0	0	0	0	0	0	-		> 0		•	, .		
35 40.	0	0	0	0	9	0	0	0	0	0	0	•	-		- 1	> 0		
,	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	>	
		-	0	0	0	0	0	0	0	0	0	ö	0	0	0	0	0	•
	5 (					c	c	0	0	0	0	0	0	0	0	0	0	
,	o '				•	, ,			0	0	0	0	9	0	0	0	0	
15 20. :	0					•	, ,	, c	-	0	0	.0	0	0	0	0	0	
10 15. :	0	0			•	•		, ,	. <	-	0	c	0	0	0	0	0	0 :
5 10. :	0	0			9				, ,	140	84	24	14	25	33	31	11	: 701
LT 5.:	17	9	, 10	15	52	26	2/		10		5	, ,		u c	2.5	3.1	=	701
TOTAL :	17	4	, 10	15	52	57	72	56	83	140	# FR	47	*	67	?	;		
				•		•	-	•	0	0	0	0	0	0	0	0	0	0
MEAN CONC.	2	0	0	0	>			•	,	,								
	Z    0	10 OHS	= NO OBSERVATIONS	SNOI														

11- 261

<sup>(10/19/83-</sup>RPI)

PERIOD( 7/01/83 TO 7/31/83)

CATHEDRAL BLUFFS SHALE OIL

OXIDES OF NITROGEN (NOX)

THAILER AB23

N N N N N N N N N N N N N N N N N N N							200		201				2							
1         0         0         1         1         3         3         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1		z	NNE	N.	ENE	w	ESE	SE	SSE	DIR S	ECT 10	3	MSM	3	3 2 3	3 2	3 2	CALM	10	TOTAL
65. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UG/M*#3	-	0	0	0	-	-	-	en .	е :	-	-	0	-	-	-	-	0		
66. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	0		0
66. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 55. :         0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
45. :         1. 0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0<	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
45. :         10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 40. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 35. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 30. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 25. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	. 0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0		0
- 15. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5.: 17 6 10 15 25 57 72 56 81 140 84 24 14 25  OTAL : 17 6 10 15 25 57 72 56 81 140 84 24 14 25  NAM. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
17 6 10 15 25 57 72 56 81 140 84 24 14 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5.	1.1	9	10	15	52	57	7.2	99	81	140	84	54	14	52	33	31	Ξ		701
	TOTAL :	17	9	10	15	52	57	72	56	8.1	140	84	24	14	25	33	31	11		701
	MEAN CONC.	0	0	0	٥	0	0	0	0	0	0	0	0	0	0	٥	0	0		0
0 = NO OBSERVATIONS	0		OHSE	RVAT	SNO															

CATHEDRAL BLUFFS SHALE 0		1 TOTAL			: 0	: 0	: 0	: 0	: 0	: 0	: 0	: 0	0 : 0	0 : 0	: 0	: 0	1 : 701	1 701	
UFFS		NNW CALM	0			_											11	=	
IL BL		32	-	0	0	0	0	0	0	0	0	0	0	0	0	0	31	31	
HEDRA		3	-	Э	0	0	0	0	0	0	0	0	0	0	0	0	33	33	
CAT		323	-	0	0	0	0	0	0	0	0	0	0	0	0	0	52	25	
	3)	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	14	14	
	7/31/83)	MSM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	54	24	
		MS NC	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	84	44	
	01/83	RECTIC	-	0	0	0	0	0	0	0	0	0	0	0	0	0	140	140	
	2 .	0 01	-	Э	0	0	0	0	0	0	0	0.	0	0	0	0	81	81	
	PERIOD( 7/01/83 TO	SSE S SSW	-	0	0	0	0	0	0	0	0	0	0	0	0	0	99	56	
	a.	SE	-	٥	0	0	0	0	0	0	0	0	0	0	0	0	72	72	
	AB23	ESE	-	0	0	0	0	0	0	0	0	0	0	0	0	0	57	57	
		LE.	-	О	0	0	0	0	0	0	0	0	0	0	0	0	52	25	
6	TRAILER	ENE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15	15	
CNOS		R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10	10	
NITROGEN DIOXIDE (NO2)		RNE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	9	
EN DI		z	-	c	0	0	0	0	0	0	0	0	0	0	0	0	17	17	
TROG		;	NO				••	••			••		••	••			••	:	
Z			MAX MAX UG/M**3	65.	65.	60.	. 55	50.	45.	40.	35.	30.	25.	20.	15.	10.	5.	TOTAL	
			CONCENTRATION MAX UG/M**3	19	09	55	05	45	- 0 +	35	30	25	02	15	10	5	17	10	

0 = NO OBSERVATIONS

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

PERIOD ( 7/01/83 TO 7/31/83)

TRATIFR AR23

020NE (03)

CATHEDRAL BLUFFS SHALE OIL

				MAILEM		ADCS	_	PERIOD 1/01/03 10		1103		10011011						
	z	NNE	N E	ENE	u.	ESE	SE	SSE S SSW	O OIF	SSW	N S	MSM	3	MNW	3 2	NNW	CALM	TOTAL
CONCENTRATION MAX UG/M*+3	101	67	96	96	3.4	96	96	48	88	601	103	105	86	86	101	117	88	
6T 140. :	Û	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
130 140. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
120 130. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0
110 120. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	. 0	2
100 110. :	~:	0	0	Э	0	0	0	0	0	æ	٣	-	0	0		e	. 0	15
90 100. :	-	2	7	-	0	2	2	0	0	2	10	2	7	1	4	-	. 0	39
: •06 - •08	ŝ	2	-	37	-	0	-	2	20	37	56	6	-	2	9	=	4	134
70 80. :	S	-	4	4	e	2	6	Œ	92	44	16	9	4	4	7	6	2 :	157
: •02 - •09	æ	0	2	4	S	13	52	19	61	31	18	9	4	ç	90	4	2	169
50 60. :	-	0	>	~	4	14	18	13	9	13	6	0	-	25	2	-		96
0504	0	0	0	-	89	14	14	o	2	6	6	0	3	0	3	0	. 0	63
30 40. :	0	0	0	0	6	6	e	~	2	0	0	0	0	-	0	0	. 0	20
20 30. :	0	1	0	0	-	0	0	С	2	-	-	0	0	0	0	0		9
LT 20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0
TOTAL :	17	ç	10	15	25	57	72	56	90	137	86	24	1,4	25	33	31	=	669
PERCENT	2	1.	-	8	4		10.	£.	=	20.	12.	3.	5.	. 4	5.	4	2.	100.
=		= NO OBSEDVATIONS	DVATI	ONIO														
,		1	-	2														

NO DESERVALIONS

(10/19/83-421)

9)	-	UIMBER	0F (	NE HO	NUR S	AMPLE	S BY	CONCL	ARAII	ON AN	NIM O	NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS	ECTION	T A T	10 ME	TERS	1		
САВНО	NOM NO	CARHON MONOXIDE (CO)	(00)											CAT	CATHEDRAL	L BLU	BLUFFS SHALE OIL	HALE	
				THAILER	ER	A823		PERIC	// ) 00	PERIOD ( 7/01/83 TO		1/31/83)	33)						
	z	NNE	S M	ENE	لت	FSE	SE		IND OI	SSE STECTION	MS NO	MSM	3	3 2 3	3 2	3 2	NNW CALM	TOTAL	FAL
CONCENIRATION MAX UG/M**3	68	45	68	68	84	68	137	68	68	68	68	68	68	68	68	68	68	:	:
GT 1300. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
12001300. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11001200. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
10001100. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9001000. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
800° - 900° :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
700 800. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
600 700. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5000 - 6000 :	0	0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0		0
4000 - 2000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
300 400. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
200 300. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
100 200. :	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0		1
LT 100. :	17	9	10	15	25	57	7.	99	8	140	83	54	14	52	33	31	Ξ		669
TOTAL :	17	9	10	15	25	57	72	96	8.1	140	83	24	14	25	33	31	=		700
MEAN CONC.	45	32	50	5.0	9	57	54	55	4 8	43	4	45	45	4 0	36	43	41		. 14
	0N = 0	OBSE	OBSERVATIONS	SNOI								,							
I I <b>-</b>																			
26																			

(10/19/H3-RPI)

PERIOD( 7/01/83 TO 7/31/83)

TRAILER AB23

SULFUR DIOXIDE (SO2)

CATHEDRAL BLUFFS SHALE OIL

01
ECT
DIR
QNIM
AND
ION
RAI
CONCENTR
NCE
НΥ
LES
SAMPL
HOUR
ONE
0F
NUMBER

						-					,		,						
	z	NNE	NE	ENE	ш	ESE	SE	SSE S	10 01	DIRECTION	N S.E	MSM	3	3 2 3	3	3 2	CALM	10	TOTAL
CONCENTRALION MAX MAX UG/M**3	r	~	Ω.	r	7	-	15	_	-	~	10	~	2	1	1	-	2		
GT 13. :	0	0	0	0	0	0	-	0	٥	0	0	0	0	0	0	0	5		-
12 13. :	0	0	0	0	0	0	0	0	0	0	0	С	0	0	0	0	0		0
11 12. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 11. :	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0		2
9 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
8 9. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
7 8. :	0	0	0	0	2	2	5	1	3	6	6	-	0	"	-	2	0		39
6 7. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 6. :	4	0	5	9	12	20	53	15	5.0	34	21	00	3	-	9	9	0		192
4 5. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
3 4. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
2 3. :	6	~	4	1	7	18	2.7	62	36	52	32	æ	5	5	Ξ	12	4		275
1 2. :	С	0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	••	0
1. 1.	2	4	-	2	4	14	10	Ξ	22	43	20	7	9	14	15	Ξ	7		193
TOTAL :	17	9	10	15	25	57	72	56	31	141	84	24	14	25	33	31.	=		702
MEAN CONC.	m	0	m	æ	m	ю	ю	2	2	~	ю	2	2	-	2	2	0		2
. 0	CZ	= NO OBSERVATIONS	RVATI	SNO															

PERTOD( 7/01/83 TO 7/31/83)

AB23

TRAILER

HYDROGEN SULFIDE (H2S)

CATHEDRAL BLUFFS SHALE OIL

METERS
10
AT
DIRECTION
ONIM
AND
CONCENTRATION
ВΥ
SAMPLES
ноон
ONE
0F
NUMBER

The state of the s	z	NNE	NE.	ENE	نیا	ESE	SE	SSE	10 01	DIRECTION S SSW	M S M	MSM	3	3 2 3	3	32	CALM	101	TOTAL
CONCENTRALION MAX UG/M**3	~	2	4	4	~	4	~	4	4	4	S	J.	5	J.	4	4	2		
GT 13. :	0	0	0	0	0	٦	0	c	5	0	٥	0	0	0	0	0	0		0
12 13. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11 12. :	0	0	0	0	0	0	0	С	0	0	0	0	0	0	0	0	0	••	0
10 11. :	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
9 10. :	0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
8 9. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7 8. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
6 7. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 6. :	0	0	0	0	0	0	0	0	0.	0	5	1	-	-	0	0	0		12
4 5. :	0	0	~	-	0	1	0	-	S	15	7	2	-	2	2	6	0		53
3 4. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
2 3. :	4	-	S	9	3	7	1	3	20	36	21	4	4	4	30	11	2		146
1 2. :	2	2	2	4	5	10	13	52	18	56	16		0	2	9	-	4	-	144
LT 1. :	10	(C)	2	4	17	39	51	27	38	64	32	9	œ	16	13	10	3	**	345
TOTAL :	16	9	10	15	25	57	2	56	91	141	85	54	14	52	32	31	1	-	700
MEAN	0	0	2	~	0	0	0	0	-	-	-	2	-	-	~	~	-		~
C	9 II	NO OBSERVATIONS	RVATI	SNO															

(10/19/83-801)

## FREQUENCY TABLE OF WIND SPEED BY DIRECTION

10 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

## STATION AA23 PERIOD( 7/01/83 TO 7/31/83)

			z	NNE	N E	ENE	ш	ESE	SE	SSE	0 016 S	WIND DIRECTION	NC SW	MSM	3	3 2 3	3 2	3 2 2	VAR	TOTAL
WIND SPEED MAX METERS/SEC	EC		m	-	4	3 1 4 2 5 4 4 4 7 8 8 8 2 6 7 5 0	ro.	4	4	4	_	30	<b>6</b> 0	œ	~	•	7	ς.	0	
6T 1	=		0	0	0	0	٥	0	0	0	0	0	0	0	•	0	0	0	0	0
8 1			0	0	0	0	0	0	0	0	0	-	~	-	0	0	0	0	0	4
5	90	••	0	0	0	0	-	0	0	0	13	36	12	en	0	-	2	-	0	. 75
3	5.	••	-	0	-	0	0	4	30	18	34	53	21	4	0	4	7	9	0	161
- :	3.	••	Ξ	en	3	7	18	45	25	12	22	34	4 4	10	6	Ξ	91	18	0	330
LT			2	m	9	œ	9	80	12	=	12	18	1	•	S	9	œ	9		124
TOTAL		:	17	: 17 6 10	10	15	25	57	72	56	81	142	986	15 25 57 72 56 81 142 86 24 14 25 33 31 0 694	1,4	25	33	31	0	694
PERCENT	F Z		2.	-	1.	5.	<b>,</b>	æ	10.	ec c	12.	20.	12.	en en	8	4	ຶ້ນ	4	•	100.

U = NO OBSERVATIONS

11- 268

(10/19/83-RPI)

FREQUENCY TABLE OF WIND SPEED BY DIRECTION

30 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

	TOTAL		9	52	124	200	228	89	669	100.
		0		0	: 0		. 0	. 0	0	0
	VAR									
	3 2 2	_	0	0	E	9	19	7	35	S.
	3 2	10	Э	7	5	5	15	9	32	'n
	3 2 3	6	0	J.	4	7	12	æ	31	4
	3	4	0	0	0	4	S	9	15	۶.
PERIOD( 7/01/83 TO 7/31/83)	MSM	4 3 5 3 7 6 7 9 10 10 12 12 4 9 10 7 0	-	-	2	o	7	7	: 17 7 13 9 26 59 78 55 98 132 65 27 15 31 32 35 0 699	4
7 0.	N S W	12	2	7	:	21	19	5	65	ċ
1/83 1	WIND DIRECTION SE S SSW 8	0.1	0	28	94	38	16	4	132	14. 19.
1/01	N DIR	10	0	12	59	54.	23	10	96	<u>.</u>
RI00	SSE	•	0	-	11	19	16	9	55	æ
	SE	_	0	0	30	34	34	2	78	i
STATION AA23	ESE	æ	0	0	3	19	32	5	65	æ
ATION	ш	-	0	0	1	9	6	10	56	<b>;</b>
S	ENE	m	0	0	0	-	9	~	6	-
	Ä	S.	٥	0	-	7	4	1	13	Ň
	NNE	m	0	0	0	1	4	2	7	-
	z	4	0	0	0	5	1	25	17	~
				••		••			:	
		MAX RS/SEC		11.	œ	5.	3.	-:	TOTAL	PERCENT
		WIND SPEED MAX METERS/SEC	19	в	5	3	-:	17	10	PE

0 = NO OBSERVATIONS

60 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

STATION AA23 PERIOD( 7/01/83 TO 7/31/83)

		2	TIVE STATE	u v	u v	u	100		NIN	D OIR	WIND DIRECTION	Z	3	3	3	3		9	-	101
WIND SPEED MAX		. ru	3 6	2 9	3 6	u ao	9	n 60	33E	· =	11	12	14	. 4	10	2 30	<b>2</b> 00	0	2	- A
METERS/SEC																				
61 11.		0	0	0	0	0	0	0	-	~	e	2	-	0	0	0	0	0		5
8 111.	••	0	0	0	0	-	0	7	0	19	37	6	~	0	œ	7	-	0		62
5 8.		-	0	1	0	0	2	12	20	28	. 50	13	2	0	2	4	9	0		141
3 5.	••	4	2	1	-	6	6	36	28	. 12	56	22	4	6	æ	20	1	0	••	195
1 3.		12	2	5	7	2	15	5.6	52	56	17	10	=	1	œ	18	19	0		516
1.	:	9	-	e	~	2	7	S	2	80	en	2	4	2	er.	e	6	0		62
TOTAL	:	23	5	10	: 23 5 10 10 14 33 90 76 113 136 · 58 24 21 29 34 36 0 702	14	33	90	76	113	136 .	5.8	24	21	62	34	36	0		702
PERCENT		ů,	÷	÷	÷	8	'n	Ë	ä	16.	19.	<b>8</b> 0	ů,	ř.	4	°c	ů,	0	-	100.

0 = NO OBSERVATIONS

(10/19/83-RPI)

AVERAGE	
SLIDING	
FIVE MAXIMUM	M##3
FIV	790

				CATHEDRAL BLUFFS SHALE OIL CO.
COMPONENT	AVG. TIME	RANK D	DAY HOUR (BEG)	VALUE
S02	9 HR	~~~~~ ~~~~~~	27 228 26 26 26 26 17	0888 
502	24 HR	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	26 227 29 29 24 18	00044 N44৮0
00	1 H	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	28 112 21 21 21 20 20	140.0 70.0 70.0 70.0
00	& £	~~~~~ ~~~~~~	228 18 23 10 2 23 18 18	80.0 70.0 70.0 70.0
033	1 HR		1 55 4 4 17 17	1117.7
PART	24 HR	-0.642 		1 2 2 2 3 3 3 4 4 0 0 3 4 4 0 0 3 4 4 0 0 0 0 0

## DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

JULY 1983

GASEOUS PARAMETERS	METEOROLOGICAL PARAMETERS
NOX: 95 %	WIND SPEED
NO: 95	10 M: 95 % 30 M: 95
W004 05	60 M: 95
NO2: 95	WIND DIRECTION
03: 95	10 M: 95
	30 M: 95
CO: 95	60 M: 95
S02: 95	SIGMA HORIZONTAL
	WIND DIRECTION
H2S: 95	10 M: 95
	30 M: 95
	60 M: 95
	TEMPERATURE
	10 M: 95
	30 M: 95
	60 M: 95
	DELTA TEMPERATURE: 95
	RELATIVE HUMIDITY: 95
PARTICULATES: 100 9	SOLAR RADIATION: 95
	BARUMETRIC PRESSURE: 95
	PRECIPITATION: 95

OCTOBER



## LIST OF TABLES

			Page
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER		
	Nitric Oxide (NO) at Station AB23	:	.II-276 .II-277 .II-278 .II-279 .II-280
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS	•	.11-202
	Wind Speed at Station AA23 - 10 Meter Level		.II-284 .II-285 .II-286 .II-287 .II-288 .II-289 .II-290
	Sigma Horizontal Wind Direction at Station AA23 - 30 Meter Level		.II-294 .II-295 .II-296 .II-297 .II-298 .II-299 .II-300 .II-301
	(60m - 10m) at Station AA22		11_304

	OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY CONCENTRA DD DIRECTION	ATION	ı		Page
	Nitric Oxide (NO) at Station AB23 Oxides of Nitrogen (NO <sub>X</sub> ) at Station AB23			•	II-306 II-307 II-308 II-309 II-310
SUMMARY	REPORT: FREQUENCY TABLE OF WIND SPEED BY DIRECTION	1			
	Station AA23 - 10 Meter Level				II-313
FIVE MAX	XIMUM INDEPENDENT SLIDING AVERAGES, STATION AB23				11-315
DATA ACC	QUISITION INSTRUMENT EFFICIENCY, STATION AB23				II-316

LIST OF TABLES (Contd)

CB-THACT TRAILER AB23 AUG 1983 CATHEDMAL BLUFFS SHALE OIL CO.

\$ X

PEAK

54

CB-THACT TRAILEM AB23 AUG 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	-																																		
	18	~	0	~	~	2	0	2	0	0	0	~	2	~	~	2	2	~	*	*	~	*	0	*	4	0	•	0	~	~	~	0	~	4	
	11	0	0	2	2	•	0	0	0	2	2	2	2	2	4	8	2	~	•	8	~	2	0	0	2	0	•	•	2	2	2	0	-	4	
_	16	(CA)	9	0	0	0	•	2	•	0	•	~	~	*	~	2	*	~	~	2	*	~	0	-	*	•	•	0	*	*	(CA)		-	*	
TIME)	15	(CA)	2	•	0	2	2	•	2	2	~	~	8	~	*	2	2	re	4	•	8	2	•	2	2	•	•	•	8	4	(CA)		2	4	
STANDARD	4	(CA)	0	2	0	0	2	~	0	2	4	~	2	2	2	~	*	ru	2	•	•	2	2	2	2	•	•	•	0	~	(CA)	•	~	4	
	13	(CA)	0	2	0	0	~	2	2	2	•	0	~	2	~	*	~	8	4	2	4	2	0	0	2	•	~	0	2	0	(CA)	0	-	4	
(LOCAL	12	(CA)	~	•	2	2	~	9	0	2	*	~	4	*	~	2	*	4	4	2	8	2	•	2	2	~	0	•	8	2	(CA)	~	2	4	
ноон	=	(CA)	~	0	0	2	~	2	2	~	4	~	~	*	~	*	2	4	9	*	4	2	0	2	•	~	-	0	2	~	~	2	2	9	
	2	(CA)	9	2	~	2	4	0	~	2	*	~	2	*	2	*	2	~	4	*	*	2	0	2	0	~	2	~	0	N	*	*	2	4	
	0	_	0	0	2	2	2	2	0	2	4	2	2	4		2	+	9	a	+	2	2	2	0	2	2	0	2	2	_	4	2	2	9	

Y X

CH-THACT TRAILER AB23 AUG 1993

		¥	4	0	2	2	4	4	2	2	4	4	2	4	4	4	4	4	9	9	9	4	4	N	4	4	4	æ	N	2	2	*	2	
		PEAK																																
		AVE	•	0	0	0	-	-	-	0	-	-	~	-	-	-	-	-	2	2	•	-	-	-	-	-	-	-	0	0	0	0	0	-
		54	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	•	~	0	2	0	0	0	0	0	0	•	0	0	•	0	•	•
01L CO.		23	0	0	0	2	0	0	0	0	0	2	2	2	0	2	2	•	2	0	9	8	0	0	0	~	2	0	0	0	0	0	0	-
LE 0		22	0	0	0	0	0	•	•	•	0	0	2	2	0	•	2	2	4	•	2	•	0	2	0	~	2	0	D	0	2	0	•	-
SHA		21	0	0	0	•	2	0	•	•	0	4	2		•	0	0	•	2	2	4	0	•	2	~	0	•	0	2	0	0	0	•	_
LUFF		50			•	0	•		2	0	9	0	2	0	2	2	2			ru	2	0	~		2	2	2		0	0	0	0	0	_
CATHEDRAL BLUFFS SHALE								9					~	~			-			C.	-	o.		~		-	o.		2	0		2	Q.	0
THED		19	Ĭ																															Ĭ
CA		18	•	0	0	•	•	٥	•	•	•	•	~	•	~	•	2	•	2	*	*	•	2	•	4	*	9	•	•	•	•	•	0	_
		11	•	0	~	0	0	0	0	0	2	2	0	2	0	~	0	0	N	*	8	2	2	0	0	2	0	0	0	0	0	0	0	-
		16	(CA)	0	•	•	•	0	•	0	0	0	~	0	*	0	•	2	0	2	0	~	8	0	0	*	0	•	0	N	2	(CA)	•	-
	TIME	15		0	0	•	•	8	0	~	8	0	0	0	Q	~	0	2	N	*	*	~	2	0	0	0	0	0	0	0	2	CA)	•	-
	STANDARD TIME	*		0	2	0	0	n)	8	0	2	2	0	0	2	0	~	4	0	~	*	2	2	2	2	2	0	0	0	0	0	CA)	•	-
	STAN	13	8	0	2	0	0	0	0	0	2	4	0	0	2	2	2	2	N	ru	2	2	0	0	0	2	0	0	0	2	0	3	•	-
	LOCAL	12		0																												(A)	0	_
•	. j	=	0		0	0	0	2	2	2	2	.~	2	0	2	0	4	2	4	9			2	0	0	0	0	0		2	0	0	0	_
	нопи		(CA)		_	_	_		_	_	_		_	_		_			_					_		_	_	_	_	_	_		-	_
		10	(CA)	•	•	٠	_	10	Ŭ	_	_				10	_	4			10	4	,	.0	9			•	•	٠	_				
		•	(CA)	0	0	0	2	2	8	0	2	2	0	0	*	2	0	2	Ð	N	4	N	2	0	0	0	2	0	0	2	E	~	0	-
		9	0	2	9	0	2	0	0	0	4	0	2	0	2	*	0	2	N	ru	N	8	0	0	0	2	2	N	9	0	(MT)	*	0	-
		-	0	Þ	0	0	0	0	0	0	4	0	0	0	2	2	2	2	0	2	8	0	2	2	0	0	2	2	0	0	0	0	0	-
		9	0	0	0	0	8	4	0	0	2	0	0	0	0	2	0	2	0	~	2	2	2	2	0	0	0	8	0	2	0	0	•	-
		2	0	0	0	2	0	0	2	0	0	0	0	4	2	0	~	N	4	*	2	0	~	0	0	0	0	2	0	0	0	0	0	-
		*	0	0	0	0	0	0	0	0	0	2	0	0	0	4	0	0	0	~	*	2	2	0	2	0	2	0	0	0	0	0	0	-
		е	0	0	0	0	0	2	0	0	0	0	0	0	2		2	2	2	0	4	0	2	2	0	0	0	0	0	0	0	0	0	_
		2	0	0	0	2	2	0	2	0	2	2	0	2	2	0	0	0	0	9	9	2	2	2	2	0	2	2	0	0	0	0	2	_
				-	٥.	0.		0.	0.		_	٥.	_											01				21	_	•		•	-	2
			4	٠	10	. 0					,	14	,	4	. 7	4	(4)	4	4	4	4	4	4		10	10	4	. 0	_	-	_			. 4

A A

		AVE	73	12	16	75	8	9 9	98	73	19	45	25	29	29	6.9	0 5	2 2	2 2	5	58	62	69	10	99	19	60	67	69	69	7.0	2				
•		24	61	7	73	69	7.8	2 %	9	51	98	37	47	67	35	= :	7 (		6 6	4	57	19	16	63	61	65	50	: 2	51	69	6.3	86				
<u>ا</u> د		23	19	73	7	4	18	0 #	7.1	65	98	52	51	19	37	9	6	: ;	4 2	*	19	73	14	61	9	26	6 5	. 29	53	73	99	9.9				
ALE 0		25	59	19	73	67	18	2 8	65	65	86	53	61	29	643	2	60	6	2 2	4	69	63	67	63	69	9	69	4	51	-	45	8 8				
S SH		12	63	9	9	4.	73	9,2	65	61	46	63	36	51	643	= :	200	600	82	64	55	63	65	63	=	53	0 -	57	51	73	45	36				
E23 BLUF		50	14	7	65	78	5.0	200	64	61	9.0	0.0	21	63	35		9 5	600	7.3	14	65	19	65	65	=	29	45	9	55	55	14	06				
CB-THACT THAILER AB23 AUG 1983 CATHEDHAL BLUFFS SHALE OIL CO.		19	28	85	2	92	980	96	69	69	12	9.4	69	18	36	40	• 0	9 0	80	65	19	14	4.	69	14	9:	100	9	11	53	16	901				
CB-TRACT TRAILER AUG 19 CATHEDRA		18	88	96																												1 *				
		11					-	104																								1 021				
		16		5 +6																								_								
	Æ	15 1	9			•																						5	84			104				
	0 T.		5				-	104																								106				
	ANDAF	1.	_		96	96	01	104											0 0													108				
	AL ST	13	96	(CA)	95	98	907	102	100	95	96	100	98	92	65	6	2 0	202	2 4	59	67	2	14	80	80	18	140	98	86	98	2	106				
	HOUR (LOCAL STANDARD TIME)	12	96	(CA)	96	25	9 0	100	102	90	96	100	85	18	40	80	200	0 1	9	29	67	4.	18	85	08	9.	2 4	8	98	95	4	102				
	HOUR	=	98	(CA)	96	26	001	100	102	9.4	98	96	29	16	96	69	0 0	9 0	100	57	19	73	16	18	78	18	260	88	96	96		106				
		0.	82	84	95	92	900	100	102	90	80	86	63	21	85	20	9 9	2 2	9	19	56	52	69	13	14	= ;	2 2	9 9	7.3	67	11	102				
		٥	16	9	92	29	2 2	98	82	18	9	88	55	45	92	4 :	9 0	1 2	1.4	63	14	45	19	9	=	9	10	6 4	63	55	14	8				
		20	19	45	59	22		06	16	11	65	61	24	37	25	4	60	1	5.5	53	7	7	53	21	51	25	200	61	63	51	5.7	06				
		-	63	4.7	65	19	63	1 7	14	69	63	19	52	52	57	39	10	10	2,5	64	45	43	53	25	64	57	0 12	19	63	52	5.5	4				
		•	19	69	6	65	62	73	82	63	69	91	22	21	92	66	0 7	2 0	53	47	64	45	21	19	25	20	5 5	61	19	19	5.8	85				
		S	55	63	19	1;	99	9 2	16	61	9	69	59	53	9:	Ę;	: ;	20	22	51	55	45	21	69	53	65	000	53	63	57	65	18				
			55	69	19	67	101	90	0.8	65	19	69	35	41	7.3	**	101		. 65	51	64	45	63	69	64	66	2 7	53	65	65	0.9	8.0				
(6		e	19	63	69	69	19	7.1	88	99	69	73	53	41	78	27	00	100	6.3	51	51	51	63	69	51	19		57	63	61	14	99				
020NE (UG/H3)		~	-	99	-																				-							06				
		-		55 6																											Ī	35				
			- 20	'n	9		<i>a</i>	. 6		0	9	-	·V	4	9	7 7	- 4	4	9	u)	uri	'n	9		n:	27 4		4	_	4	3	. 30	I	- 1	27	4

\$ 1 X

BLUF		20
CATHEDHAL BLUF		61
САТН		18
		11
		91
	TIME	15
	DARD	*
	STAP	13
	(LOCAL STANDARD	12
	HOUR	11 01
	-	10
		•

FS SHALE OIL CO.

CB-TRACT TRAILER AB23 AUG 1983

	PEAK	80	9	9	20	20	09	9	7.0	7.0	20	20	9	20	. 09	20	20	20	20	30	30	30	20	20	30	30	30	20	30	20	30	30			80
	AVE	65	55	21	28	99	57	57	65	9 4	46	4	9 4	46	48	9 4	94	37	36	34	34	28	35	23	27	34	30	23	58	35	27	34		45	
	54	9	9	9	9	9	9	6.0	9	20	20	20	20	20	20	20	20	20	30	30	30	20	30	50	30	30	20	50	30	30	30	30		45	0.9
	23	9	9	9	9	9	9	9	9	20	20	20	20	20	20	20	20	20	30	30	30	20	30	50	30	30	50	50	30	30	30	30		45	9
	22	9	9	9	9	9	9	9	9	20	20	20	20	20	20	20	20	20	30	30	30	20	30	50	30	30	50	50	30	30	30	30		45	09
	21	9	9	9	9	9	9	9	9	20	20	20	9	20	20	20	20	20	30	30	30	50	30	50	30	30	50	50	30	30	30	30		45	09
	0.2	90	9	9	9	9	9	9	20	20	20	20	20	20	0.9	20	20	50	30	30	30	50	30	50	30	30	50	50	30	30	30	30		45	7.0
	6	20	9	9	9	9	9	9	10	30	20	20	20	20	20	20	20	50	30	30	30	50	30	20	30	30	50	50	30	30	30	30	;	7	7.0
	92	9	9	9	9	9	9	9	9	30	20	20	20	20	9	20	20	50	30	30	50	50	30	50	30	30	50	20	30	30	30	30	;	7	9
	=	9	9	9	9	9	9	9	20	30	30	20	20	20	09	20	20	50	30	30	30	20	30	50	30	30	50	50	30	50	CA)	30		7	2
	91	90	09	9	9	09	9	9	9	30	20	20	20	20	9	20	20	50	30	30	30	50	30	50	50	30	50	50	30	50	10	30		9	9
TIME	15	30	9	09	9	9	09	9	09	30	20	30	20	20	9	20	20	50	30	30	30	20	30	50	50	30	30	50	30	30	10	50	;	36	09
	*	CAS	20	9	09	09	09	09	9	20	20	30	20	20	20	20	20	30	30	30	30	20	30	50	50	30	30	20	50	30	10	20	;	36	9
STANDARD	13	~						09																										36	09
(LOCAL	15	=						09																									5	65	90
1001	=	(A) CC	30	9	9	9	9	9	9	20	20	20	20	20	20	20	20	20	30	30	30	50	30	50	20	30	30	50	50	50	10	30	6	36	60
Ŧ	10	(A)	30	9	09	9	09	09	09	30	90	20	20	90	90	20	20	20	30	30	30	30	30	50	50	30	30	50	20	50	20	30		0	09
	•	A) (A)	20	9	10	90	09	9	09	20	20	20	20	20	20	20	20	20	20	30	30	30	30	50	20	30	30	50	50	50	50	30		-	0.0
	80	-						09																									;	F 19	20
	~	80	09	09	10	09	9	09	09	10	20	20	50	20	20	50	20	50	20	30	30	30	20	50	20	30	30	50	50	30	30	30		*	80
	•	10	90	09	99	99	09	09	09	09	20	20	20	20	20	20	20	50	20	30	30	30	20	20	20	30	30	20	50	30	30	30	,	7	20
	ın.	10	09	09	09	09	09	09	09	20	20	20	20	20	20	20	20	20	20	30	30	30	20	50	50	30	30	20	20	20	30	30		5	0.2
	4	0.	90	90	90	90	20	90	20	90	90	20	20	20	00	20	20	90	20	30	30	30	50	50	50	30	30	50	50	30	30	30		5	0.
	e		Ī	Ī	Ī	_	Ī	09	Ī	Ī	-	-	-	-	-	-	-	-	-				-	-				_	_					5	
	2							09																										5 4	
	~							9 09										-																5	
		-	-	_	_	_	_	_	-	-	-	**			-	-01	-01	40.7	10.7	1000	- 6	-	- 4		-	-		-	-	-	-			-	e o

UAY

CB-TWACT
TRAILER AB23
AUG 1983
CATHEDRAL BLUFFS SHALE 01L CO.

	PEAK	:	2	o ır			60	8	8	9	10	10	8	8	13	13	13	16	0	0	0	0	0	•	0	0	0	0	0	~	0	•		16
	AVE F	•	n :	۰ د	۸	1 7	9	٣	9	9	30	1	4	•	6	6	Ξ	2	•	0	0	0	0	9	0	•	•	0	•	•	-	•	9	
	54		•	<b>-</b> (		е.	0	2	9	'n	2	9	0	S	80	01	10	0	•	0	0	0	0	0	•	0	•	•	•	0	0	0	2	10
	23	,		<b>-</b> M	•		0	2	3	2	S	S	9	9	80	01	10	•	•	•	0	•	•	•	•	•	•	0	•	•	•	•	2	10
	22	,	۰ د	o m			6	S	9	ß	8	S	0	S	00	10	01	0	•	0	0	•	•	0	0	•	0	0	0	0	0	0	2	10
	21	•		<b>-</b> ~		. 6	6	3	S	S	80	2	S	9	10	10	13	•	9	0	0	•	•	•	•	•	•	0	0	0	•	•	6	13
	50			o m		· (*)	m	۳	e	S	S	S		2	8	10	10	0	•	0	0	0	0	0	0	9	•	0	•	0	0	0	2	01
	19	,	•	<b>-</b> M	e e		6	9	9	2	90	S	٣	S	01	2	10	0	0	0	0	0	0	0	•	•	9	0	•	0	9	3	2	01
	18	,	•	<b>&gt;</b> M			2	•	S	30	01	2	9	89	9	9	10	•	0	0	•	0	0	0	0	•	0	0	•	0	0	0	۳	0.
	11	•	> <	<b>&gt;</b> M			00	s	S	0	80	9	9	S	13	8	01	9	0	•	0	0	0	•	0	0	•	0	0	0	0	0	9	13
	16			<b>-</b> ~	•		'n	S	'n	S	8	2	9	2	01	01	01	9	•	•	0	•	•	•	•	•	•	•	0	٣	•	0	٦	01
TIME)	15	,	۰ ،	۰ ۳	. =		S	0	9	8	8	01	80	ß	0	10	8	•	0	•	•	•	0	0	0	•	0	•	•	0	•	•	9	10
	4.		2 4	۰ ۳	, ~	, m	un'	S	S	8	8	10	2	S	80	8	10	3	0	0	•	•	•	•	0	•	•	•	•	9	•	•	÷	13
STANDARD	13	;	4	<u>ه</u> د			6	9	8	5	89	9	S	S	10	S	01	16	0	0	0	0	•	0	•	0	0	0	•	0	0	•	•	16
(LOCAL	12	;	, A	o 11	. ~	, m	6	9	90	8	10	8	S	٣	13	S	13	10	•	•	0	•	0	•	0	•	•	0	.0	٥.	( V	0	e	13
HOUR CL	=			<b>&gt;</b> '	, ~		'n	S	5	'n	10	0.1	5	0	10	8	10	8	0	•	0	0	0	0	•	•	0	0	0	0	(A)	>	*	10
Đ.	10	;	A .	<b>-</b> v	. ~	. (7)		e	S	S	8	10	S	0	13	80	10	80	8	0	0	0	0	0	0	0	0	0	0	0	A) (C	0	3	13
	6			۳ د																											A) (C	0	e	10
	8	,	-	o 7																											A) (C	0		13
	_	,	л «		, ~	. ~	· G	9	3	2	2	5	9	9	13	0.	01	S	0	0	0	0	0	0	0	0	0	0	0	0	0 (C	0		13
	9		n (		. ~	, ~	. 70	•	S	3	S	8	2	e	13	10	01	8	0	0	0	0	0	0	•	0	0	0	•	0	0	•	9	13
	S																																3	10
	*			00																														13
	9			0 0																														13
	2			٥ د																														13
	1			0 0																													2	

Z X

Σ

CB-TRACT TRAILER AB23	CATHEDHAL BLUFFS SHALE OIL CO.

AVE PEAK HOUR (LOCAL STANDARD TIME) \* = 

C-B TRACT AUG 1983 OCCIDENTAL OIL SHALE, INC.

AD56	-	-	_	_	_	-	-	-	_	_	-
A E	_	_	_	~	_	_	_	_	~	_	_
A042	-	. ~	-	-	~	~	~	-	_	-	-
AD	_	_	_	_	_	_	_	_	_	÷	_
_											
10N 26	-	~	^	-	-	-	^	~	-	٠-	-
STATION AH26	~	_	_	~	~	_	~	_	_	_	_
S											
AH23	14.8	17.4	27.8	9.1	17.8	21.9	21.5	17.2	19.3	18.9	æ
AH	14	1.7	27		17	21	21	-	19	18	27.8
A1320	-	_	^	_	_	-	_	-	~	^	-
Act	~	_	_	_	_	~	~	_	_	_	_
					_						
UAY	2	9	10	14	- H	22	56	30	AVE	M.	PEAK
									A	E	2

HOUR (LOCAL STANDARD TIME)

AVE PEAK

54

23

22 21

50

15 = 13

10

000

CATHEDRAL BLUFFS SHALE OIL

TRAILER AA23 AUG 1983

CB-THACT

\* X

304	
9	
•	
9.	
	HS/SEC
W	ш
¥	S
σ.	1
S	S
_	
욷	ш.
4	-

CB-THACT ANG LEH AA23 ANG 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	PEA	Ī	Ī		•	•	Ĭ			•		-	-					•	-	_	Ť	Ĭ				•			Ī	•	-			-
	AVE P	9	2	e	2	N	9	2	-	2	~	2	~	8	~	2	2	2	S	~	9	6	•	4	4	4	~	2	•	2	2	-	,	2
	42	2	-	6	9	~	4	-	-	~	-	~	*	-	-	-	N	*	N	2	0	-	*	0	S	m .	m	~	-	*	m	•	ť	v v
	23	6	*	2	-	2	4	-	0	0	e	-	*	0	2	~	-	CM)	CH	S	-	e	80	0	m	m	~	9	~	-	~	-		v œ
	25	0	۳	4	9	*	2	-	0	4	S	-	•	-	-	-								0						-	-	-	•	u co
	21	N	*	4	2	4	•	-	0	*	80	2	e	-	S	~	-	۳	*	-	*	•	*	*	•	•	-	-	-	-	*	-	,	n œ
	50	-	2	4		-	₹,	4	2	-	6	~	~	N	9	•	2	4	4	2	4	9	*	*	4	9	-	ß	ç	*	9	•	,	יכר
	19	9	9	3	9	•			8						Ī	•				Ō	4			4						*	'n	-	,	+ œ
	18	e	2	e	e	~	*	m	-	-	e	*	٣	*	*	3	2	•	=	2	4	S	*	2	*	9	•	a	Œ	*	.c	9	,	•=
	11	*	2	2	9	9	*	-	2	2.	9	*	-	*	~	*	2	+	80	S	S	'n	*	9	-	S	2	•	m	4	~	N	,	+ 00
	16	*	2	6	9	9	*	2	9	-	6	•	S	•	~	4	•	•	9	ß	•	S	*	۰	00	S.	-	*	*	2	~			+ so
TIME)	15	9	•	2	4	6	٣	~	•	-	2	•	S	*	۳	'n	*	*	9	4	5	ın	*	4	S	S	0	9	J.	•	~	∾ .		<b>e</b> •0
STANDAND TIME	<b>±</b>	S	-	-	-	9	9	٣	2	~	2	4	2	٣	S	4	•	*	-	9	9	ın	9	9	9	<b>S</b>	-	0	•	•	~	~	,	٠,
	13	s	٣	3	2	9	3	4	0	2	-	*	2	-	4	*	4	-	1	6	9	9	S	S	<b>80</b>	9	~	2	s	*	*	e	,	+ 0
(LOCAL	15	9	4	-	2	2	-	2	-	-	e	+	۳	-	9	•	S	-	9	•	9	S	S	1	9	s.	-	•	0	2	~	~	,	۰ -
ноия (	Ξ	9	-	-	-	8	2	-	-	-	2	~	9	-	2	3	~	N	9	*	2	*	9	~	<b>~</b> ,	4	-	~	~	*	-	~	,	n ~
I	01	4	-	-	-	~	-	-	-	٣	~	0	~	-	0	2	e	2	S	9	4	~	-	۰	e .	4	-	-	*	~	-	-	•	o v
	6	•	0	-	-	-	-	2	-	٣	~	-	9	-	2	-	٣	-	4	-	9	a	-	9	2	m .	-	-	e	-	0	-	r	o v
	00	-	<b>.</b>	N	9	0	-	-	0	0	-	-	-	-	-	-	e	-	4	-	2	-	2	ᢐ.		~	•	-	4	~	0	CH CH	,	N 4
	~	9	0	m	0	-	CM)	٣	0	٣	-	2	-	0	-	-	0	-	۳	-	٣	2	-	0	0	en -	4	-	٣	2	-	-	,	N 4
	•	æ	0	3	œ	-	0	ru	2	*	0	~	-	-	9	-	(CM)	-	e	-	~	6	-		-		*	9	•	-	~	(M)	,	u 4
	.un	~	-	•	2	-	-	*	-	S	-	-	-	-	-			-	2	0	-	-	~	ღ.	- 1	m .	*	-	•	-	~	_	,	y us
	*	-	,	4	2	0	-	*	CM)	٣	2	0	-	2	0	-	n,	-	-	N	3	-	N	2	~	•	4	2	•	2	2	Œ.	r	٧.
	<b>6</b>	2	-	e	3	3	9	4	_					2	2	2	-	-	*	2	2	-	2	~	~	*	•	-		-		_		u 4
	2	3	-	6	4	?	2	5	2	3	3	3	-	-	-	2	-	-	2	2	3	2	2	\$	0 1	'n	•	2	6	-	2	-	c	2.0
	-	3	-	2	3	3	-	4	-	9	3	2	-	-	-	2	0	٣	•	~	4	0	e	*	CMO	*	•	2	~	-	2	-	c	o ro
	>																								_									

II- 284

644446N4N6NN4NNN4=8668P864F84NW

AY

TIME) HOUR (LOCAL STANDARD

CATHEDRAL BLUFFS SHALE OIL CO.

TRAILER AA23 AUG 1983

CH-THACT

10-00-0-NW450-00-0-NJ450-000-

> ×

REV

CB-TRACT TRAILER AA23 AUG 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	£	-	2	-	-			_	N	-	-	_	~	~	-	~	~	~	-	-	-	-	~	~	_	-	-	~	_	~	-	~	~	
	54	508	87	126	120	138	156	102	224	169	172	152	125	174	171	243	248	142	539	125	354	96	184	514	155	116	158	Ξ	509	213	153	158	159	
	23	161	147	124	06	139	145	241	201	304	111	109	134	552	181	148	145	233	140	155	336	153	181	201	6	116	3	157	118	156	134	240	158	
	22	19	166	157	132	128	126	182	225	172	170	19	280	519	164	150	220	135	231	151	36	182	169	200	128	168	189	163	*	275	237	210	171	
	12	304	176	156	99	148	148	142	222	125	194	16	283	211	508	133	217	552	202	131	214	510	213	221	133	176	519	165	*	303	214	539	187	
	50	199	335	176	165	245	96	211	213	201	203	184	211	242	248	233	•	227	200	135	503	193	212	210	13	174	26	154	251	185	526	207	203	
	19	140	345	184	135	100	99	186	263	555	506	151	305	267	184	271	290	540	207	243	231	552	248	245	153	176	35	560	211	183	176	519	217	
	18	69	359	155	103	99	33	165	277	204	161	7	298	245	161	231	862	526	216	247	535	519	232	539	941	182	25	270	CH)	121	199	529	212	
	11	15	-	503	121	9	0	961	231	291	99	340	323	227	199	241	356	253	201	245	235	515	228	552	145	187	0	297	102	115	120	306	246	
	16	336	246	221	96	0	50	166	228	63	33	330	583	233	196	552	336	243	222	263	516	170	505	208	180	505	27	270	26	354	340	359	261	
TIME)	15	338	286	128	276	~	18	175	265	16	Ξ	290	301	235	180	227	300	246	218	237	822	176	214	187	203	232	CH)	539	337	99	347	•	25.7	
STANDARD	<b>±</b>	226	238	302	289	320	338	172	10	0 4	Ξ	202	321	569	146	230	234	289	178	242	221	182	197	514	508	217	189 (	CM)	54	28	326	326	254	
STAN	13	239	306	594	9 4	337	352	186	235	148	311	233	33	324	167	232	535	519	188	549	208	205	232	208	181	514	303	262 (	21	=	305	303	259	
LOCAL	15	229	308	208	327	323	351	524	207	313	315	234	19	88	318	238	552	324	180	230	213	509	242	202	11	518	359	327	311	552	338	92	267	
HOUR C	=	223	321	238	338	328	339	553	0	202	323	524	82	S	618	180	153	359	180	222	204	205	243	504	203	218	<u>+</u>	346	232	602	28	336	257	
I	10	224	35	189	21	330	329	248	322	220	341	519	18	63	130	193	104	321	172	305	218	152	0	212	180	503	330	340	207	235	e	327	265	
	•	214	CM)	61	348	348	318	231	*	508	354	*	183	36	18	117	*!	320	168	62	211	73	33	515	62	223	*	=	154	1.	28	28	40	
	œ	148	161	46	315	26	328	185	0	CMO	82	19	46	68	87	104	101	81	143	84	165	7	14	180	19	19	114	9	131	127	350	CH	46	
	-									-														CM)								_	146	
	•	172	158	176	180	104	213	150	115	135	130	163	339	222	161	164	CH)	153	171	127	130	153	150	137	27	123	140	193	119	119	117	233	150	
	ro.	177	235	148	154	207	564	180	220	159	207	129	188	250	141	185	193 (	227	205	192	85	155	530	519	558	114	136	217	118	276	120	526	188	
	*	115	138	118	144	210	203	173	417	156	188	95	961	119	125	221	535	135	164	182	128	111	248	189	198	601	156	191	159	95	156	412	162	
	m	109	558	103	117	101	144	160	193	901	145	270	180	95	171	568	230	193	220	147	100	182	522	201	510	121	129	138	132	169	169	208	165	
	2	130	174	139	143	101	138	168	151	143	102	161	191	110	141	183	194	194	133	106	129	153	146	193	0	133	147	128	137	237	182	199	150	
	-	129	09	116	140	160	105	159	124	115	961	131	217	84	222	111	16	227	123	185	128	586	108	176	0	601	115	151	170	262	237	514	146	

180

2

> ¥ REV

HALE OIL CO.

Si Si		12	108	89	150	82	0 4	145	63	653	102	161	16	16	515	*0	128	613	55	66	52	13	603	603	515	35	69	96	157	191	168	13	137	
E3		20	=	24	167	99	35	33	96	91	98	66	73	32	96	61	36	=	31	35	84	01	46		5	35	25	19	2	5	=	31	96	
AA 983			=	ě	=	=	N	_	=	2	=	~	=	2	3	2	N	_	2	=	-	2	=	2	2	-	ž	Ĭ	-	2	Ξ	N	ĩ	
CB-THACT THAILEN AAZ AUG 1983 CATHEDHAL 6		5	132	341	177	129	46	53	179	266	215	199	145	301	265	173	266	293	238	202	539	226	221	242	238	146	169	58	259	272	157	163	219	
THA CAT		18	99	355	149	96	62	30	151	274	200	156	62	292	539	168	228	562	218	211	245	231	215	227	234	143	176	19	592	(CM)	125	183	565	
		11	60	•	199	122	358	=	189	558	286	63	338	321	224	194	233	355	248	194	240	228	211	222	519	140	182	357	293	101	Ξ	121	303	
		91	333	241	217	8	0	1	160	234	62	34	325	582	227	170	221	330	237	217	257	213	165	202	202	173	200	27	566	5.5	349	335	324	
	TIME)	15	334	284	125	274	359	11	167	261	95	=	285	297	230	153	221	594	243	212	234	224	171	212	183	198	228	68	235	330	62	338	S	
	STANDARD	*	222	232	862	284	319	334	163	S	37	S	199	317	264	126	227	231	284	173	235	216	177	193	210	201	212	161	189	52	23	320	325	
		13	233	667	262	45	333	353	181	221	140	306	528	31	116	152	227	233	812	181	243	203	201	558	204	175	508	297	560	19	4	300	300	
	(LOCAL	12			508																									•				
	HOUR	=	219	315	238	338	321	338	222	9	202	321	222	90	=	274	175	143	330	174	217	199	201	237	198	196	214	15	339	559	205	58	335	
	Ť	10	219	37	177	61	324	328	240	314	215	336	217	81	19	139	183	100	314	165	301	213	146	٣	208	175	204	324	336	202	231		356	
		•	209	211	73	348	349	316	227	0	205	354	19	181	36	62	911	113	314	162	62	509	15	39	509	61	519	7.3	10	148	20	52	38	
		80	158	154	06	289	53	324	178	4	529	16	95	112	63	100	101	105	7	141	85	174	95	80	182	19	103	111	29	128	121	351	(CM)	
		_	142	102	126	153	124	(CM)	141	240	117	06	116	144	141	158	186	233	250	Ξ	128	134	145	145	207	351	112	135	549	131	122	118	180	
I		•	148	553	153	149	19	519	166	115	122	06	148	277	248	147	118	(CM)	121	172	9.6	112	:	991	120	348	123	124	180	108	19	119	(CH)	
9.		S	142	231	133	135	208	594	176	242	143	236	110	173	287	121	199	202	243	204	552	95	148	251	201	211	109	119	164	109	52	132	152	
ECT10		4	8.7	104	105	121	552	183	173	(CM)	148	164	189	168	87	122	241	262	121	159	163	121	153	592	188	195	101	125	136	125	73	151	(CH)	
DIN		E		_	101																													

II- 287

•	
904	
Ð	
z	
9	
2	
70	
÷.	
=	
UIMEC	EES
_	4
	Ψ.

CB-THACT
ANGLER AA23
ANGL 1983
CATHEDMAL BLUFFS SHALE OIL CO.

	a d	-	2	-	-			-	2	-	-	-	-	2	-	_	2	Ň	=	=	-	-	2	-	-	-		-	-	-	Š		-	
	54	51	37	30	96	35	160	**	30	69	00	25	33	*	69	•	39	1.	9	0	61	*	96	2	0.	9	2	6		60	1.	=	163	
																	•	_				_			_	_	_					_		
	23	121	161	150	138	136	150	27	133	9	180	9	Ξ	167	191	139	231	276	564	151	262	166	17	185	118	160	122	155	101	201	6	262	159	
	22	327	173	155	131	139	136	163	207	126	172	122	282	168	193	163	256	135	236	148	246	204	189	90	138	168	290	157	113	295	270	162	176	
	21	307	164	150	101	143	145	189	275	6	192	101	301	227	506	158	52	233	195	128	221	509	519	556	143	170	125	158	213	281	553	137	182	
	20	163	0	166	157	256	11	195	241	201	199	170	583	279	243	545	0	238	194	168	812	204	222	223	145	166	9	143	250	166	253	307	802	
	19	130	344	175	130	95	55	179	275	215	197	143	301	265	169	592	304	238	203	237	552	221	240	237	149	170	30	582	274	155	162	240	213	
	18	99	355	153	96	62	35	156	280	202	158	9	291	239	165	558	297	215	210	241	558	214	227	235	148	178	21	260	217	126	111	277	902	
	11	*	359	961	124	358	13	192	235	589	63	339	322	222	195	558	353	546	192	238	556	211	222	516	143	182	356	295	104	109	118	304	237	
	16	333	243	520	82	~	19	158	643	2	37	325	589	552	641	550	332	536	515	522	513	191	202	501	*	661	30	992	20	926	333	956	555	
(JHE)	15	35	96	28	15	157	20	19	19	96	12	98	00	28	20	119	96	643	=	33	121	1	115	84	16	58	07	35	35	09	36	8	248	
	*	,	,,	_		(*)	137	_	,,				(*)	,,	_			,,	,,,			_	,,	_	_		_		17)		(*)		247 2	
STANDARD	13	32 2	,,	,		1-9	,	_				_	,	,,,	_		,,		_	(0		_	_		_		_	_			177	1.03		
		,	,	,,		,	.,	_		_	1-,			,,,	_				_	,,					_		10					٠٠,	3 251	
LOCAL	12		1.,		,	(-,	347			(-,	۱٠,				***			",	_	,,				_	_		(*)	(-,	***	,,	(-,		263	
HOUR	=	218	319	235	345	356	340	220	9	209	327	221	82	19	272	174	149	332	174	217	197	199	233	196	194	214	15	340	231	205	59	338	451	
	10	216	21	168	30	325	333	239	306	213	336	552	90	=	119	178	105	314	167	599	212	145	6	205	176	202	338	336	500	553	2	329	246	
	•	506	190	73	339	6	319	222	1	202	357	35	181	45	84	119	116	316	165	20	211	83	58	506	9	515	*	35	153	87	11	19	19	
	•	169	166	*6	199	102	323	177	12	565	84	159	174	79	125	123	66	39	151	95	183	911	98	184	99	137	11	110	135	125	315	1,	125	
	-	152	549	133	159	116	341	148	207	125	135	162	197	220	171	147	274	261	125	158	143	143	150	187	318	:	137	191	118	105	238	122	162	
	٠	135	546	158	141	120	343	169	105	122	165	156	568	273	118	143	248	147	181	105	151	134	238	164	565	134	125	515	911	53	138	125	153	
	S	521	222	126	143	212	333	175	601	142	252	119	155	319	63	233	516	555	503	248	134	132	582	661	188	601	155	951	119	35	951	139	165	
	•	22	£	01	24	16	35	14	68	99	99	10	25	85	96	17	001	*	19	55	0 4	21	984	46	88	50	33	43	35	61	10	10	150	
	e	143	ະ	_		_	_	_	_	_	_		_		_		***	_	_	_	_	_	,,,	_	_	_	_	_	_		_	_	155 1	
	2	_	_	_	_	_	95 1	_	_	_	_				_			_		_	_	_				_	_	_	_	_			1 **!	
	-	_		_	_	_		_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_		_	_	_	_		_			
		*	S	4	13	4	127	17	9	12	18	13	12	15	22	0	53	56	13	18	13	28	10	16	18	=	13	15	15	31	23	16	153	

λd

161

	54	509	87	126	120	138	156	102	224	169	172	152	125	174	171	243	248	142	539	125	354	94	184	214	122	116	158	Ξ	508	213	153	158	157	0.9
	23	161	147	124	06	139	145	241	201	304	177	109	134	225	181	148	145	233	140	155	336	153	181	207	6	116	141	151	118	156	134	240	152	1.2
	25	19	166	157	132	128	126	182	225	172	170	10	280	519	164	150	220	135	231	151	36	182	169	200	128	168	189	163	<u>*</u>	275	237	210	166	1.3
	21	304	176	156	99	148	148	142	222	125	194	97	283	211	508	133	217	225	202	131	214	210	213	221	133	176	219	165	144	303	214	539	182	1.6
	50	199	335	176	165	245	96	211	213	201	203	184	277	242	248	233	6	227	200	135	508	193	212	210	137	174	26	154	251	185	526	207	200	1.5
	19	140	345	184	135	100	26	186	263	222	506	151	305	267	184	271	290	240	207	243	231	522	248	242	153	176	35	260	277	183	176	519	213	1.3
	18	69	359	155	103	99	33	165	277	204	161	=	862	242	161	231	298	556	516	247	235	519	232	539	146	182	22	270	:	127	199	528	508	Ξ
	-	15	-	509	127	9	6	196	231	291	99	340	323	227	199	241	356	253	201	245	235	515	228	522	145	187	0	297	102	115	120	306	822	6.0
	91	336	546	221	98	0	50	166	228	63	33	330	588	233	196	552	336	243	222	263	516	170	205	208	180	205	27	270	26	354	340	359	142	1.0
TIME	15	338	586	128	276	N	18	175	592	16	=	290	301	235	180	227	300	246	218	237	228	176	214	187	203	232	* * *	239	337	99	347	*	556	1.3
VDARD	=	526	238	305	588	320	338	172	10	0.4	=	202	321	569	146	230	234	589	178	242	221	182	197	214	208	217	189	* * *	24	28	326	326	228	1.2
,	13	539	306	594	46	337	352	186	235	148	311	233	33	324	167	232	235	279	188	549	208	205	232	208	181	214	303	262	21	=	305	303	235	1.3
(LOCA!	12	558	308	208	327	323	351	224	207	313	315	234	67	28	318	238	225	324	180	230	213	508	242	202	177	218	329	327	311	552	338	28	240	<b>:</b>
HOUR ,	Ξ	223	321	238	338	328	339	223	6	202	323	224	82	S	219	180	153	329	180	222	204	205	243	204	203	218	14	346	232	508	28	339	922	:
	10	224	35	189	21	330	329	248	322	220	341	519	81	63	130	193	104	321	172	305	218	152	0	212	180	509	330	340	207	235	3	327	524	9.0
	6	214	***	19	348	348	318	231	*	509	354	-	183	39	18	117	114	320	168	62	211	73	33	215	62	223	14	=	154	=	28	28	148	0.3
	80	148	161	96	315	26	328	185	0	*	82	19	96	68	87	104	101	81	143	94	165	7	14	180	19	4	114	9	131	121	350	*	106	6.0
	-	140	90	137	143	161	149	131	* * *	124	101	101	155	121	184	207	194	251	111	129	141	156	161	* * *	9	101	148	546	149	149	143	222	145	6.0
	9	172	158	176	180	104	213	150	115	135	130	163	339	222	161	164	*	153	171	127	130	153	150	137	27	123	140	193	119	119	117	233	149	:
	ıs.	177	235	148	154	207	564	180	220	159	207	129	188	250	141	185	193	227	205	192	82	155	230	219	228	114	136	217	118	276	120	526	175	1.0
	*	115	138	118	144	210	203	173	214	156	188	96	196	119	125	221	235	135	164	142	128	117	248	189	198	109	126	161	129	95	156	214	159	::
	3	109	550	103	117	107	144	160	193	106	145	270	180	95	171	268	230	193	220	147	100	182	552	201	210	121	129	138	132	164	169	208	151	1.0
	~	130	174	130	143	107	138	168	157	14.3	102	191	161	110	141	183	194	194	133	106	129	153	146	193	0	133	147	128	137	237	182	199	148	1.2
	-	129	60	911	140	160	105	159	124	115	196	131	217	84	222	111	16	227	123	185	128	286	108	176	0	109	115	151	170	292	237	214	151	:
	DAY	-	^	, ~	9		1 4		T	9	10	=	2	13	7	15	16	17	18	19	20	21	25	23	54	52	56	27	28	58	30	31	C/	>

00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65 00.65

1.2

VECTOR DIM VEL

\* (LOCAL

DATA MISSING

TI-290

AY

OTAL NUMBER OF ORSERVATIONS = 743

E: \*\*\* = MISSING DATA

c

11- 291

DAY

4.4

II- 292

> X

CB-TRACT TRAILER AA23 AUG 1943	CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	15	23	4	33	30	31	36	48	33	37	35	53	38	40	31	56	43	18	53	54	54	35	40	27	11	36	7	48	34	38	58		48
	AVE F	10	13	1	13	15	15	16	17	15	17	+	=	17	13	*	13	16	12	*	=	13	13	*	*	0	11	91	12	12	91	11	-	
	54	80	18	60	5	14	_	9	18	10	31	2	5	15	10	21	1	9	16	15	13	23	•	54	4	ın	~	30	91	S	S	17	12	31
	23	*	12	19	12	10	-	13	17	=	91	00	10	16	6	-	=	CM)	CH)	6	0	-	9	13	16	0	13	ı,	1	15	•	88	=	28
	22	Ξ	=	9	_	9	89	13	12	4	11	=	6	01	50	Ξ	10	50	18	-	54	-	51	25	0	*	58	4	9	15	32	=	13	32
	21	8	9	-	12	0	-	12	6	S	12	00	S	S	9	91	91	21	-	9	~	9	~	9	60	10	Ξ	*	35	22	*	54	10	35
	50	*	12	*	12	12	4	2	9	=	80	91	4	-	12	٥	•	*	9	0	2	ນາ	6	~	œ	-	12	٥	6	-	15	10	90	16
	2	S	9	9	9	٥	~	90	90	6	-	15	9	_	3	-	6	90	0.7	_	9	-	9	9	9	•	00	13	1	*	0	4	-	15
	18	10	•	90	80	=	-	21	18	52	<b>*</b>	-	15	=		6	D.	10	8	7	1	75	13	12	6	Э.	10	91	CHO	_	ທ	15	=	52
	11	80	13	15	12	13	<u>*</u>	31	01	50	52	13	53	15	Ξ	<b>*</b>	91	13	0.	13	13	13	15	13	80	9	54	19	0	•	15	=	15	31
	91	15	13	٥	=	15	15	27	9	56	11	=	•	13	-	18	•	18	12	<b>:</b>	91	12	21	15	10	=	25	50	<u>+</u>	12	21	=	15	27
TIME)	15	10	07	22	-	18	20	58	30	31	35	91	13	19	30	15	<b>*</b>	18	12	28	*	13	52	54	Ξ	91	28	*	٥	60	56	21	11	35
STANDARD	*	=	23	31	-	18	52	54	19	23	37	21	56	52	S	91	91	15	*	53	10	15	16	15	15	*	5	7	6	12	52	10	19	7
	13	12	15	19	-	54	18	50	9 4	92	98	15	18	27	S	18	18	<b>£</b> 4	12	23	9	15	13	11	=	13	35	53	6	0.7	12	15	61	# R
(LOCAL	15	12	Ξ	35	28	56	30	27	35	<u>.</u>	22	11	61	34	61	13	16	88	11	15	07	*	15	=	15	<u> </u>	35	25	48	15	50	27	22	48
OUR (	=	13	15	52	52	30	30	35	25	33	30	53	0.1	30	56	56	92	31	12	12	=	11	35	=	23	*	30	54	30	<u>*</u>	31	21	23	35
I	10	13	=	7	33	50	31	36	53	51	54	35	11	38	0 4	31	11	55	Ξ	15	13	54	56	10	21	16	36	25	15	34	54	-	54	7
	6	15	=	56	30	28	18	19	30	91	<u>*</u>	58	10	58	50	61	13	15	15	25	91	18	30	80	18	*	30	58	13	54	38	21	12	38
	30	15	S	=	31	58	52	19	50	9	91	15	<u>+</u>	*	21	21	٥	=	12	15	14	11	15	11	*	11	60	18	80	80	25	CHO	91	31
	1	9	17	S	16	19	CHO	8	18	-	7	12	80	10	13	17	92	16	9	17	~	10	9	4 0	21	9	S	11	S	*	12	54	13	0.4
	9	4	12	9	8	8	19	60	-	9	9	9	E	=	*	10	CHO	9	12	13	-	S	89	15	50	*	S	14	S	8	9	CHO	0,	50
	5	ß	15	9	0	6	13	6	13	*	13	6	=	10	12	6	=	14	15	16	61	11	9	56	23	•	*	1.1	٣	15	9	23	12	56
	*	10	1.1	9	S	15	13	4	CMO	ເດ	-	23	1	10	13	6	8	91	01	-	-	23	10	*	12	3	4	9	4	_	•	(M)	10	53
	3	1	89	10	ទ	9	9	4	œ	6	9	10	ın	10	1	6	17	10	15	1	10	15	0	15	1	m	S	=	E	13	16	10	6	1.1
	n,	1	23	13	4	=	S	e	S	13	=	6	8	=	10	91	89	6	*	0.1	13	*	89	4	27	~	S	1	60	13	=	6	10	27
	-	S	6	~	S	4	1	5	10	6	6	99	1	32	91	8	14	9	6	91	6	+1	9	10	(CM)	•	5	2	14	16	1	13	10	32
	UAY	-	2	~	4	5	9	7	8	6	10	=	12	13	14	15	91	1.1	18	61	20	21	55	23	54	52	56	27	28	58	30	31	<b>A</b>	PK

STANDARD

(LOCAL

HOUR

DAY

CB-TRACT

II- 294

DAY

PEAK

AVE

54

944198886114691149191444661444

MINIMUM MONTHLY

33

19

50

II- 295

21 21

2 X Z

-
15
1
-
10
=

CB-THACT
THAILEH AA23
AUG 1983
CATHEDHAL BLUFFS SHALE 01L CO.

PEAK	54	54	56	27	28	56	31	31	31	30	27	23	56	27	27	27	28	27	52	54	56	27	56	25	97	58	27	27	22	56	27		31	
AVE	19	18	50	50	21	22	54	54	52	23	20	-1	19	50	21	25	12	50	19	18	50	50	50	19	19	51	21	2	-	18	50	20		
54	11	<u>*</u>	-1	16	17	50	19	21	50	18	*	<u>*</u>	18	11	19	18	18	11	13	16	11	18	91	15	9	-	11	15	91	15	91	11	21	13
53	11	15	11	11	18	21	21	21	22	18	*	-	18	18	21	19	19	11	<u>*</u>	11	11	61	1.	15	=	1	18	15	15	<b>±</b>	18	1	25	<u>*</u>
25	18	<b>±</b>	18	11	50	21	25	25	23	51	<u>*</u>	15	51	18	50	51	22	18	17	18	19	19	81	16	18	19	18	16	15	-	61	18	23	<u>*</u>
21	18	<u>*</u>	50	18	25	23	54	53	54	51	<u>*</u>	1.	21	19	21	21	53	19	18	50	51	25	21	11	19	21	9	15	91	9	50	20	54	-
50	20	1	21	18	23	56	56	54	56	23	11	18	25	21	53	23	54	50	51	21	25	25	25	18	21	23	5	5	11	-	22	12	56	15
61	21	22	23	50	52	88	58	56	58	56	61	61	54	25	52	52	56	51	25	25	54	54	23	19	22	54	54	2	11	18	53	23	58	11
9	25	23	54	21	92	58	58	58	30	58	25	21	56	23	56	56	21	2	23	23	92	56	54	50	54	56	56	25	18	61	52	24	30	18
=	21	54	54	25	56	59	30	27	31	30	56	21	56	22	27	27	27	54	54	23	56	56	52	18	54	27	56	51	18	54	92	52	31	18
16	23	25	23	25	27	58	31	92	31	58	54	18	56	21	27	56	58	92	54	54	56	27	56	21	54	88	27	51	91	56	92	52	31	91
15	23	25	54	21	27	53	31	27	31	30	92	25	56	25	27	56	28	56	52	23	92	27	56	54	54	27	56	1.1	91	56	27	52	31	91
<b>*</b>	54	21	92	- 22	28	58	53	30	56	53	27	23	54	61	27	27	27	27	23	25	92	56	52	52	56	56	27	23	11	54	54	52	30	11
13	23	22	92	52	27	27	58	31	31	58	56	25	54	18	92	27	27	92	55	51	54	52	54	54	54	27	56	23	18	25	92	52	31	18
15	53	21	54	27	27	56	27	53	58	58	54	21	23	56	52	27	52	52	21	21	54	54	23	24	54	56	27	27	25	23	92	52	62	21
=	22	19	23	54	25	54	56	58	27	56	54	17	23	27	52	56	53	54	21	21	54	54	23	54	23	52	52	52	25	25	52	54	28	11
10	50	18	53	23	23	23	52	28	56	54	54	16	61	97	23	23	22	23	21	21	54	22	22	54	55	54	54	23	25	21	23	23	28	91
6	19	91	50	22	21	50	23	54	54	23	22	15	91	23	21	21	18	21	20	19	21	18	21	21	21	19	21	22	19	18	50	20	54	15
90	18	16	17	19	17	18	22	21	25	50	18	91	13.	19	16	18	16	18	16	11	18	15	18	91	11	16	11	19	91	15	91	18	25	13
-	16	17	*	1.1	+1	91	19	19	19	18	11	*	15	18	16	91	91	16	13	14	16	13	14	*	14	91	14	16	14	13	13	91	19	15
•	91	15	<u>*</u>	17	13	+	17	18	18	16	11	+1	12	17	15	91	13	91	=	12	*	=	10	13	13	+	13	*	13	12	21	*	18	9
ro.	15	13	13	17	13	91	18	18	19	18	17	*	12	91	91	91	16	14	13	13	*	15	15	*	13	15	91	91	*	13	13	15	19	12
*	51	2		-	13	1	8	61	61	6	1	*	13	11	5	-1	1.1	- 2	4	13	•	13	•	15	13	•	1	9	•	3		15	19	15
m	9	*	*	-	13	-	9	50	61	61	-	<u>*</u>	13	_	91	91	18	-	15	<u> </u>	15	*	91	12	*	12	9	91	4	<u>*</u>	<u>e</u>		50	
2	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_	16	_	_	_	_	_	_	_	_	_	_	_	_		21	
-									-										16 1														22 22	
DAY									_										19 1														PK 2	
0										-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	2	2	N	2	~	3	4	2	I

0

CB-TRACT TRAILER AA23 WGG 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	56	25	56	27	28	59	31	31	31	30	28	23	56	27	28	28	28	27	52	54	27	27	56	56	56	28	28	28	23	56	27		ř	5	
	AVE P	07	18	20	20	22	53	24	24	52	23	50	17	61	50	25	22	25	20	61	61	21	50	21	61	50	21	25	19	11	18	50		17		
	54 1	81	91	91	11	61	50	50	25	12	81	4	*	18	18	61	18	18	-1	*	91	18	18	-	15	-	91	18	91	*	9	_		- :	77	•
	23															-									16										22	
	22	18	16	19	18	21	21	22	22	23	50	*	15	50	18	20	20	22	18	17	18	19	21	18	16	19	67	20	16	16	17	19	-	1	5 .	•
	21	61	15	21	18	25	23	54	53	54	20	*	11	23	19	21	21	23	19	18	50	21	22	21	1	6	5	21	16	11	18	51		2	* .	-
	50	12	11	21	19	54	56	56	54	56	23	16	18	25	21	23	23	54	21	21	21	25	22	22	18	2	23	25	15	18	18	12		7	9 -	61
	19	22	25	23	21	52	27	88	56	58	56	61	61	54	23	52	52	56	61	22	22	54	54	23	19	25	52	52	61	17	17	23	,	52	97	-
	18	25	23	54	25	56	28	53	58	58	53	25	21	56	23	27	56	27	21	23	53	56	56	54	50	23	56	27	25	18	18	52		* 0	2	10
	11	25	52	54	25	27	53	23	27	31	53	56	21	56	22	27	27	27	54	54	23	27	56	56	18	54	21	56	51	18	23	92	i c	2	1	07
	16	23	25	23	25	58	53	3	92	30	53	54	18	56	25	28	92	28	56	54	54	56	27	56	25	54	58	58	50	91	52	56	30	0.0	1	9
TIME	15	54	25	54	23	28	58	30	27	31	30	56	25	56	25	27	92	28	27	25	23	56	27	92	52	52	27	27	17	16	56	23	L	62	15	9
STANDARD	<u> </u>	56	23	56	25	58	53	53	30	58	53	58	23	54	50	27	58	27	27	54	25	56	56	56	56	56	56	27	53	11	54	54	,	9 6	2 .	-
	13	52	53	56	52	58	58	58	31	31	58	27	2	54	18	27	88	27	92	22	25	52	92	52	52	52	27	21	54	19	25	92	L	62	10	9
LUCAL	15	54	23	52	27	27	21	58	62	58	27	52	50	23	92	92	77	56	52	25	22	52	54	54	52	54	56	27	58	53	63	92		0 0	,	2
HOUR (	=	54	50	23	52	56	92	56	28	28	56	54	-	22	27	56	56	23	24	51	22	54	54	53	52	54	56	92	56	25	55	52	ć	* :	2 4	-
I	10	22	18	54	53	54	23	52	58	97	54	54	15	61	56	54	23	22	23	51	21	54	25	25	54	53	54	52	54	25	21	53	,	500	200	61
	6	12	17	50	25	25	21	54	52	54	23	25	*	1.1	23	23	21	18	21	50	61	21	18	21	21	25	5	25	25	19	18	20		12	07	-
	80	19	16	9.6	50	61	18	25	25	23	21	61	9	13.	50	18	18	11	18	1.1	1.1	18	15	18	18	18	18	18	6	16	91	-		9 0	55	2
	-	18	11	91	18	11	91	61	50	51	18	17	*	15	19	91	91	1.1	16	7	+	11	13	91	16	91	-1	15	11	14	13	4	:	0 7	12	1 5
	9	17	16	15	18	15	15	18	18	19	16	17	15	15	18	15	91	*	16	13	13	16	=	+	<u>:</u>	<u>*</u>	9	<u>+</u>	16	*	15	13		0 0	2:	=
	un.	16	15	<b>*</b>	11	<u>*</u>	16	18	19	50	18	11	91	12	17	91	91	16	15	13	13	15	13	11	15	*	91	16	91	*	13	13		0 0	200	16
	æ	16	15	*	11	16	11	18	20	19	19	17	15	13	17	15	11	11	7	*	13	15	13	16	16	*	97.	11	91	15	13	=	,	0 0	1 2	2
	3	91	91	*	11	91	18	18	21	50	51	11	*	<u>*</u>	18	11	1.	18	11	15	13	16	+	11	16	*	91	17	11	*	15	*	,	0 :	12	2
	N	17	15	15	18	17	18	61	21	12	21	18	4	*	11	18	18	18	18	91	13	91	91	19	16	*	91	11	11	13	15	4		1 6	12	2
	-	11	91	15	18	91	18	19	21	21	22	18	14	7.	18	18	18	18	61	91	14	15	16	18	1.1	14	11	18	11	15	91	91	:	- 00	27	
	DAY	-	2	m	4	2	9	1	30	0.	10	=	12	-	14	15	16	17	18	61	50	21	22	63	54	52	92	27	88	56	30	Ŧ		× 2	2 2	Ē

=

MONTHLY MINIMUM =

TIME)
STANDARD
(LOCAL
HOUR

CB-TRACT TRAILER AA23 ARG 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PEAK	139	144	Ξ	150	133	7.8	206	217	144	128	100	133	206	267	133	222	150	189	72	106	194	150	344	239	194	211	83	128	150	311	194		344	
	AVE	-115	-21	-50	-66	-54	-16	-62	0	-47	-45	-25	-54	-25	68	-13	-38	69-	9	-85	124	-34	69-	4	-60	-72	-25	100	-86	2	40	-5	-45		
	54	- 56 -																										•					7	150	383
	23	-67						Ľ																				•						261	
	22	-300																					•	•										289	•
	12	28 -3						•																			•					•	_	311	
	50	-28		_						-		_					i.						•							_	_			233 3	•
	10		_		_		_	_	_				_			_						_				•	_				_		_	133 2	
	16	211- 8																							•										,
	-	7 -128	•					•			•			•		•		•			•	•		•		•	•	•						1 189	•
•		-167					•	•		•	•	۰						•	•			•					•	•				•	•	211	•
	16	-172	•	•		•	•	•			•	•		•		•		•	•	•	•	•		•	•	•	•	•				•	•	172	•
-	15	-317	-355	-106	-28	-128	-183	-156	-56	-156	-172	-172	-144	-183	233	-172	-133	-200	-144	-228	144	-222	-156	-156	-144	-333	-194	-194	28	-72	-206	-156	-152	233	-333
NDAK	=	-206	-167	-233	-36	-244	-156	-133	-156	-156	-172	-156	-172	-183	267	-194	-200	144	-122	-172	-156	-217	-144	-194	-178	-183	-172	-539	-172	-100	-156	-67	-152	267	442-
2	13	-217	-150	-194	-128	-161	-172	-144	-144	-178	-194	-183	-139	-167	28	-178	-183	-194	-122	-178	-122	-167	-228	-167	-128	-161	-250	-356	-167	-78	+6-	-161	-164	28	- 356
נרחכש	12	-222	-128	-111	-383	-183	-178	-178	-144	-194	-189	-144	-161	-172	-172	-172	-178	-183	=	==	-172	-150	-225	-128	-117	-533	-206	-539	-589	-133	-167	-172	-179		- 383
HOOK	=	-172	-83	-104	-355	-172	-172	+6-	-150	-183	-183	-106	-78	-161	-183	-94	==	-206	-89	-106	-106	-144	-172	==	-139	-267	-172	-225	689-	-133	-128	-172	-172	-78	-049
	10	-172	-33	-83	300	-11	-150	-144	-11	-100	128	-150	Ξ	-36	-78	-83	-83	-122	-12	128	-136	-158	-106	-93	-78	-106	- 12	-78	-361	-133	-83	16-	-150	-33	196-
	•	-178					•	•	Ċ	Ċ		٠.	•					•			ċ					•		_	٠.	·	_		+8+	-11	- 15
	80	-178 -					•	ď										•										_		_	_		-19	144	339
	-	=			•													•																222	•
	•	139		•	_	_	_	_	_	_											_						_		_	_		_		194	•
	sc.	39								'																								344	•
	*	83			•	٠																												283	•
	e	167																																222 2	
	2	•					•																										_		
	_	19- 1																•							Ť.									93 294	
	DAY	1 17	2	3	4	5 6	4	1 -4	A - 26	9 11	0	1 3	2	3	4 -17	5 6	6 12	1-	8 15	6	0 5	1 6	2 11	3 16	4 -46	5 16	5 9	7 -2	8 -35	01 6	0 8	=	61 A		
	0										-	-	-	-	-	-	-	-	-	-	~	2	~	C	2	C.	N	N	2	2	3	9	4	2 3	E

HOUR (LUCAL STANDARD TIME)

	PEAK	801	802	803	801	199	799	800	800	801	800	800	799	197	194	194	194	704	800	802	802	805	900	900	199	801		803	
	AVE	661	900	801	800	198	197	198	661	661	667	198	161	193	193	193	193	797	661	801	801	800	661	198	198	662	198		
	54	199	800	802	199	161	797	800	800	661	900	198	196	194	193	193	193	708	800	801	801	800	662	198	661	661	198	802	661
	23	660	802	802	198	161	196	661	661	661	900	798	196	193	193	192	192	707	800	109	900	800	661	861	661	662	198	802	26.
	22	664	205	108	86.	161	6 6	66	661	661	000	96	195	192	192	193	26.2	707	900	301	900	900	66/	861	661	66	864	305	36
	21	664	000	100	198	161	96	661	661	66	000	161	195	192	261	193	261	200	300	101	900	661	66	161	66	2	861	100	36
	50	96	60	101	96	96	9 5	96	86	96	5 6	. 6	56	16.	16.	26	26	0.0	66.	001	66.	66	6	26	66	2	16.	108	,
	61	96	- 2	w 4	, ~	_		_	_	_ '			_	_	_	_	~ '		_	•	_	_						900	
	18	7 66		w ~	_	~		_	_	~ '		_	_	_	_	_			Ĩ	~	_							8 000	-
	11	7 661		ω~	_			_	_	~ '		_	_	_	_	_		_	_		_	_ '	ì		- '		_	8 008	•
	91	7 661	_	•				,				- /-					-	- '		~						_		300 80	
Œ.	15 1		_	-				,-				. , .								_					-	-		•	
2	-	9 799	-																	_								1 601	
ANDA		799			, ,	-		-	_		-		-	-	-	_		- ,-		•	_	•				~		801	
AL SI	13	801			100	_	- 1	_	_	_ '	-1	_	_	_	_	_			_	20	w					_	_	801	_
007	12	199	800	808	800	198	757	138	199	800	900	198	198	167	193	192	193	707	199	801	801	801	667	662	161	800	198	805	5
HOUR	Ξ	801	801	802	801	198	799	199	009	900	900	199	198	192	193	193	194	708	199	805	805	801	800	199	161	800	799	802	761
	10	600	801	802	901	199	7 69	199	800	900	800	566	199	193	193	193	793	704	199	805	805	805	800	661	161	800	199	803	56
	•	800	801	808	801	199	662	662	800	801	800	662	199	161	194	193	462	798	199	802	805	801	800	662	161	803	661	803	143
	80	800	801	803	801	199	799	199	800	108	800	800	199	191	194	194	194	707	199	802	805	805	900	661	961	900	661	803	*
	7	801	801	802	801	199	799	199	661	900	900	800	199	197	193	193	193	707	199	805	802	801	800	800	198	900	199	603	143
	•	800	801	802	801	661	798	199	661	800	900	199	198	161	193	193	46.	707	198	801	801	801	900	000	861	900	199	805	561
	r.	199	801	802	801	198	198	199	661	661	800	566	198	961	194	193	194	707	198	801	801	801	800	662	198	008	661	802	2
	*	900	800	805	801	198	198	198	661	661	662	000	198	197	193	193	193	707	198	801	801	801	009	661	198	662	198	805	66
	е	661	900	108	801	198	798	861	661	661	900	108	198	961	193	193	194	195	198	800	801	008	008	662	198	662	198	802	26
	2	008	801	108	901	661	197	198	661	661	661	798	198	195	193	193	193	193	198	300	801	900	900	661	198	661	198	802	561
	-	008	300	208	101	661	197	861	661	661	300	900	86	961	761	194	193	560	96	001	108	105	300	66/	86	5	864	305	33
	DAY	1 2		-	~					-	~ .		-	-	,-		,		- '	~	•	~	~ .		-	_		A :	

II- 301

190

MONIHLY MINIMUM =

II- 302

STABILITY CLASS USING DT/D2 DT 60-10M WS 10M

CB-TRACT
THAILER AA23
AUG 1983
OCCIDENTAL OIL SHALE, INC.

	AVE	000000000000000000000000000000000000000	
	54	O W W W W W W W W W W W W W W W W W W W	
	53	○FSMGEFFSESFSSSASASSFSFS	
	22	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!</td <td></td>	
	21		
	50	000000000000000000000000000000000000000	
	5	<□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	
	18	< <pre>&lt;<pre>&lt;<pre>&lt;<pre>&lt;<pre>&lt;<pre>&lt;<pre></pre></pre></pre></pre></pre></pre></pre>	
	11		
	16	<b>□&lt;□□□□□□&lt;===□□□□□□□□□□□□□□□□□□□□□□□□□□</b>	
(E)	<u>5</u>		
HOUR, (LOCAL STANDARD TIME	<b>±</b>		
ANDAF	13		
AL SI	15		
۲, در ۱۵	Ξ		
HOU	10		
	6	#	
	60	< mo < o c c c c c c c c c c c c c c c c c	
	-		
	9		
	'n	<u> </u>	
	*	<u> </u>	
	e	<	
	~	○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○○	
	-	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	
	DAY	A VE	

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

TION NNE NE ENE ESS SE SENTO DIRECTION SIN TION NAME NE ENE ESS SE SENTO DIRECTION SIN TION NAME NE ENE ESS SENTO DIRECTION NAME NE ENE ESS SENTO DIRECTION SIN TION NAME NE ENE ESS SENTO DIRECTION SIN TION NAME NAME NAME NAME NAME NAME NAME NAM	7	10 04	WITHIC UNIDE (NO)	6	Table	5	6004		1001030	0/0	1 /03		150/15/0	10					
No.   No.					HAILER	Y	ABCS		PERIOD	9/9	1/83		/31/8	13)					
1         2         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         1         2         2         1         1         1         1         1         2         2         1         2         2         1         1         1         1         2         2         1         2         2         1         1         1         1         1         2         2         1         2         2         1         1         1         2         2         1         2         2         1         1         1         2         2         1         2         2         1         1         2         2         2         2         2         1         2         2         2         2         2         2         2         2         2         2         2         2         2         2         2			NNE	N.	ENE	ш	ESE	SE	SSE	S	ECT ION	NS.	MSM	3	3 2 3	3	32	CALM	101
65. 1	NCENTRATION MAX UG/M**3	-	2	-	-	-	-	-	n.	2	~	-	2	-	2	~	-	-	
45.         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		0	0	0	0	0	0		0		0		•			0	0	-	:
640.         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	
45.         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
45. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		c	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	0	0	0	
35. 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
30. 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
25. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	15.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5.: 29 22 10 20 33 52 83 75 77 83 97 41 23 20 26 29 9:  NTAL : 29 22 10 20 33 52 83 75 77 83 97 41 23 20 26 29 9  MAGANO 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
: 29 22 10 20 33 52 83 75 77 83 97 41 23 20 26 29 9 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.		22	10	20	33	55	В3	15	11	83	16	41	23	20	92	53	5	
0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				10	07	33	52	83	75	77	83	76	41	23	20	26	59	3	7.
	MEAN	0	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Ĭ

0 = NO OBSERVATIONS

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

PERIOD( 8/01/83 TO 8/31/83)

TRAILER AH23

OXIDES OF NITROGEN (NOX)

CATHEDRAL BLUFFS SHALE OIL

		z	NNF	Ä	ENE	L.	ESE	SE	SSE S SSW	0 01	RECTION	MS W	MSM	3	323	3	NNW CALM	ALM	TOTAL
CONCENTRALION MAX UG/M##3	3 6	6	е	E.	7	m	si.	e	S	2	e	m	е .	e .	e.	r.	m	е	
61 6	65. :	0	c	0	٥	0	0	•	0	0	0	0	0	0	0	0	۰	0	
60 6	: •59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
55 b	: •09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
50 5	: •99	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
45 5	: *05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
40 4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35 4	0+	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	
30 3	35. :	0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	
25 3	30. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
20 2	: :52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	
15 2	: •02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10 1	15. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5 1	10. :	0	0	0	0	0	-	0		2	0	0	0	0	0	-	0	0	
-1	5. :	53	22	10	50	33	51	83	14	15	83	46	41	23	20	52	53	5	: 724
TOTAL	:	29	22	10	20	33	52	83	75	-	83	76	-4	23	20	26	29	5	729
MEAN CONC.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	0		= NO OBSERVATIONS	RVATI	SNO						-								

National Part	2	02.1	NOCH	MITTOGEN MICHAELE (NO.2)	E (NO	TRAILER	ER	AB23		PER100( 8/01/H3 T0	18 10	01/83		8/31/83)	183	3	A 10 3 10 10 10 10 10 10 10 10 10 10 10 10 10	CAINCUMAL BLUTTS SHALE UIL	2	1	5
3         1         3         3         5         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         3         4         3         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4         4			z	NNE	N. P.	ENE	ш	ESE	SE	SSE	ND DI	RECTI	NO SW	MSM	3	3 2 3	ž	3 2	CALM	10	TAL
65.         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	ONCENTRAL MAX UG/M##3	NOT :	9	-	9	е	~	5	m	ī.	S	9	6	6	-	6	S.	9	Ю		
- 65. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	•	0	•	0	0	0	0	0	0	0		0
- 56, : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 55. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 56, : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
- 45. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	,		0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0		0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	,		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	,		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0		0
Fig. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1		0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0	••	0
10.: 0 0 0 0 0 0 1 0 1 2 0 0 0 0 0 0 0 0 0 0			0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	••	0
5.: 29 22 10 20 33 51 83 74 75 83 97 41 23 20 25 29 9:  NAL: 29 22 10 20 33 52 83 75 77 83 97 41 23 20 26 29 9  AN 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	-	0	-	2	0	0	0	0	0	-	0	0	••	5
: 29 22 10 20 33 52 83 75 77 83 97 41 23 20 26 29 9 0 0 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0			53	22	10	20	33		83	14	15	83	16	4 1	23	20	52	53	3	••	124
0 0 1 0 0 0 0 1 0 1 0 0 0 1 0 0	TOTAL	:	:	22	10	20	33				77	83	16	41	23	20	56	62	6	:	729
	MEAN CONC.		0	0	-	0	0	0	0	0	-	0	-	0	0	0	-	0	9		0

0 = NO OBSERVATIONS

CATHEDRAL BLUFFS SHALE OIL

~
9
_
ш
Z
0
~
0

				TRAILER		ABS3	•	PERIOD( 8/01/83 TO	18 10	01/83		8/31/83)	33)						
	z	NNE	Ä	ENE	u	ESE	SE	SSE	IO OF	SSE SSW	NO SW	MSM	3	3 2 3	2	2 2	CALM	10	TOTAL
CONCENTRATION MAX UG/W**3	7	113	101	*	96	48	95	101	103	107	105	66	88	86	107	105	80		
GT 140. :	0	C	0	Э	0	٥	0	0	0	0	0	0	0	0	0	0	•		٥
130 140. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
120 130. :	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
110 120. :	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		2
100 110. :	•	2	-	0	0	0	0	2	e	e	-	0	0	0	2	7	0	••	18
90 100. :	1	-	-	-	~	0	-	2	4	4	21	10	0	5	4	æ	0		7.1
80 90. :	x	9	~	9	2	ç	1	5	10	12	15	10	10	9	10	14	-	••	130
70 80. :	4	1	e	*1	4	2	50	19	17	20	11	=	7	4	4	9	4		152
: •01 - •09	~	2	-	~	Ξ	22	33	88	22	54	31	2	2	-	m	6			161
50 60. :	~	2	0	4	30	15	19	œ	10	13	10	2	2	2	2	0	2		101
40 50. :	-	-	2	3	5	7	4	7	4	E)	4	2	-	-	0	1	0		47
30 40. :	0	0	0	-	0	-	0	~	5	4	0	-	0	-	0	0	0		15
20 30.	0	0	0	0	-	7	0	-	2	0	2	-	-	0	0	1	0		10
LT 20. :	0	c	0	0	0	0	0	-	0	0	-	0	0	0	0	0	0		2
TOTAL :	2 R	22	10	77	33	5.1	9.4 4.4	75	11	83	102	45	23	20	52	34	0		739
PERCENT	4	3.	-	3.	*	7.	=	10.	10.		14.	•	3	3.	e,	5.	-		100.

0 = NO OHSERVATIONS

CAUR	308	MONO	CARRON MONOXIDE (CO)	(00)											CATH	CATHEDRAL BLUFFS SHALE OIL	BLUF	FS SI	ALE	016
					TRAILER	2	AB23		PERIOD( 8/01/83 TO	978 97	01/83		8/31/83)	3)						
		z	NNE	Ä	ENE	u	ESE	SE	SSE	10 OI	SSE S SSW	N S W	MSM	3	3 2 3	3 2	NNW CALM	ALM	TOTAL	A.L
CONCENTRALION MAX UG/M**3		57	57	68	57	57	99	80	68	89	80	89	57	68	57	57	68	57		
GT 1300. :		0	9	٥	0	0	•		0	0	0	0	0	0	•	0	•	0		0
12001300. :		0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0		0
11001200. :		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10001100.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9001000.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
800 900.		0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0		0
700 800.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
600 700.		0	c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5000 - 6000:		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
400 500.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
300 400.		0	c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
200 300. :		0	c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
100 200. :		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT 100. :		62	22	10	21	33	51	A 4	15	11	83	16	4.1	23	20	28	34	0		737
TOTAL		29	22	10	21	33	51	84	75	11	83	97	4.1	23	20	28	34	6		737
MEAN CONC.		24	38	45	14	4	£.	4	43	41	38	38	37	41	43	24	45	38	4	1 1
	0	9	0 = NO OBSERVATIONS	VATIC	SNC															

U = NO OBSERVATION

II- 309

PERIOD( 8/01/83 TO 8/31/83)

TRAILER AB23

SULFUR DIOXIDE (SO2)

CATHEDRAL BLUFFS SHALE OIL

	z	NNE	R	ENE	ü	ESE	SE	SSE SSE	0 016	DIRECTION	N SW	MSM	3	323	3 2	3 2	CALM	10	TOTAL
CONCENTRATION MAX UG/M##3	10	-	~	10	13	2	13	7	13	13	13	0 1	15	10	13	10	10		
GT 13. :	0	0	0	0	-	٥		-	-	2	٠	0	-	0	-	0	0		1,4
12 13. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11 12. :	С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 11. :	N	0	0	-	2	2	e	9	S	œ	10	2	3	3	4	-	-		53
10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
в 9. :	0	0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	0		0
7 8. :	4	2	-	-	4	4	6	5	9	90	S	E	2	e	9	3	0		23
6 1. :	0	0	0	0	0	0	0	0	9	0	0	0	0	0	9	0	0		0
5 6. :	4	2	0		9	æ	12	œ	13	•	15	9	3	÷	*	4	-		66
4 5. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0		0
3 4. :	0	0	0	0	0	2	0	0	0	0	0	0	0	0		0	0		0
2 3. :	E	N.	m	-	4	9	20	14	30	10	_	4	· m	2	9	8	-		105
1 2. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
LT 1.:	14	1.	9	c.I	16	32	45	41	43	64	25	92	Ξ	80	10	17	9		405
TOTAL :	12	20	10	21	33	52	84	75	92	83	86	41	23	20	28	33	6		733
MEAN CONC.	m	~	-	~	m	N	23	·~	N	2	Ю	~	m	m	4	N	2		N.
0	n ≈	OBSERVATIONS	RVATI	SNO															

011		بِ		0	0	0	0	0	2	0	0	09	18	O	96	66	395	140		
ALE		TOTAL		: 0			٠				_	9	_		6	2	39	740	_	
S SH			4	. 0	. 0	. 0	. 0	. 0	. 0	. 0	. 0	. 0	2	. 0	-	. 0	5	88	-	
UFF		NNW CALM									_		_							
r B		Z	9	0	0	0	0	0	0	0	6	2	80	0	5	4	12	34	2	
CATHEDRAL BLUFFS SHALE OIL		3	20	0	0	0	0	0	-	0	7	m	9	0	9	7	0	27	8	
ATH		N Z	2	0	0	0	0	0	0	0	0	3	2	0	4	9	2	20	~	
				:											_	_				
	83)	3	ro.	°	0	0	0	0	0	0	0	2	_	0	80	e,	6	23	-	
	8/31/83)	MSM	S	0	0	0	0	9	0	0	0	-	3	0	5	6	27	42	0	
		38 00 28	9	•	0	0	0	0	0	0	-	1	13	0	11	17	53	102	-	
	1/83	DIRECTION S SSW SW	٠	0	0	0	0	0	0	0	-	6	9	0	æ	13	46	83	-	•
	PERIOD( 8/01/83 TO	STRE	9	0,	0	0	0	0	0	0	-	9	9	9	1	10	94	7.6	-	
	000	QNI	¥0		_	_		_	_	0	_		6	0	60	æ				
	PERI	SSE SSE	~	Ĩ	Ŭ	Ŭ	Ŭ	Ŭ		Ŭ			0.	Ü	•	u.	45	75	_	
		SE	ស	۰	0	0	0	0	0	0	0	2	9	0	15	6	52	84	-	
	AB23	ESE	æ	0	0	0	0	0	-	0	9	-	-	0	1	9	36	52	.0	
		iai	S	0	9	0	0	0	9	0	0	æ	8	0	5	S	18	33	-	
	THAILER	ENE	9	0	0	0	О	0	0	0	-	2	2	9	0	4	12	21	-	S
H2S)	Ξ		s .	0	0	0	0	0	0	0	0	_	_	0	_	2		6	_	ION
E C		S		•					Ī	_	_			_						RVA
HYDROGEN SULFIDE (H2S)		NNE	S	0	0	0	0	0	0	0	0	9	•	0	e	~	8	22	8	= NO OGSERVATIONS
S S		z	9	0	0	c	c	0	0	0	-	æ	1	0	S	0	æ	59	m	0
RUGE					••	••		••			••		**		**	**				0
HXD			) 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	13.	13.	12.	=	10.	5	8	٠,	9	5.	• 4	3.	2.	-			
			MAX MAX UG/4**3		-	,		-	1	,	ı	1	,	ı	,	,		TOTAL	MEAN CONC.	
			ON CE	6.1	12.	=	10	6	£.	7	, ,	ů.	4	3,	÷	- :	17	=	₹0	

2											
.E 0		TOTAL		۰	0	10	117	407	201	735	100.
SHAL					••						-
FS		VAR	0	0	0	0	0	0	0	•	ċ
BLUF		3 2 2	4	0	0	0	S.	21	60	34	5.
CATHEDRAL BLUFFS SHALE OIL		3 2	e	0	0	0	-	2	90	28	÷
CATE		3 2 3	4	۰	0	0	4	13	e	20	ë.
		3	4		0	0	2	15	9	23	e.
	31/83)	MSM	4	0	0	0	13	16	13	42	.•
	PER100( 8/01/83 TO 8/31/83)	MS	7	0	0	-	32	20	19	102	14.
	783 T	WIND DIRECTION	٠	0	0	4	21	33	52	83	Ė
	8/01	D DIF	ν.	•	0	4	15	0.4	18	1.	.01
	R100(	NIM	r.	0	0	-	14	43	11	75	10.
		SE	4	0	0	0	e	09	21	94	i
	STATION AA23	ESE	2	0	0	0	0	39	13	52	۲.
	A T 10h	w	~	0	0	0	0	10	14	33	÷
	ST	ENE	2	0	0	0	0	12	5	21	3.
		Ä	m	•	0	0	~	m	2	0.7	-
EVEL		NNE	3 3 3 2 2 2 4 5 5 6 7 4 4 4 3 4 0	0	0	0	4	œ	10	: 29 22 10 21 33 52 84 75 77 83 102 42 23 20 28 34 0 735	e.
10 METER LEVEL		z	e	0	0	0	-	16	12	62	÷
A F					••		••			:	
10		0000	MAX RS/SEC		Ė	80	5.	3. :	LT 1 1. 1	TOTAL	PERCENT
		COURT ON THE	METERS/SEC	19	8	5	3		-1	10	PE

0 = NO OHSERVATIONS

FREGUENCY TABLE OF WIND SPEED BY DIRECTION

30 METER LEVEL

8/31/83)	
ERIOD( 8/01/83 TO	
STATION AA23 P	

CATHEDRAL BLUFFS SHALE OIL

									3	0.01	WIND DIRECTION	Z								
O ONLY		7	NNE	R	ENE	ш	ESE	SE	SSE	S	SSW	NS.	MSM	3	3 2 3	3 2	3 2 2	VAR		TOTAL
METERS/SEC		4	4	4	e	ю	4	-	-	œ	10	•	5	1	S.	4	9	0		
6T 11.	: ::	0	0	0	۰	c	0	۰	0	0	0	•	0	•	۰	۰	0	0		0
8 11.		0	0	0	0	0	0	0	0	~	6	0	0	0	0	0	0	0		5
5 8.		0	0	0	0	0	0	9	6	12	20	10	2	-	2	0	2	0	••	99
3 5.		5	1	2	2	S	21	34	22	17	54	37	12	2	=	6	ï	0	••	212
1 3.	3. :	15	7	4	13	23	39	4.4	28	20	14	22	14	4	14	22	13	0	••	306
1. 1.		12	æ	9	9	7	10	Ξ	60	16	19	13	6	100	5	4	S	0	••	147
TOTAL		32	22	12	21	35	7.0	96	19	19	980	82	37	28	32	62	52	0		734
PERCENT	:	4	3	2	E	5.	10.	13.	4, 3, 2, 3, 5, 10, 13, 9, 9, 11, 11, 5, 4, 4, 4, 3,	6	=	=	ហ	*	*	4	æ	0	• ~	100

0 = NO OASERVATIONS

CATHEDRAL BLUFFS SHALE OIL

8/31/83)

PERIOD( 8/01/83 TO

STATION AA23

60 METER LEVEL

QN
3
0F
HE
TAH
<u>`</u>
ENC)
EQUE
FRE

										3	IO ON	WIND DIRECTION	NO								
			z	N NNE NE ENE E ESE SE SSE S SSW WSW	NE	ENE	'n	ESE	SE	SSE	s	SSW	NS	MSM		3 2 3	3	W WNW NW NAR TOTAL	VAR	F	OTAL
WIND SPEED MAX	PEEL	- (	4	4 4 4 4 5 7 8 8 12 7 6 8 5 4 6 0	4	4	4	5	7	œ	œ	12	1	9	30	25	4	•	0		
ME LEMS/SEU	/ SE(	,																		:	:
19	Ξ		67 11.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0		2
8 11.: 0 0 0 0 0 0 3 3 3 0 0 1 0 0 0 0: 10	=		0	0	0	0	0	•	0	e	9	e	0	0	-	0	0	0	0	••	10
5	80		0	0	0	0	0	4	6	13	12	56	18	S	0	3	0	2	0	••	101

: 100.

- - - 5 3,

 •

5.

5. 

=

:

12. 

13. 

**.** 

÷

PERCENT TOTAL

0 = NO OBSERVATIONS

BLUFFS SHALE OIL CO.							
CATHEDRAL	VALUE	112.00	100. 7.7. 6.00	80.07 70.00 70.00	00000	119.7 107.9 105.9	27.22 21.9 27.5 17.8
	HOUR (BEG)	100 150 200 200 200 200 200 200 200 200 200 2	25 20 20 20 20 20 20 20 20 20 20 20 20 20	F-10/m4	1 2 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	118 194 13	
	DAY	40440	1000	mmmm	<b>~</b> ∞4∞ν	១១៤ឆ្នាំ	186 186 188
	RANK	<b>~</b> ળ∞4n	<b>⊣</b> ળ⊌4൛	<b>~</b> 0€4₽	~~~~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	<b></b> 0∞4₺	<b>⊣</b> ഗയ4ന
	AVG. TIME	e E	24 HR	¥ 7	æ	- # #	24 HR
	COMPONENT	205	205	00	00	03	PART

## DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

## AUGUST 1983

GASEOUS METEOROLOGICAL PARAMETERS PARAMETERS	
NOX: 100 % WIND SPEED	
NOX: 100 % WIND SPEED	
10 M: 100	
NO: 100 30 M: 100 60 M: 100	
NO2: 100	
WIND DIRECTION	
03: 100 10 M: 100	
30 M: 100	
CO: 100 60 M: 100	
SO2: 100 SIGMA HORIZONTAL	
WIND DIRECTION	
H2S: 100 10 M: 100	
30 M: 100	
60 M: 100	
TEMPERATURE	
10 M: 100	
30 M: 100	
60 M: 100	
DELTA TEMPERATURE: 100	
RELATIVE HUMIDITY: 100	
PARTICULATES: 100 % SOLAR HADIATION: 100	
BAROMETRIC PRESSURE: 100	
PRECIPITATION: 100	

OCTOBER



## LIST OF TABLES

			Page
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER		raye
	Nitric Oxide (NO) at Station AB23		.II-320 .II-321 .II-322 .II-323
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS		
	Wind Speed at Station AA23 - 10 Meter Level		.II-328 .II-329 .II-330 .II-331 .II-332 .II-333 .II-334
	10 Meter Level		.II-337 .II-338 .II-339 .II-340 .II-341 .II-342 .II-344 .II-345 .II-346
	(60m - 10m) at Station AA23	٠	.II-348

LIST OF TABLES (Contd)	D
NUMBER OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY CONCENTRATION AND WIND DIRECTION	Page
Nitric Oxide (NO) at Station AB23	.II-350 .II-351 .II-352 .II-353
Station AA23 - 10 Meter Level	.II-357
FIVE MAXIMUM INDEPENDENT SLIDING AVERAGES, STATION AB23	.II-359
DATA ACQUISITION INSTRUMENT EFFICIENCY, STATION AB23	.11-360

CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

HOUR (LOCAL STANDARD TIME)

PEAK		2
AVE		-
24		~ ~
23	100111011100100100000000000000000000000	0 -
22	010010001100111111111111111111111111111	- 2
23	000000000000000000000000000000000000000	0 8
20		
19	0	
18	0	
11		
16	0	- 2
15		
<b>±</b>	001010000000000000000000000000000000000	
13		0 "
12		
Ξ	001010000000000000000000000000000000000	
10		
٥	0 1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
œ	0	
-	0.0000000000000000000000000000000000000	
•	000000000000000000000000000000000000000	
5		
4	000000000000000000000000000000000000000	
*1	000000000000000000000000000000000000000	
~	0	
-	-00-00-00-00-00-00-00-00-00-00-00-00-00	0 -
DAY	3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	> ¥

DAY

		PE		
		AVE	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~
•		54	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 4
11 CO.		23	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	- 4
SHALE OIL		22	* \( \dagger \)	0.4
S SHJ		21	40000000000000000000000000000000000000	4
CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS		20	4 N O N N O O O O O O O O O O O O O O O	4
CB-TRACT FRAILER AB23 SEPT 1983 CATHEDRAL BL		61		- 4
CB-TRACT TRAILER SEPT 19 CATHEDRA		9	· · · · · · · · · · · · · · · · · · ·	
0 = 0,0			0,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,0000	~ ~
	_	16	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	N 4
	TIME	15	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	m 4
	STANDARD TIME	<b>±</b>	00000000000000000000000000000000000000	N 4
	TAN	E] .	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	- 2
		_	3	
	HOUR (LOCAL	12	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	N 4
	~	=		N 4
	HOU		CA CA	
		10		2 9
		6	N 4 N 4 N 4 0 N N 4 N N N N N O N O N O N O N N N A N 4 N N	0.4
		00	040400000000000000000000000000000000000	N 4
		-	040000000000000000000000000000000000000	- 4
		9		~ 4
BEN		S		N 4
NI TROGEN		4	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	- 4
. OF		9	0 N N N 0 0 0 N N 0 N N 0 0 0 0 N N N N	- 4
0X1DES (1)6/H3)				
×0		~		0.4
		-	UU440U4404UUN4UU0U4UU0U4UU	0 4

AK

> X

DAY

C8-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PEAK	2	2	4	4	2	2	4	4	2	4	2	2	2	2	2	4	2	2	4	2	2	2	2	~	2	4	4	4	2	4	
	AVE	-	-	-	-	0	-	-	-	-	-	0	-	0	0	0	~	-	0	~	-	-	-	~	-	-	-	~	-	~	-	-
	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	~	0	0	0
	23	0	2	4	0	2	2	2	2	2	~	0	0	0	0	0	2	0	0	2	0	0	0	0	2	0	0	0	0	N	0	_
	22	2	2	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2	2	0	0	2	2	2	2	0	0	4	0	2	_
	21	2	0	0	0	0	2	0	0	0	0	0	0	0	0	2	2	0	0	2	2	0	0	0	0	2	4	0	0	2	2	_
	50	N	0	0	2	~	0	0	0	0	0	0	~	0	0	0	0	~	0	~	2	0	0	~	0	~	0	0	0	0	0	-
	6	0	0	0	2	0	0	2	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	2	~	~	0	0	0	2	0	_
	92	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	2	~	0	2	0	0	0	0	0	0	2	0	0	0	N	0
	11	0	2	2	0	0	0	2	0	0	0	0	0	0	•	0	2	2	0	0	0	0	0	•	2	0	0	2	0	2	0	-
	16	2	0	0	0	2	0	0	0	2	2	0	0	0	0	0	0	~	0	0	~	0	0	2	2	2	2	4	2	2	2	_
TIME)	15	0	2	0	2	0	0	0	2	0	0	0	0	0	0	0	0	0	0	4	0	~	0	2	0	0	~	0	0	2	0	_
	4	0	~	2	0	2	~	'n	~	٧,	~	0	( A )	0	0	~	0	0	0	0	0	~	0	0	0	0	2	2	2	2	0	_
STANDARD	13	2											~																			_
(LOCAL	15	0	2	2	0	0	8	0	2	0	2	2	A) (C	0	0	0	2	0	0	2	2	2	2	0	2	0	D.J	4	2	0	2	_
HOUR (L	=	0	2	0	0	0	0	2	2	0	0	0	A) (C	0	0	0	2	0	2	2	2	0	0	0	0	2	A)	0	0	0	0	_
유 .	10	0	0	4	2	0	0	0	0	0	2	0	0	0	0	2	0	0	~	4	0	0	0	0	2	~	0	0	0	2	2	_
	6	2	2	0	4	0	2	0	2	0	2	2	~	0	0	0	0	0	~	0	0	0	~	2	0	0	4	2	4	0	2	_
	<b>6</b> 0	0	2	0	2	0	0	0	0	0	0	0	0	0	. ~	0	0	~	2	0	~	0	0	~	0	0	0	4	2	~	2	_
	_	C)	2	2	2	0	0	0	0	2	0	0	~	0	0	0	0	0	0	0	2	~	2	0	0	0	0	2	0	0	0	_
	9	C)	2	2	4	2	~	0	0	2	4	0	2	0	0	0	4	0	0	0	0	c,	0	0	0	0	0	0	0	~	0	_
	S.	0	2	2	2	0	0	0	0	0	0	0	2	0	2	0	0	0	0	2	0	0	~	N	0	2	2	4	0	2	2	_
	4	2	~	2	0	0	0	0	4	2	2	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	2	2	0	0	~	
	9	0	2	0	2	0	0	2	0	0	0	0	0	0	0	0	0	2	0	2	0	0	2	0	2	0	~	0	0	2	2	7
	2																						. 0									_
	_																														4	~
																																ľ

P A

AK

CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL CO. 

	PEA		=
	AVE	88 8 7 8 9 8 9 8 9 8 9 8 9 9 9 9 9 9 9 9	
	24	102 65 65 76 76 76 76 76 76 76 76 76 76	
	23		
	25		
			::: :::
	21		
	20		EEE
	19	***************************************	EEE
	18		18 C
	11		
	16	11192	
TIME)	15		
STANDARD	14		
	13		1
LOCAL	12		
HOUR	Ξ		£22 ^8
_	10		
	6		_
	<b>6</b> 0		
	~		222 -
			222 -
	•		
	ru.		
	*		EEE
	m	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
	2	8 8 8 4 8 4 8 4 8 4 8 4 8 4 8 4 8 4 8 4	
	-	5 4 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	
	DAY	22.55.55.55.55.55.55.55.55.55.55.55.55.5	
	_		44

CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK		30	20	20	30	30	30	30	30	30	20	30	20	20	50	30	30	20	20	30	20	20	20	20	20	20	20	20	20	20	· ·	20
	AVE P		30	38	35	30	28	52	34	34	58	21	54	35	35	40	34	34	36	42	30	23	23	32	46	46	46	31	94	94	46	34	
	54		30	30	30	20	20	30	30	30	20	50	30	30	20	30	30	30	20	30	20	50	50	20	20	20	20	20	20	20	20	35	20
	23	1	30	30	30	20	20	30	30	30	50	20	30	30	30	30	30	30	20	30	20	20	20	20	20	20	20	20	20	20	20	34	20
	25	į	30	30	30	20	20	30	30	30	20	20	30	30	30	30	30	30	20	30	20	20	20	20	20	20	20	20	20	50	20	34	20
	21		30	30	20	20	20	30	30	30	50	50	30	30	30	30	30	30	30	30	20	20	20	30	20	20	20	20	20	20	20	34	20
	20		30	30	30	20	20	50	30	30	50	50	30	30	30	30	30	30	30	30	50	50	20	30	20	20	20	20	20	20	20	33	20
	19	1	30	30	30	30	50	20	30	30	50	20	30	30	30	30	30	30	30	30	20	50	50	30	20	20	20	20	20	20	20	34	200
	18		30	30	30	30	50	20	30	30	20	50	30	30	30	30	30	30	30	30	30	50	20	30	20	20	20	50	20	20	20	34	20
	11	;	30	30	30	30	20	20	30	30	50	50	0	50	30	30	30	30	30	30	30	20	20	30	20	20	20	50	20	50	20	33	20
	16	1	30	30	30	20	50	50	30	30	50	10	0	20	30	30	30	30	30	30	30	50	50	30	20	20	20	20	20	20	20	31	20
TIME)	15		30	30	30	20	20	20	30	30	50	10	0	30	30	30	20	30	30	50	50	50	20	30	20	20	20	20	20	20	20	31	20
	*		30	30	30	20	20	20	30	30	20	10	20	30	30	30	20	30	30	20	50	20	20	30	20	20	20	20	50	20	20	32	20
STANDARD	13	;	30	30	30	20	20	20	30	30	20	10	( W )	20	30	30	30	30	30	20	20	50	20	30	20	20	20	20	50	20	20	33	20
(LOCAL	12		30										٤																			34	20
HOUR (L	=		30										_																			35	20
9	10		30										~														~					36	20
	•		20																													36	20
	60		20																													37	00
	_		30																													36	
	9		30													-										-						36	
	S		30										-			-				-			-	-	-	-	-			-		36	
	4		30																													35 3	
	e		30													-				-			-	-	-	-	-		-	-	-	36 3	
	2		30	-												-							_		-	-	-	-	_	-	-	36 3	
	-		30																	-		-			-	-	_	-	-	_	-	35 3	
	DAY		m e	3	4 3	5 3			9 30											-							-	-	-		-		
	0				-		_		_		-	~	-	-	-	-	1	-	18	-	2	2	2	2	2	2	2	2	2	2	3	A V	ī

TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL

II- 324

A A

("

CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	4	3	3	9	9	9	7	4	4	4	4	1	4	-	9	9	-	9	9	4	0	-	3		0	0	E	~	0	œ	20
	AVE F	2	-	~	9	4	4	4	3	3	2	2	2	-	0	~	-	-	-	3	0	0	0	-	0	0	0	0	0	0	e	-
	54	-	0	0	-	9	3	-	~	3	0	-	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0	0	-	0	4	- 4
	23	~	-	-	6	3	3	3	3	-	-	7	0	0	0	0	0	0	-	0	0	0	0	-	0	0	0	0	0	0	9	- 9
	22	3	-	3	٣	4	4	3	3	_	-	-	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	9	1 9
	21	e	0	-	4	4	4	3	3	9	_	~	0	0	0	0	0	-	9	0	0	0	0	-	0	0	0	0	0	0	9	9
	50	3	~	9	4	4	4	4	9	-	-	9	-	0	0	0	0	-	-	0	0	0	0	-	0	0	0	0	0	0	-	
	16	e	-	٣	4	4	4	4	3	e	٣	-	9	0	0	~	~	-	-	e	0	0	0	e	0	0	0	0	0	0	-	2 -
	8	4	-	٣	4	4	4	4	4	4	4	٣	1	-	0	-	0	-	3	9	0	0	•	-	0	•	0	0	0	0	_	2
	11	*	-	3	4	4	4	•	9	3	4	٣	CA)	9	-	-	-	-	-	4	0	0	0	0	0	0	0	0	0	0	-	2
	16					9					4		-	-	-	-	-	-	9	9	0	0	•	•	0	0	0	0	0	0	4	0.9
TIME)	15	e	9	٣	9	9	*				9		-				-	-	9	9	0	0	0	9	0	0	0	0	0	0	90	C) 80
DARD	14	*	9	9	9	9	9	9	4	4	٣		(CA) (				-	-	9	9	0	0	0	-	0	0	0	-	0	0	-	۳ م
STAN	13	9	9	3	9	9	4	1	4	4	9					e	e	-	٣	9	-	0	0	6	0	0	0	0	0	0	•	2
(LOCAL STANDARD TIME)	12	*	9	9	4	9	4	9	9	*	4	4	*	9	-	-	-	-	9	*	-	0	-	9	0	0	0	0	0	0	0	2 9
HOUR (	Ξ	e	3	-	*	4	4	9	9	*	٣	4	9	-	-	-	-	0	-	4	~	0	0	-	0	0	CA)	0	0	0	0	e 9
1	10	-	-	-	4	4	4	9	4	e	-	e	-	-	0	0	0	0	-	4	9	0	0	0	0	0	0	0	0	0	0	1 9
	٥	-	-	-	•	4	3	4	9	9	-	-	-	-	0	0	0	0	-	9	*	0	0	0	0	0	0	9	0	0	0	- 4
	œ	-	-	-	9	9	-	9	3	9	0	-	-	-		0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3 -
	-	0	0	0	٣	3	4	9	-	3	0	~	-	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0	- 4
	•	-	(red	0	-	3	3	9	9	-	-	-	-	0	0	0	0	0	-	4	0	0	0	0	0	0	0	0	0	0	0	- 4
	ro.	-	0	0	3	4	3	9	٣	3	0	-	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	-	0	0	- 4
	4	-	-	0	-	3	3	e	9	-	-	0	-	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	- 4
	e	-	0	0		9	3	٣	9	3	-	0	-	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	- 4
	~	0	-	0	~	3	3	3	3	3	-	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	3 -
	-	0	0	0	-	3	3	3	-	-	3	0	0	0	0	0	0	0	0	3	0	0	0	0	-	0	0	0	0	0	0	3 -
	DAY	-	2	3	4	5	9	_	8	6	10	=	12	13	14	15	91	11	18	19	50	21	22	23	54	52	56	27	58	56	30	9 A

SHALE. INC.

OIL											
C-B TRACI SEPT 1983 OCCIDENTAL	AD56	_	-	-	-	-	-	-	-	-	
C-B SEPT OCCII	₹ .	~	-	_	_	_	_	_	_	_	_
	AD42	_	_	-	_	_	_	_	_	-	_
	¥	~	~	~	~	~	~	~	~	_	7
	STATION AB26	^	-	-	-	~	-	-	-	-	-
	STAT	_	~	~	~	-	~	~	~	_	~
	AH23	22.4	55.6	34.7	34.6	46.9	14.5	15.5	55.9	54	6.94
	, AB20	^	_	-	_	-	_	_	-	~	-
	A65	~	~	~	~	~	~	~	~	~	-
	DAY	9	1	Ξ	15	19	23	12	AVE	N.S	PEAK

DAY

•00		24	u	n –	-	2	2	0	4	2	2	-	2	0	2	-	-	0	0	3	3	-	_	_	2	0	0	4	2	2	5	S	
011 0		23	u	n Λ	1 4	~	رم.	~	S	3	3	0	~	-	CM)	-	0	0	3	S	4	2	-	~	8	2	0	9	5	3	~	-	
SHALE		22	c	v -	4 IS	-	-	-	1	٣	2	8	-	-	-	-	0	8	9	9	4	-	-	4	-	2	0	4	~	4	m	S	
		21	4	• ~	14	0	2	-	_	3	-	-	~	-	0	4	-	2	e	1	4	~	-	4	2	N	8	4	٣	4	4	S	
423 BLUF		20	,	* "	· e	-	2	2	1		٣	-	0	-	~	2	9	4	'n	1	4	-	•	4	2	2	~	4	~	4	4	9	
CH-THACT TRAILEH AA23 SEPT 1983 CATHEDMAL BLUFFS		61	4	+ +	· N	-	4	2	-	4	e	-	2	2	2	9	2	4	m	0	9	~	•	٣	~	2	2	4	-	4	4	4	
CH-THACT TRAILEH SEPT 19 CATHEDHA		18	•	n 4	4	0	4	3	9	2	4	e	٣	4	4	-	4	4	4	9	1	N	*	4	4	-	9	4	4	4	9	4	
		11	0	v us	9	2	2	-	9	S	S	4	٣	4	4	2	4	4	9		6	v	•	~	4	~	٣	e	5	4	S	٣	
		16	-	⊸ un	9	-	4	8	9	S	S	4	٣	3	9	S	4	4	S	9	89	-	N	~	2	m	-	e	9	4	4	9	
	(IME)	15		n ~		N	2	۳	S	9	:s	2	4	-	S	9	4	5	9	2	1	-	2	4	-	9	-	3	39	4	9	'n	
	DARD	*	4	* ~	- 5	-	2	~	S	9	9	٣	2	~	4	9	4	4	5	9	4	-	2	9	4	3	-	4	8	4	S	4	
	STAN	13		+ 0	n n	7	S	2	4	S	9	4	ហ	2	4	2	۳	S	_	9	90	•	2	2	2	4	2	4	_	S	4	~	
	HOUR (LOCAL STANDARD TIME)	12	٠	n 4	· N	2	4	-	4	4	2	2	٣	-	2	.5	4	S	00	9	6	~	3	-	-	-	-	S	_	4	4	9	
	OUR C	=	-	- s	, -	2	S	-	٣	2	2	-	۳	~	~	2	٣	3	9	'n	90	-	~	~	S	CW)	-	4	9	2	4	4	
	İ	0.1	-	<b>-</b> ഗ	)	~	9	-	~	2	S	-	2	0	-	4	-			9					9	_	-	0	•	S	4	.2.	
		6	-	- 0	· N	-	٣	-	~	2	4	0	-	-	0	~	-	-	4	9	6	-	-	_	4	0	0	-	9	4	2	9	
		<b>c</b>	-	-	· (V	-		-	2	-	0	0	~	~		9	0	0	~	9	20	_	9	_	S	-	_	2	S	£.	0	3	
		-		v		0	0	0	9	-	0	0	0	0	(CM)	~	0	ru	9	4	7		-	~	4	-	-	~	4	2	-	2	
		9	-	-		7)	2	0		0	0	~	0	0		~	-	(CM)	-	4	~	-	0	-	0	~	0	-	2	2	4	2	
10м		ហ	-	٠, ٨	0	2	0	0	2	0	2	2	-	-	CHO	~		-	0	2	1	N	0	0	0	rs:	-	-	~	0	4	٣	
3.		*	•	-، د	. 0	2	2	0	2	0	3	2	0		0	0		-	-	2	1	~	_	0	-	2	(W)	0	4	-	4	2	
SPEED ERS/SEC		9	4	۰ د	۰.	-	7	2	2	9	~	-	-	2	0	9	0	-	-	0	9	•	CM)	-	2		=	-	4	2	4	-	

AVE PEAK

7 X

UAY

# CB-TRACT TRAILER AA23 SEPT 1993 SEPT 1993 CATHEDWAL BLUFFS SHALE 0IL CO.

	PEAK	80	0	0	y u	۰ ۵	0 4	* 0	9 9	9	S S	00	9	30	6	9	1	Ξ	Ξ	13	4	9	_	œ	S	4	6	Ξ	7	89	=	13
	AVE	3	4	4	٠,	J 4	- 0	u u	ۍ د	ט ר	2	m	2	າ	4	9	4	S	1	3	N	~	6	4	e	-	4	1	'n	S	S	*
	54	80	-	•	, ~	, 0	- د	- 4	· "	٠ 4	-	e	0	3	~	2	-	2	4	4	0	-	-	3	0	0	9	4	4	9	œ	77 20
	23	8	~	ď	, ~	, -	• 0	u a	o ur	٠ ٩	CMO	-	-	-	-	-	(CM)	9	80	S	-	-	4	2	-	0	6	4	S	4	=	*=
	22	6	-		-		٠,	90	4	۳ (	. –	-	-	-	9	-	4	9	6	9	-	-	_	2	2	0	9	4	9	4	00	7 01
	23	9	4	1	. c	•	-	- 5	2 4	4	-	-	-	-	S	-	4	9	7.0	2	4	0	_	3	2	-	S	4	S	S	00	* 0
	50	9	4	ır	٠ ٦	1 4	-		9 15	n ur	-	-	N	2	e	~	1	3	=	S	~	9	1	2	~	2	S	4	9	9	S	* =
	61	S	4	~	0		0 0	9 0	2 11	ı,	٥ م	6	e	٣	4	9	9	S.	=	30	9	4	2	2	4	9	S	2	1	9	۰	5 1
	97	4	'n	~	-		۰ ،	+ a	۰ م	ی -	4	4	9	9	2	9	9	9	6	10	٣	2	9	2	2	4	9	9	S	00	n	5 01
	11	٣	1	0	٠,	۱ ۲	- 0	ų a	۰,	- 0	ហ	4	9	9	2	9	9	20	5	13	•	4	٣	9	3	4	4	1	9	7	4	9 13
	16	a	7	Œ	. –	• •		n a	o a	o 0	ı,	4	4	8	-	S	S	1	4	=	8	2	9	9	4	2	4	o	S	S	<b>4</b> .	9 =
(IME)	15	4	0	9		۱,		e a	0 0	۰ د	٠,	ı vı	N	1	30	S	1	8	8	10	-		.5	2	4	-	4	10	9	90	-	9 0
DARD	4	S	0	• •	۰ م	J a	0 4		- a	0 0	4	60	~	2	6	2	7	7	6	9	-	3	4	2	4	-	9	=	9	7	s.	9 =
STANDARD	13	S	00	~	0	۱ ۲	- 0	าน		- 0	4	_	~	4	1	4	1	6	6	15	4	6	e	3	2	9	9	6	9	.c	4	5
(LOCAL	12	4	9	~		2 4	0 0	ų u	2	o a	· (*)	4	~	3	8	2	1	=	80	13	3	4	~	2	2	~	7	6	9	2	4	13
HOUR CL	Ξ	~	1	٠,	10	۰ د	- 0	u 4		- 0	. –	. 4	2	2	1	4	4	90	7	=	-	e	2	1	0	-	9	8	7	9	S	9 =
£	10	2	7	٠ ٨	, 0	<b>J</b> 4		٠.	• -	- 0	. –		-	-	S	2	•	5	30	12	-	-	2	00	-	_	0	30	7	9	~	4 0
	6	2	~	~	, 0	J 4	r c	u n	<b>,</b> ~	٥ ۵	0	-	-	0	9	-	_	2	80	13	-	-	2	5	0	-	2	8	2	7	5	13
	œ	2	2		, -	• 0	u c	u r	h -	• 0	10		-		4	-	-	4		15	-	0	_	80	-	_	'n	7	'n	-	4	6 5
	7	е	-	. ^		• 0	٠,	Ē			. 0	Û.	0	0	3	0	3	5	9	10	2	0	0	1	2	0	3	9	4	Ŧ	4	e 0
	9						•	-	۰ د			_																		9	m	e :
	S.								u c																					7	2	2 01
	4	7	_			י פ	2	۰ د	n -	• •	r m	. 0	0	=	_	1 (C)	7					0								9	4	2 [
	E	0	<			, -		٠.	n a							0	2													9	2	01
	2								٠ ۵				0		4	-	1	0 1	4	6	4	0 (CM	9						4			6
	-	2	4	-	-	+ 0	η.	4 0	7	- 3	1	-	-	3	-	-	-	0	-	1	٣	-	2	~	4	0	13	1	4	5	3	. 3

> ¥

CB-TRACT
THAILER AA23
SEPT 1983
CATHEDHAL BLUFFS SHALE OIL CO.

	PEAK								6																					6	13	14
	AVE	4	5	4	N	4	~	9	9	9	2	~	2	3	S	3	4	9	30	Ξ	3	2	9	4	3	2	4	1	9	9	9	4
	24	6	~	2	4	2	2	7	4	4	-	3	~	3	2	3	2	4	9	S	(CM)	-	0	9	0	(CM)	8	S	2	*	6	40
	23	8	9	9	4	-	2	0	9	S	-		2	-	-	0	2	80	10	2	0	0	9	8	-	0	11	4	1	4	13	13
	22	4	0	00	-	0	2	12	9	4	-	2	-	~	4	-	2	80	11	9	2	-	80	4	-	-	1	4	80	2	10	12
	21	1	4	8	~	4	~	=	9	2	-	-	-	-	9	2	9	~	12	9	4	2	8	4	2	-	9	4	1	9	10	15
	20	9	2	9	7	.0	0	=	9	1	-	-		-	4	~	<b>J</b>	4	12	9	~	90	20	2	4	2	9	4	1	1	ø	51
	2	9	5	4	2	90		12	1	9	2	m	4	4	4	4	00	٥	13	00	e	9	7	9	4	*	9	٣	9	-	30	13
	18	'n	S	1	~	1	4	•	1	9	2	4	_	9	2	7	7	7	10	0.1	3	9	-	ç	•	S	~	_	9	6	9	901
	11	4	1	10	2	-	2	8	~	89	S	S	1	1	9	1	1	6	10	14	3	4	٣	9	3	4	4	8	9	9	2	14
	91	9	8	0	-	9	4	80	8	80	S	4	4	6	-	9	S	80	S	12	2		9	m	4	2	4	0	9	9	4	12
TIME)	15	4	10	10	m	8	4	8	8	80	3	9	2	89	6	9	89	00	89	=	-	4	5	2	4	-	2	=	1	6	-	9 [
STANDARD	14	S	10	30	N	80	4	8	89	6	4	20	٣	9	3	2	7	00	6	20	-	3	4	9	S	-	9	12	_	80	9	12
	13	9	8	~	2	1	3	9	1	6	S	90	2	2	90	4	8	10	6	13	4	3	٣	9	2	9	~	0.1	-	9	4	13
(LOCAL	12	4	_	e	4	9	2	9	9	30	9	2		3	8	9	00	12	6	13	4	4	2	Q	2	2	1	10	1	2	4	13
HOUR	=	2	8	2	٣	1	~	4	8	8	-	4	2	2	00	4	4	o	89	12	N	4	~	30	0	2	9	5	1	9	9	12
I	10	~	1	2	2	4	-	2	89	89	-	2	-	-	9	2	٣	9	8	13	-	-	2	6	-	~	0	80	8	9	20	13
	σ	2	3	9	2	4	-	m	4	2	0		~	-	4	-	2	9	5	7,	-	-	~	9	CM)	-	2	80	S	•	01	4 4
	60	4	3	4	~	3	2	4	-	٣	-	-	~	0	4	0	2	9	•	14		-	2	6	0	~	٣	30	9	-	4	14
	1	3	2	~	-	4	0	2	-	4	0	-	-	0	4	~	9	ç	8	13	2	0	-	8	3	0	e	30	9	4	4	13
	9	~	2	~	9	9	9	0	-	4	2	-	~	0	4	-	0	4	30	13	e	0	C	2	4	-	~	10	9	00	4	13
	'n	2	3	0	4	0	0	2	~	S	9	-	-	0	9	0	~	e	4	13	4	-	-	2	4	0	0	4	4	1	9	13
	•	-	2	-	4	٣	~	3	-	*	٣	-	-	0	2	-	2	2	2	13	4	0	-	4	4	0	~	89	S	8	4	13
	9	0	2	-	4	2	-	3	0	2	2	2	-	0	S	-	3	2	3	15	4	0	-	9	4	0	0	-	S	_	2	3
	2	-	2	-	~	-	-	0	6	2	3	2	-	-	S	-	2	2	7	=	4	0	-	-	4	-	0	9	5	7	4	11
	-	-	4	-	7		3	-	æ	4	2		2	-	-	2	0	2	2	•	4	-	4	-	4	0	9	9	2	1	4	МЭ
	DAY	-	2	~	4	.2	9	1	8	3	10	11	12	13	14	15	91	11	18	1.4	50	51	22	63	54	52	97	27	97	53	30	A Y

CB-TRACT
TRAILER AA23
SEPT 1983
CATHEDRAL BLUFFS SHALE 01L CO.

HOUR (LOCAL STANDARD TIME)

PREV	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	223
54	248 204 204 204 217 217 217 218 218 218 229 230 24 250 261 261 261 261 261 261 261 261 261 261	181
23	2843 2643 2643 2643 2643 2643 2643 2643 26	193
22	255 225 225 247 247 1183 1183 1183 1197 1197 1197 1197 1197 1198 1198	201
21	193 314 314 314 314 314 314 317 317 317 317 317 317 317 317 317 317	182
20	114 114 115 116 117 118 119 119 119 119 119 119 119	202
19	188 335 335 229 229 229 229 229 229 229 229 229 22	556
18	225 230 231 231 231 231 231 231 231 231 231 231	241
11	744 527 528 538 538 538 538 538 538 538 53	252
10	24 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	522
15	236 226 226 227 227 227 227 227 227 227 22	566
*	25.2 25.2 25.2 25.2 25.2 25.2 25.2 25.2	568
13	52.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5	272
12	243 220 220 231 231 231 231 231 231 231 231 231 231	560
Ξ	236 212 212 223 264 310 310 310 310 310 310 310 310 310 310	564
10	338 208 332 208 332 332 332 332 332 332 332 332 332 33	519
•	2.32 2.32 2.43 3.06 3.06 3.06 3.06 3.06 3.06 3.06 3.0	200
00	141 1123 1175 107 109 109 146 146 146 146 146 146 146 146 146 146	155
7	144 95 95 95 96 96 96 96 96 97 97 97 97 97 97 97 97 97 97 97 97 97	166
•	197 178 178 178 178 178 178 178 178 178 17	193
9	1104 1104 1104 1104 1104 1104 1104 1104	111
4	135 1735 1735 1735 1735 1736 1736 1736 1736 1736 1736 1736 1736	175
3	135 116 116 116 116 116 116 116 116 116 11	172
~	1133 2.256 2.256 9.72 9.73 9.73 9.73 1.73 1.73 1.73 1.73 1.73 1.73 1.73 1	188
-	208 1146 215 215 225 2215 2215 2215 2215 2215 2	184
UAY	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	P

CB-THACT THALLEH AA23 SEPT 1943 CATHEDHAL BLUFFS SHALE OIL CO.

	PREV	2 2 2 2 2 2 2 2 3 2 3 3 3 3 3 3 3 3 3 3	277
	54	26.3 2.3 2.3 2.3 2.3 2.3 2.3 3.1 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3	175
	23	273 281 281 281 281 281 281 281 281 281 281	-
	22	2228 3335 228 228 228 228 228 228 228 228 238 248 258 268 268 268 268 268 268 268 268 268 26	7.47
	21	185 195 195 195 197 197 197 197 197 197 197 197 197 197	707
	50	1179 1170 1170 1170 1170 1170 1170 1170	300
	61	1182 2133 2133 2133 212 212 212 213 213 213	222
	18	226 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	230
	11	133 133 133 133 133 134 136 136 136 136 136 136 136 136 136 136	043
	91	22529 22729 22729 22729 22729 2272 2272	102
TIME)	15	22222222222222222222222222222222222222	107
STANDARD	*	22.22.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.22.23.23	502
	5	22.22.22.22.22.22.22.22.22.22.22.22.22.	
LOCAL	12	23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316 23316	200
HOOH	=	222 233 23 23 23 23 23 23 23 23 23 23 23	202
I	10	33.202 33.202 33.202 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203 33.203	
	•	7 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	401
	00	140 1125 1125 1125 1125 1125 1125 1125 112	201
	-	1133 33113 33113 1197 1132 1132 1132 1130 1130 1130 1130 1130	911
	9	199 199 199 199 199 199 199 199 199 199	202
	S	1170 1170 1170 1170 1170 1170 1170 1170	201
	*	108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108   108	207
	m	1158 1173 1173 1173 1173 1173 1173 1173 117	
	~	185 209 209 209 209 209 201 201 200 200 200 200 200 200 200 200	57.7
	-	140 140 140 110 110 110 110 110 110 110	
	DAY	30 20 20 20 20 20 20 20 20 20 20 20 20 20	

HOUR (LOCAL STANDARD TIME)

	PREV	201 201 201 201 201 201 201 201 201 201	228
	54	242 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	200
	53	280 3491 3491 3491 3492 3492 3493 3493 3493 3493 3493 3493	213
	22	214 317 317 317 317 317 32 34 34 34 34 34 34 34 34 34 34 34 34 34	197
	21	180 191 191 191 191 191 191 191 19	191
	50	179 2013 1164 1164 1164 1164 1176 1176 1176 1176	211
	19	183 333 333 333 333 333 333 333 333 333	927
	16	223 228 228 228 228 228 228 238 238 238	236
	1.1	2335 2345 237 237 237 237 237 237 237 237 237 237	248
	16	23.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5	251
T I	15	221 221 321 327 327 327 327 327 327 327 327 327 327	292
2 4	4	224 1117 1117 1117 1117 1117 1117 1117 1	263
2 4 4 4	13	2	2 892
7.4	15		257 2
<u> </u>	=	200 mm 64 / L 20 mm 7 L 20 mm 64 / L 20 mm 6	255 25
2	10 1		
	6	33.33.33.33.33.33.33.33.33.33.33.33.33.	6 273
	80	2002 2002 2002 2002 2002 2002 2002 200	186
	ω	184 194 194 194 194 194 194 194 194 194 19	189
	1	133 197 197 170 170 170 181 181 181 181 181 181 181 181 181 18	187
	•	1996 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 13195 1	202
	S.	1160 1160 1160 1160 1160 1160 1160 1160	202
	*	1059 1079 1079 1079 1079 1079 1079 1079 107	190
	3	175 1151 1151 1155 1155 1155 1155 1155	112
	2	191 155 232 232 232 140 1175 1175 1173 1173 1180 1180 1180 1180	182
	~	203 203 203 203 203 203 203 203 203 203	194
	DAY	30 2 2 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ρ

CB-TRACT
TRAILER AA23
SET 1981
CATHEDRAL BLUFFS SHALE 01L CO.

TOR	VEL	1.1	1.8	1.8	0.3	2.3	0.4	3.2	3.1	5.5	1.2	1.2	0.8	1.4	1.7	1.4	1.9	2.5	4.6	3.3	1.0	0.7	0.8	1.3	1.3	0.8	5.6	4.2	3.2	3.3	3.0		1.6
VECTOR	DIR	221	215	260	220	546	892	192	196	216	301	291	301	297	556	162	544	262	215	245	290	227	247	188	186	276	198	205	194	193	179	223	
	54	248	204	19	223	217	144	156	118	594	267	159	4	143	180	952	536	135	205	34	208	161	99	69	221	89	203	204	148	149	188	185	1.0
	23	284	243	341	225	214	213	168	158	287	7.1	183	220	* * *	109	212	39	204	205	32	554	134	207	85	156	240	197	204	168	148	175	196	1.4
	22	250	552	314	247	152	187	183	181	260	213	236	211	238	164	341	509	204	197	32	212	96	207	114	147	248	217	200	166	138	170	197	1.6
	21	193	96	314	0	232	153	196	182	506	217	202	215	169	135	190	519	208	213	14	153	21	205	104	136	216	170	192	175	153	180	186	1.8
	20	186	17	207	204	548	221	218	183	210	230	290	218	213	122	220	198	218	218	355	134	211	208	95	197	224	169	182	196	187	171	202	2.1
	19	188	335	220	991	219	558	231	201	213	11	307	262	594	195	589	198	962	912	2	359	207	506	138	522	549	183	192	168	211	174	223	1.9
	18	225	254	233	73	228	221	230	902	558	344	305	317	962	195	288	217	307	225	333	340	515	211	183	261	282	190	238	205	195	167	241	5.6
	11	197	241	536	15	622	316	961	212	541	317	313	312	284	52	594	552	287	515	317	316	231	558	202	683	586	185	536	215	212	144	642	2.7
	16	147	232	233	115	241	321	202	520	222	313	309	307	765	301	863	643	553	35	307	319	693	336	153	245	585	113	227	520	212	661	523	2.8
IME)	15	36	92:	522	150	88	151	400	916	522	30	908	101	66	102	113	18 2	10 02	34	101	145	123	104	90	113	16	33	123	502	117	808	254	3.1
ARD 1	4	232 2	23 8	21 2	123 3	82 2	125 3	112 8	60	30 2	116	16	115	115 2	95	000	9 08	181	36 2	55	95	35 3	129	108	60	133 8	25 5	24 5	90	117 8	115	253	3.1
STANDARD	13	5 92												. ,		.,							.,	.,								153	5.9
LOCAL	12				(-)		273				,	10	1.,	1.,		1-,	.0		2 92			(+)	٠.,			1.,			_			646	2.6 8
_	=	236 2		1-,	,	"		_	10	10	4.5	27:	173	•••		(*)	"	14	10		(*)	10	***	_		173				10	10	239 2	2.4.2
HO	10	338 2																			. ,				•							223 2	1.9 2
	6																		2 902			. ,										2 505	1.3 1
	œ																		205 20													87 2	1.2 1
	_																		205 21													.85 1	1.2 1.
	9														-		-		211 20		_					_						93 16	1.3 1.
	S.												_	_			Ť		83 21	,,,											_	17 19	0.9 1.
	4		_			_		_		_		10	10		_		10		99 18	10	10	(*)			_			_	10	_		78 17	
	3	_		_	_			_		_	,,	_	_		_	10	10	_	_	10	100		10	_	_	•	_	_		_	_	~	4 1.2
	2																		602 9													4 182	3 1.4
	-																		8 205			-										7 184	4 1.3
	DAY						Ĩ											_	3 88			-					-					177	1.4
	ò							, ,	_		10	-	15	-	1.4	1.6	3.6	-	18	15	2	2	2	2	2	25	2	2	2	2	3(	۸D	>

TOTAL NUMBER OF OBSERVATIONS = 709

NOTE: \*\*\* = MISSING DATA

I I -333 CB-TRACT
TRAILER AA23
SEPT 1983
CATHEDRAL BLUFFS SHALE 0IL CO.

~	ÆL	2.5	-	4	.5	~	4.	4.	ı,	. 3	6.	۲.	-	6.	5	-	е.	8		.8	6.	-	4.	2	9.	0	-	-	6.	8.	6		2.3
Ĕ	_							Ť	-						•	_	-		_	•								Ĭ	Ť	•	•	7	Ň
	0	214		-	_	_	-							•	•	_																217	
	24	543	223	21	237	232	163	151	123	305	305	117	319	131	207	270	212	188	199	59	210	145	58	75	236	0	196	201	145	142	184	186	<u>.</u>
	23	279	271	338	242	217	201	160	155	289	*	235	558	261	141	210	*	202	200	59	258	114	200	104	143	310	194	186	160	137	169	195	2.1
	22	228	532	312	278	156	165	176	174	256	210	251	519	564	161	28	208	198	193	28	173	96	207	146	129	203	211	184	163	133	163	189	2.3
	51	185	98	310	0	242	137	191	172	208	247	174	536	177	123	208	215	210	508	=	132	185	202	117	126	235	151	179	170	150	174	183	5.6
	20	179	13	202	170	242	239	213	174	509	258	331	237	233	116	558	191	231	213	352	101	198	205	102	506	556	153	179	185	182	166	198	3.1
	19	182	330	219	152	216	210	227	195	212	12	305	291	297	187	594	194	297	212	358	358	202	202	146	231	568	172	205	181	205	166	218	5.9
	18	221	248	559	Ξ	223	214	552	202	556	340	300	312	262	184	284	212	305	220	328	336	208	205	178	556	281	184	233	199	189	161	236	3.6
	11	193	536	232	73	227	309	191	206	236	314	309	308	280	21	589	221	285	210	314	312	526	254	197	282	284	180	231	211	207	138	245	3.7
	16	242	558	558	Ξ	240	317	201	216	217	309	305	304	288	562	594	240	252	234	305	316	257	331	154	536	281	208	222	516	207	193	549	3.8
TIME)	15	231	255	221	315	284	317	198	212	221	324	300	303	562	564	307	273	566	558	304	341	320	301	106	509	562	558	222	197	212	203	250	4.3
STANDARD	14	526	217	215	315	278	320	208	203	526	311	291	313	310	251	562	576	277	232	252	354	331	321	304	207	328	519	219	201	211	211	248	4.4
STAR	13	221	554	569	312	277	335	219	204	222	328	282	341	326	243	324	290	291	536	539	291	307	311	54	220	344	509	220	178	215	248	253	3.9
LOCAL	15	539	516	318	318	283	10	182	207	554	305	862	323	328	274	303	272	287	222	223	307	204	325	166	207	323	203	213	201	508	661	545	3.6
	Ξ	558	208	331	332	285	349	170	506	208	323	302	0	9	516	301	262	286	203	224	323	199	349	222	180	333	211	205	204	222	193	233	3.1
_	10	336	202	310	319	540	2	173	509	203	42	347	26	6	211	315	162	230	201	215	352	322	50	214	341	326	6.3	193	191	190	201	217	5.6
	6	91	211	285	13	241	63	63	205	192	306	82	14	6	193	54	205	509	201	212	290	69	69	207	37	284	16	193	184	225	201	201	2.0
	60	140	161	277	125	200	95	107	69	153	592	104	81	55	156	344	519	201	201	207	281	173	102	201	35	592	100	180	177	241	212	184	1.9
	~	139	137	311	197	192	* *	132	81	153	5	***	130	21	283	180	161	199	504	198	539	240	166	203	178	247	129	179	180	139	151	184	2.0
	9	195	191	7.8	174	193	338	115	141	164	233	583	539	349	549	220	328	213	208	196	27.1	52	297	214	175	345	169	175	180	155	95	191	1.8
	2	170	120	109	143	174	54	156	117	146	569	135	338	222	191	***	197	539	197	201	162	343	588	270	156	267	243	151	188	161	98	173	4.
	4	166	131	109	164	154	331	118	207	150	282	100	156		176	186	169	152	207	205	285	222	302	194	141	H4	36	170	178	161	108	173	e.
	3	158	125	105	155	131	150	511	173	100	313	205	267	37	159	119	139	180	211	208	267	* *	961	232	115	225	274	183	172	163	100	173	1.8
	2	185	141	290	208	207	R 7	125	173	9.5	288	213	122	238	151	200	142	185	201	204	287	207	135	309	130	168	337	166	154	187	100	175	1.8
	-	199	141	140	270	231	220	118	163	127	303	178	104	546	273	529	113	215	138	181	5	251	197	113	152	150	0	178	193	176	150	173	1.7
	DAY	-	2	3	4	5	4	1	œ	5	10	=	12	13	14	15	91	17	18	16	50	21	25	23	54	52	56	27	28	62	30	QA	>

TOTAL NUMBER OF OBSERVATIONS = 713

NUTE: \*\*\* = MISSING DATA

FOR	VEL	6.5	3.1	2.7	0.7	3.5	0.5	5.0	5.4	4.6	2.1	2.0	1.5	2.1	2.8	2.3	3.2	4.8	0.8	9.5	1.7	1.4	2.0	3.0	2.2	1.2	3.6	7.0	5.9	5.6	5.2		2.1
VECTO	DIR	211	213	257	213	247	288	186	190	210	317	291	303	300	220	291	233	251	211	236	315	227	232	197	195	297	189	199	183	185	173	218	
	54	245	305	24	257	258	180	154	137	317	305	95	566	115	230	276	221	202	197	35	*	180	135	68	207	* * *	193	210	155	148	186	193	1.8
	23	280	297	341	257	539	178	161	162	594	221	284	549	272	199	92	205	210	201	33	326	174	207	142	163	278	195	186	163	140	171	200	2.4
	22	214	1.1	317	268	194	140	174	173	258	258	270	549	234	163	47	224	208	193	35	146	156	213	172	125	240	208	185	165	140	162	192	2.8
	21	180	83	309	191	262	141	190	173	214	317	215	267	199	120	558	217	519	509	14	122	205	207	141	145	272	144	183	172	156	174	187	3.2
	20	179	13	208	164	240	255	213	176	213	311	339	270	277	117	529	194	251	213	353	84	203	210	131	215	287	147	189	181	181	168	201	3.5
	19	183	333	224	147	217	202	228	193	215	=	305	962	304	186	302	197	568	211	-	358	208	207	161	237	281	169	216	180	204	166	122	3.4
	18	221	248	558	65	223	210	552	199	225	340	300	313	294	180	286	211	304	519	328	339	208	205	179	255	285	163	233	196	168	163	532	4.0
	11	193	235	233	7	526	311	161	205	236	315	310	310	283	54	291	221	285	509	312	316	225	253	195	278	287	182	558	508	204	145	542	4.0
	16	539	558	228	104	241	319	199	214	215	310	307	305	290	297	562	240	253	235	304	315	560	333	161	536	284	208	222	215	206	193	250	4.1
TIME)	15	231	221	220	316	284	317	197	212	221	327	301	305	562	592	308	515	992	230	305	341	321	303	105	207	300	526	221	196	211	202	250	4.6
DARD	14	224	217	215	309	280	321	207	201	224	312	291	312	312	251	862	278	277	232	252	343	331	320	307	205	359	218	519	199	207	212	842	4.7
STAN	13	220	224	569	319	278	333	217	203	221	329	283	345	326	245	325	291	589	536	240	594	310	313	58	519	348	508	219	179	213	549	253	4.2
LOCAL	15	238	516	319	322	284	8	184	207	223	307	300	325	322	275	304	274	286	223	223	310	207	359	180	211	325	201	212	202	208	200	942	3.9
OUR .	=	522	207	333	332	287	349	172	204	207	323	300	3	4	217	300	293	285	203	224	319	200	353	221	194	344	210	204	204	220	192	233	3.4
_	10	338	201	313	320	251	9	172	208	201	4.1	350	55	9	210	314	290	231	198	214	356	322	56	213	357	328	61	192	189	189	201	516	2.B
	6	63	202	285	7	241	19	19	202	190	301	82	98	80	191	35	204	508	201	211	281	99	11	208	***	287	101	161	183	224	201	199	5.4
	œ	144	182	290	163	201	117	119	85	169	252	150	196	4 0	147	539	231	203	201	207	272	217	132	199	318	586	101	180	172	222	207	189	5.6
	1	139	197	307	200	192	170	127	135	181	301	191	225	09	297	200	188	502	205	198	566	99	230	204	189	347	135	179	173	150	156	189	2.1
	9	961	802	133	179	202	315	119	199	164	592	166	267	243	241	176	217	215	208	161	291	52	293	214	183	333	173	175	173	155	9.6	193	2.5
	S	165	151	185	143	546	315	157	961	156	962	143	662	311	194	163	145	231	208	201	309	302	332	544	170	215	315	161	180	151	96	183	1.8
	4	164	169	102	158	138	273	124	213	166	306	176	248	293	196	1 4 1	139	188	211	204	262	8	564	210	149	248	297	171	172	191	115	182	2.2
	е	175	151	115	156	125	139	118	174	==	350	220	319	556	161	169	122	212	212	208	282	166	195	245	151	549	150	188	169	165	100	178	2.1
	2	161	155	270	207	232	06	140	175	113	307	544	127	564	145	516	123	201	502	205	304	199	177	293	140	148	37	170	159	189	114	182	2.1
	-	203	142	145	279	552	242	122	165	137	329	213	76	592	305	273	4	204	194	185	30	540	210	119	160	114	325	178	196	181	131	182	1.9
	DAY	-	~	3	4	5	9	-	Œ	6	10	=	12	13	14	15	91	11	18	61	20	21	25	23	54	52	92	27	28	62	30	۸D	>

NOTE: \*\*\* = MISSING DATA

C8-TMACT
TRAILER AA23
SEPT 1983
CATHEDMAL BLUFFS SHALE OIL CO.

	¥	=	33	8	1	33	3	33	4	4	-	2	_	2	0	2	=	8	9	e	_	3	0	38	2	-	2	3	_	=	C.	1.4
	PEAK	(*)																														
	AVE	14	=	13	-	Ξ	-	Ξ	12	Ξ	13	7	15	*	15	2	13	25	13	•	15	Ξ	7	15	Ξ	57	-	Э.	2	=	=	13
	24	Ξ	9	54	3	e	17	6	œ	9	13	1	5	ı,n	10	13	=	19	17	4	S	90	11	15	13	6	20	9	6	9	٥	10
	23	11	S	15	1	3	=	9	9	1	S	=	13	CM)	16	*	21	5	60	S	4	13	Ξ	18	4	6	80	6	7	4	•	8 21
	22	11	89	6	8	6	6	1	S	89	-	12	=	16	17	10	1,4	9	00	9	6	15	9	22	9	3	90	5	90	7	ø	10
	21	9	1	6	5	4	=	8	4	7	9	4	9	15	'n	12	13	9	6	30	4	54	S	=	9	2	2	6	9	э	œ	8 54
	50	7	80	-	1	Ξ	'n	6	4	9	9	13	1	4	0.1	9	S	s	30	10	~	9	S	11	æ	•	•	S	9	20	10	11
	19	1	80	-	*	9	1	σ	9	5	1	6	_	9	9	9	S	90	89	10	4	1	s	16	e	'n	e	13	-	30	-	16
	18	10	=	Ξ	21	10	10	10	01	30	_	Ξ	•	=	13	6	6	5	5	6	6	6	э.	6	<b>*</b>	9	_	6	6	•	1	10
	11	23	12	12	15	Ξ	21	Ξ	13	13	13	13	13	12	11	12	13	=	Ξ	•	23	50	19	10	7	Ξ	10	15	15	6	10	23
	91	30	13	15	16	14	56	13	12	13	15	52	21	15	13	91	17	13	50	3	33	22	25	=	15	19	18	=	7	15	13	17
TIME)	15	13	13	Ξ	22	16	14	14	13	7	52	50	27	15	13	15	15	13	13	15	32	35	11	13	*	32	18	Ξ	15	0	6	32
STANDARD	7.	13	12	15	56	14	54	16	14	13	54	13	34	18	Ξ	19	11	14	15	Ξ	14	52	52	6	15	37	17	0.	11	15	σ.	18
	13	11	14	28	54	15	27	22	16	*	17	<b>*</b>	58	17	=	52	16	13	15	13	18	31	53	14	=	22	13	13	16	15	25	118
(LOCAL	12	54	91	19	22	14	33	17	15	7	22	7	30	30	10	16	15	10	*	15	54	33	30	Ξ	53	31	14	13	15	15	1,	19
400H	Ξ	31	12	92	27	13	30	53	0.	12	59	25	37	30	*	23	18	14	13	12	36	54	51	10	(CM)	27	7	15	13	13	13	37
-	10	21	-	27	18	11	22	53	10	13	4 1	02	35	17	Ξ	21	19	91	Ξ	10	35	58	50	10	35	21	52	12	01	14	=	19
	6	50	23	13	10	13	16	12	34	13	54	15	27	35	13	18	71	10	10	6	7	16	91	14	15	22	1	=	Ξ	31	10	34
	20	=	5	=	16	15	6	8	15	23	=	10	<b>J</b>	0.1	~	=	13	6	'n	6	11	00	1	=	9	=	00	3	9	17	-	11 23
	-	1	80	14	11	23	6	-	80	18	٣	14	0	CM)	14	18	=	1	Ξ	7	~	4	3	12	13	7	9	0	13	50	13	10
	9	16	20	15	9	ß	4	12	16	54	15	7.	4	9	14	'n	CM)	58	10	1	S	10	-	31	S	10	00	9	9	9	19	12 31
	ro.	9	89	10	=	21	S	9	11	Ξ	S	6	10	CH)	13	6	91	23	11	0	4	15	4	18	3	6	15	13	15	'n	6	23
	4													_										15								10
	ю	6	9	9	15	9	S	7	10	30	80	80	4	0.1	10	10	'n	Ξ	56	30	S	CM)	12	Ξ	5	*	9	30	Ξ	9	18	6 92
	2	10	12	12	1	2	=	10	30	'n	S	9	10	10	6	2	6	15	17	6	4	7	=	38	80	10	(CM)	00	9	7	9	38
	-	14	12	t	14	2	٦	7	7	6	1	1	51	3	15	4	5	(CM)	15	9	S	(CM)	15	13	12	=	(CM)	8	~	1	30	15
	DAY	-	2	m	4	5	0	1	20	6	10	=	12	13	14	15	16	17	18	61	50	51	55	23	54	52	56	27	28	62	30	Š Ž

CB-FRACT
TRAILER AA23
SEPT 1983
CATHEDHAL BLUFFS SHALE 01L CO.

	PEAK	) + C u = u C 4 C u C u C u C u C u C u C u C u C
	AVE	110000000000000000000000000000000000000
	24	2 2 2 3 3 4 4 4 8 4 8 4 8 4 8 4 8 4 8 4 8 8 8 8
	23	C C C C C C C C C C C C C C C C C C C
	22	20 48 4 4 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	21	10 4 4 5 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5
	50	N N N N N N N N N N N N N N N N N N N
	2	
	18	9 1 2 8 9 8 9 7 9 2 7 8 8 8 8 8 9 9 8 7 8 8 9 9 9 9 9 9 9 9
	11	52 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	16	3.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7.5 - 7
TIME)	15	35 88 50 5 6 3 5 7 4 7 6 3 3 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
STANDARD	<b>*</b>	6 4 4 6 6 6 6 7 7 7 8 9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
STAN	13	317.52.52.52.52.52.53.52.53.52.53.53.53.53.53.53.53.53.53.53.53.53.53.
(LOCAL	12	\$ 6 11 1 2 4 8 11 1 4 6 10 6 6 10 11 1 1 1 1 1 1 1 1 1 1 1 1
HOUR	Ξ	34 C4 C2 C4
-	10	36 12 91 8 8 8 8 4 7 8 6 0 0 8 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	2	9 6 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
	20	2
	-	30 (CE) 23 (CE
	9	4
	5	10000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	*	20 CE 2 1 1 1 3 4 4 6 8 CE 2 2 2 1 1 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	m	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	~	409622777989547885742667417475
	-	54 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	DAY	7

64

CB-THACT TRAILER AA23 SEPT 1983 CATHEDHAL BLUFFS SHALE OIL CO.

	PEAK	54	18	51	54	17	32	21	30	19	31	52	35	58	33	19	50	19	43	=	4	32	28	27	36	34	50	15	15	23	20		**
	AVE	Ξ	Ξ	10	13	6	13	3	12	6	15	0.	15	=	15	0.	0	5	Ξ	-	14	15	=	13	Ξ	15	30	_	1	30	3	=	:
	54	30	15	50	4	4	0	٥	9	6	13	1	9	6	9	01	10	16	9	4	(CM)	6	27	18	e	(CM)	9	-	80	9	e	0	27
	23	6	S	10	4	13	=	9	4	9	4	6	_	28	33	4	13	e	9	S	14	-1	4	56	0	12	9	8	4	9	~	9	33
	22	13	7.	1	50	6	9	4	4	1	10	9	30	*	16	80	'n	2	9	9	30	50	4	14	0.7	'n	_	2	S	_	~	α	50
	21	4	S	89	10	9	20	1	3	4	9	0	9	9	4	Ξ	æ	4	9	~	4	25	۳	12	21	9	N	4	4	9	ະກ	1	25
	20	4	٥	'n	9	30	01	1	2	~	13	15	_	2	1	٥	-	9	s	0	4	~	N	23	9	9	2	٣	*	9	~	4	23
	2	2	1	S	S	e	01	1	4	2	9	07	4	m	9	4	2	4	S	_	4	4	2	18	2	e	~	9	4	9	4	ır	18
	18	20	20	6	50	1	3	1	_	7	S	01	9	20	10	1	9	_	7	00	30	_	9	1	=	4	S	-	90	_	4	æ	50
	11	91	3	6	91	10	7	•	10	10	Ξ	13	10	0	18	6	=	9	6	9	61	16	50	6	=	6	6	6	3	1	7	=	50
	16	54	Ξ	6	15	.13	14	Ξ	10	10	15	52	19	•	12	*	13	Ξ	18	20	56	50	19	0.	13	19	13	•	15	σ.	10	14	56
TIME)	15	11	Ξ	8	91	12	13	=	=	10	51	15	35	14	Ξ	13	12	10	=	6	59	54	13	14	12	22	15	89	14	1	-	*	32
DARD	<u>*</u>	11	01	13	23	=	18	14	-	=	18	12	28	14	6	15	14	12	=	6	4 4	23	11	9	80	58	14	8	15	10	1	5	44
STANDARD	13	13	=	21	54	=	88	61	12	15	14	Ξ	92	12	89	19	75	10	13	=	14	30	56	=	80	18	15	15	15	<u>*</u>	50	4	30
LOCAL	15	50	14	11	18	12	62	15	12	15	18	15	56	27	5	12	13	6	12	10	19	23.	88	6	11	34	=	10	15	91	12	16	34
HOUR C	Ξ	54	10	19	91	10	52	18	0	=	55	PΙ	28	18	=	18	15	13	12	=	36	-	18	9	19	53	13	Ξ	=	12	2	7	36
Ī	10	22	6	11	17	14	27	21	9	10	30	25	27	50	10	67	13	12	6	8	30	32	16	7	36	61	0.7	10	1	=	6	1.7	99
	0	17	13	10	14	12	14	Ξ	52	15	31	16	18	58	12	91	50	30	6	~	23	61	10	=	CM)	16	0.1	8	5	23	-	2	31
	20	S	5	<b>J</b>	54	10	4	4	30	18	=	٥	4	<b>J</b>	9	12	_	9	_	~	15	o	~	30	54 (	4	S	_	٣	7	16	9	30
	-	10	16	6	10	4	9	4	27	6	3	=	ď	9	14	6	9	4	30	4	S	0.1	9	30	6	0	2	9	3	15	01	α	27
	•	10	18	8	S	E	9	1	52	9	7	9	2	9	0.1	S	19	5	0	4	4	9	0	27	4	4	9	e	٣	٣	15	α	27
	un .	4	12	2	15	17	0	9	52	•	4	-	2	0	10	9	8	13	6	S	2	15	0	54	S	8	*	Ξ	9	~	-	α	52
	•	9	11	2	6	S	6	2	27	4	4	9	S	2	53	9	3	19	18	4	9	11	9	1	_	30	3	2	2	-	9	3	27
	6	4	7 7	4	6	4	6	9	•	6	=	9	S	2	21	7	4	15	58	S	4	_	30	S	10	9	9	9	٣	2	61	1	58
	2	10	17	6	9	13	32	4	9	61	6	9	2	2	13	1	1	10	7	9	3	4	15	19	7	S	2	9	4	2	~	0	32
	-	6	10	3	14	10	5	14	3	1	12	10	1	4	=	5	90	15	43	5	4	90	10	91	12	11	0	9	-	9	6	0	4.3
	DAY	1	2	3	4	5	9	7	89	6	10	11	12	13	14	15	16	11	18	19	50	21	22	23	54	52	56	27	58	58	30	> 4	ž

	AVE	25	20	5	15	Ξ	57	20	18	18	18	18	1.8	18	=	=	18	5	5	-	~,	5	Ξ	15	=	-	15	7	15	=	or .	,	•	
	54	14	13	=	=	14	14	16	16	16	12	13	13	14	12	=	*	14	14	-	-	00	13	=	6	10	Ξ	10	13	80	00	20	16	-
	23	19	7 4	Ξ	12	15	15	16	17	17	13	13	14	16	12	13	<del>*</del>	7	11	~	-	00	13	0.1	6	=	13	Ξ	13	30	~	2	16	-
	22	21	15	13	13	7 7	16	17	17	18	15	16	16	16	13	7.	16	16	11	3	2	90	13	0.7	10	13	4	12	13	٥	-	13	21	2
	23	22	16	18	13	17	17	17	17	18	17	17	11	17	13	16	11	91	18	4	4	•	13	=	1	13	<u>+</u>	13	7	6	80	4.	22	4
	50	23	18	21	14	17	61	19	18	19	18	5	18	19	7	11	18	91	18	_	4	11	13	12	12	7 4	16	13	14	5	<b>x</b> 0	36	53	4
	5	52	61	54	91	77	23	55	50	21	51	25	25	55	18	50	50	51	18	0.7	1	13	16	13	14	16	11	14	16	12	30	3	25.5	-
	18	27	27	27	51	23	27	52	23	23	54	52	54	52	61	23	23	23	25	*	=	11	50	15	17	18	19	17	19	7 *	10	2	27	10
	1.	53	28	28	18	54	58	97	54	56	56	27	56	56	18	54	56	52	54	11	12	51	25	16	11	25	51	19	21	18	Ξ	00	53	=
	16	58	58	28	18	52	82	58	52	56	27	27	21	27	54	52	56	54	23	19	15	51	23	14	18	2	25	19	25	18	Ξ	23	53	=
TIME)	15	28	28	28	21	52	58	58	52	27	27	27	27	27	54	56	56	52	52	18	12	21	23	15	19	21	54	19	22	18	6	2.5	53	0
STANDARD	<b>±</b>	59	28	58	22	54	28	30	54	56	56	27	27	27	22	52	56	52°	56	14	Ξ	50	23	10	18	21	53	19	21	18	•	23	30	•
	13	31	28	27	61	54	27	53	54	52	52	56	56	27	19	54	52	56	56	20	90	19	53	15	18	21	22	50	51	19	10	25	31	90
(LOCAL	12	30	58	52	20	23	56	53	53	54	54	56	54	27	25	23	58	52	54	23	80	18	22	=	18	25	22	19	19	19	=	25	30	100
HOOH	Ξ	53	27	23	19	25	54	58	21	53	25	54	23	54	54	25	23	54	23	25	9	16	61	12	11	19	21	17	19	18	٥	10	53	9
-	10	28	24	19	17	50	22	27	18	23	19	55	7	51	51	5	25	54	23	2	3	13	16	17	16	11	61	16	11	18	•	0	28	٣
	•	54	21	91	14	18	17	25	16	21	16	18	11	11	51	-1	18	50	19	19	0	20	=	16	13	13	*	14	16	91	00	4	24	0
	œ.	20	11	13	13	13	13	18	<u>+</u>	16	Ξ	13	15	15	16	13	14	17	17	11	-3	2	_	14	Ξ	6	13	13	15	13	•	13	50	-3
	-	16	15	14	10	6	10	14	13	12	6	5	90	60	7 7	5	0.7	16	14	15	-1	-5	n,	12	Ξ	9	12	=	89	5	•	10	16	
	٥	15	*	13	10	6	80	13	13	12	6	6	30	90	16	•	00	13	15	15	-	-5	3	-	1	9	6	6	20	-	0	0 1	16	-1
	S	7	*	12	6	9	5	13	13	13	Ξ	Ξ	9	10	11	6	6	*	14	9 [	9	7	9	6	=	-	80	•	-	1	6	10	17	9-
	*	14	14	Ξ	6	6	6	13	13	14	15	10	80	10	16	10	=	7	14	91	4	7	4	11	10	-	69	6	80	=	90	10	16	4
	m	14	14	12	10	=	12	13	14	13	13	11	=	Ξ	16	10	=	16	14	16	F-	7	9	11	01	-	60	6	6	12	90	-	16	-3
	~	14	14	12	10	Ξ	15	12	4	14	14	15	=	15	14	Ξ	15	16	14	16	-5	7	1	15	10	90	89	=	6	13	80	=	16	-5
	-	14	14	13	Ξ	12	14	14	15	*	15	12	13	13	14	12	=	16	13	16	0	0	80	12	-	90	6	12	10	13	œ	15	16	9
	DAY	-	2	٦	4	·S	9	-	30	3	10	=	12	13	41	15	91	11	18	19	50	21	55	63	54	52	56	27	58	53	30	> 4	PK	Z

N 3 0 N F 0 3 B 0 B B B B B B F F B 0 0 4 M 0 M N M 4 N 4 N 4 O

31

1-

MONTHLY MINIMUM =

E PEAK

CB-THACF THAILEH AA23 SEPT 1943 CATHEDWAL BLUFFS SHALE OIL CO.

JAY

# STANDARD TIME) HOUR (LOCAL

00

CB-TRACT TRAILER-AA23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL

> X X

II- 340

DAY

		PEAK	28	27	10	23	27	28	23	2 4	26	56	56	23	24	54	52	24	21:	10	22	16	18	2	55	18	2 .	91	0.		28
		AVE	25	50	5 2	11	61	51	18	2 7	10	18	61	18	-1	2	20	61	<u>*</u> :	v =	*	13	13	+	16	4	15	4	•	16	
		54	15	<b>*</b> :	3 5	16	11	16	91	9 1	15	15	16	13	13	16	16	91	N C	u o	. 4	=	10	=	15	13	13	•	•	13	11
OH CO.		23	19	15	- 4	16	11	16	17	B	15	16	18	13	4	11	11	18	m (	v o	16	=	11	12	13	13	*	,	œ	*	5.0
		22	25	91	2 4	16	18	17	91	61	17	11	18	15	16	18	18	17	ტ .	4 0	16	11		13	15	4	*1	۱ ر	-	14	25
S SHALE		21	23	17	5 5	18	18	11	18	17	18	18	19	14	18	18	61	18	so .	• =	16	11	12	14	16	*	*		30	15	23
CB-INAC! TRAILER AA23 SEPT 1983 CATHEDRAL BLUFFS		50	53	18	2 9	51	12	61	81	7 2	02	61	50	91	91		61	8	۰ و	٥ -	9	12	+1	9	-1	*	<u>.</u>	,	00	91	23
FRAILER AA23 SEPT 1983 CATHEDRAL BL		61		61																											24
TRAILER AAS SEPT 1983 CATHEDRAL		18		26 1																											27 2
J <del>-</del>			Ť																												
		11		27																											28
		16	28	27	18	23	27	27	23	200	26	26	56	23	54	24	23	25	18	10	22	14	17	50	21	18	212	9 :	0	22	58
	TIME	15	27	27	202	23	27	. 28	23	2,0	26	56	92	23	54	54	54	23	18	2	22	12	18	19	22	18	51	8	•	22	28
	STANDARD TIME	4	28	27	5 2	23	56	58	23	* 4	25	24	56	21	23	54	54	2	15		22	5	11	19	21	18	20	97	00	21	58
		13	28	27	18	22	92	58	25	300	24	54	56	19	53	5.5	25	53	21	- 81	212	14	11	19	51	8	6	97	•	21	28
	(LOCAL	15	58	56	18	22	54	58	25	รูร	24	23	92	22	22	23	54	63	2.	9 4	50	=	17	19	77	18	8 9	9 :	01	21	58
	HOOH	Ξ	28	56	1.8	21	23	27	5 6	20	23	22	23	23	21	22	23	25	2	- 1	19	=	16	18	20	91	9 :	-	3	20	28
		07	27	24	1 2	19	21	56	17	77	22	19	51	21	19	2	23	51	5	7 -	14	16	15	16	18	91	17	1	00	18	27
		3	54	21	0 4	11	18	55	91	17	5	1.1	17	20	11	18	50	67	9 :	u a	15	91	13	13	15	4	9 .	0	00	16	24
		20	21	61	<u> </u>	14	15	61	4.	200	16	13	13	17	14	16	18	-	- 1	# 17 	0 00	7	-	0	13	13	5.	5	<b>o</b>	13	21
		-	11	17	2 =	13	12	11	13	4 =	12	10	10	15	15	13	1.	91	16	o -	. 4	13	=	80	13	=	7:	= '	•	12	11
		9	11	17	2 2	11	11	16	13	* -	12	6	~	11	-	=	16	91	91	0 -	• 15	12	11	8	=	=	=:	1:	01	11	17
<u> </u>		ın	18	97	2 =	::	11	98	13	0 0	15	10	11	18	=	15	16	9	91	r -	0	12	11	30	07	11	<b>5</b> (	7	01	11	18
D.			11	92	2 =	2	2	91	e .	0.0	1 ~	N	=	1.1	2	3	9	9	~ .	÷		21	=	9	0	0	= :	2	0	2	-
20		e	1	s r	20	N	m	9	4	* 17	1 4	N	a						- 1		. 20										11
DEGREE C		2	8 1	9 0	200	2	4	5	4	0 4	4	3	3 1								• 30										18
- 3		_	7 1	100	0 0		9	9	4 .		3																				
			-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	~		9	-	-		-	-		-		-	17

MONTHLY MINIMUM =

\$ 7 £

		AVE	-30	-21	-56	-12	-1	-35	-225	-65	-61	-103	-95	٣	-24	6	-46	-56	162	23	36	= '	·	1 2	- 34	2 *	- 70	2-	-39		
• 00		54	11	-17	-244	100	278	-100	117-	144	9	139	144	133	83	11	128		00	55	133	7	3 0	000	2 4 4 5	-11	76	33	4 4	278	-244
01L C		23	-139	-36	68-	11	194	-61	8//-	228	156	44-	217	156	-139	18	200	==	111	100	156	33	9	0	1 70	11	22	12	56	228	-178
SHALE		22	7	-94	106	22	83	-72	-533	-144	-150	44-	-206	189	44-	150	228	-78	156	128	506	26	9	2 6	000	9	7	28	14	228	-533
5 4 5		21	-194	-183	161	9-	-222	19-	100	-128	-556	39	-350	18	-39	-25	272		7	189	211	58	100	60	100	333	7	9	-24	272	-556
< ∞		20	-50	167	12	9-	-72	46-	70.	-22	-139	-155	-361	33	19	26	128	-128	100	267	558	9	178	4	1 1	19	-30	=	15	267	-361
CHATRACT FRAILER A SEPT 198		19	44-	- 19	-128	-478	-167	-56	# 15 # 15 	-117	-194	-611	-383	-25	7	-178	= :	19-	000	61	63	7	200	5 ,		-78	-56	Ξ	-89	83	-611
CB- TRA SEP CAT		18	-100	-128	-156	-122	-128	-106	111	-106	-206	-367	-111	44-	-11	-133	44-	16-	-133	-106	68-	-61	82-	3.5	200	68-	-100	44	-108	-33	-367
		17	-128	-156	-167	-156	-167	+6-	-139	-133	-167	-300	-167	-25	-139	-172	76-	-172	-183	-200	-156	69-	-61	***	101	-133	40-	-72	-138	-25	-300
	_	16	-167	-178	68-	-183	-167	-122	-183	-172	-206	-372	-189	-150	-172	-172	68-	-267	-211	-178	-178	-100	400	971-	200	-178	-300	-83	-174	-83	-372
	TIME	15	-128	-200	-133	-222	-200	-128	002-	-250	-172	-228	-172	-144	-194	-194	-256	-183	-211	-178	-167	-78	-128	-133	117	-178	-261	-67	-177	-67	-261
	STANDARD	14	-139	-178	-211	-217	-194	-172	-300	-200	-183	-233	-256	-94	-189	-194	-217	-200	1250	-178	-172	-61	= :	191	101	-172	-133	-56	-176	22	-300
		13	-222	-172	-144	-183	-172	-161	2222	-239	-194	-211	-394	-50	-206	-194	-283	-200	291	-183	-217	-63	-166	597-	0 0 0	-156	-144	-12	-194	-50	-500
	CLUCAL	15	-206	-189	-178	-144	-272	-133	447-	-194	-178	-189	-189	-539	-167	-183	-261	-161	371-	-172	-172	-25		197-	***	-178	-294	-106	-182	-22	-594
	HOUR	Ξ	-161	-255	-233	-367	-364	-100	133	-233	-250	-594	-211	-156	-178	-506	444-	-111	-267	-167	-144	-61	-133	117-	221	-150	-222	-67	-201	-61	444-
		10	-122	-133	-150	-156	-111	-83	1361	-111	-133	-594	-150	-78	-144	-117	-144	-63	-178	-89	-100	-63	-139	971-	0 0	-156	-150	44-	-156	44-	-117
		0	-17	-72	-56	-206	44-	-11	1450	144	-144	19-	-106	-50	7	-11	-67	-61	120	-	20	-67	7	= :		441	76-	-28	-19	20	-525
		00	28	167	33	-33	150	-144	123	-22	20	-56	9	33	106	18	-350	-56	100	56	96	55-	5	200	23	83	-106		9-	167	-350
Σ		7	78	144	67	278	83	25	1 20	95	200	17	106	33	194	300	-183	28	30	183	161	58	22	139	000	267	33	=	93	300	-183
60-10M		9	19	161	167	183	178	67	9 -	100	594	19	100	18	167	267	183	36	-	506	189	72	200	139	101	267	28	33	122	594	9
TURE		S	189	111	67	506	128	217	1 20	72	78	106	11	9-	183	267	96	72	7 -	150	172	172	82.	128	101	222	83	20	107	267	-11
*100		4	183	117	61	156	83	189	77-	33	167	239	106	39	139	539	96	72	- 24	183	217	172	93	001	100	278	39	100	114	278	-28
DELTA TEMPENATURE DEGNEE C*100		e	128	100	-11	-11	-167	20	68-	-33	206	1117	45	28	19	183	4	18	200	100	133	189	58	117	100	183	=	1117	7.1	211	-167
DEC		2		122					•																						-150
		-	183	122	-33	-244	156	506	822-	-12	56	133	72	133	111	544	-17	==	12	178	172	150	9	9 2	155	239	22	19	75	544	-244
		A		N M	4	2	9	-	20 0	0	-	N	3	4	2	9	-	00 0	-	-	2	m.	+ :	0	0 1	- 00	0	2	>	×	Z

PEAK

DAY

300

4 1 E

TAMEN	- NAME	
STANDADO	SANDARD	
140017		
91107		

CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

PEAK	000 000 000 000 000 000 000 000 000 00	408
AVE	799 799 799 799 799 799 799 799 799 799	196
54	900 900 900 900 900 900 900 900 900 900	797 802 791
23	7997 7977 7977 7977 7977 7977 7977 797	796 802 791
22	799 799 799 799 799 799 799 799 799 799	796 802 791
21	798 793 793 795 795 795 795 797 797 797 797 797 797	796 802 791
20	798 799 799 799 799 799 799 799 799 799	796 802 791
19	797 792 793 793 794 795 795 796 797 797 797 797 797 797 797 797 797	795 801 791
18	797 7792 7792 7793 7793 7794 7794 7794 7794 7794 7794	795 801 791
11	795 795 795 795 795 795 795 796 797 797 797 797 797 797 797 797 797	795 801 791
16	7996 7957 7957 7957 7957 7957 7957 7957	795 801 791
15	7996 7996 7997 7997 7997 7998 7998 7998	795 802 791
4	799 799 799 799 799 799 799 799 799 799	796 802 791
13	799 799 799 799 799 799 799 799 799 799	796 803 790
12	799 799 799 799 799 799 799 799 799 799	796 803 790
=	799 798 797 797 797 798 798 798 798 798	797 803 791
10	7988 7794 7794 7794 7795 7798 7798 7794 7794 7794 7794 7794 7795 7795 7795	797 804 791
٠	798 798 798 798 798 798 798 798	797 803 791
<b>6</b> 0	798800 79887 7997 7997 7997 7997 7997 79	797 804 791
1	7988 7998 7993 7993 7995 7996 7997 7997 7997 7998 7998 7998 7998	797 804 791
9	7988 7988 7998 7998 7998 7998 7998 7998	797 803 791
'n	7998 7998 7998 7999 7999 7999 7999 7999	797 803 791
*	7998 7998 7998 7998 7998 7998 7998 7998	796 802 790
m	799 999 999 999 999 999 999 999 999 999	797 802 791
2	799 799 799 799 799 799 799 799 799 799	797 802 791
-	799 799 795 795 795 797 797 797 797 797	797 802 791
DAY	0 4 8 7 9 5 6 7 8 7 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9 8 9	A Q M

190

MONTHLY MINIMUM =

DAY

	TL PEAK	30	20	30
	Ę .	 %	%	95
,	24			-
CB-TRACT TRAILER AB23 SEPT 1983 CATHEDHAL BLUFFS SHALE 01L CO.	. 53			20 ( ) ( ) ( ) ( ) ( ) ( )
ALE 0	25			-
FS SH	21			-
823 3 BLUF	50			-
CB-TRACT TRAILER AB23 SEPT 1983 CATHEDRAL BLUF	19			-
CB-TE TRAIL SEPT CATHE	18		20	50 (
	7.			-
	16		œ	8 8
				_
	14 I4			_
	STAND 13		œ	8 8
	HOUR (LOCAL STANDARD TIME) 11 12 13 14 15			_
	11 (L	88		28 ( 28
	10 I			-
	•			-
	œ	30		30 (
	-			-
	ø			-
	v.			-
NO	4			-
ITATI	e			-
PRECIPITATION CM*100	~			
à 0				-

± ₹

ᆵ

DAY

CB-TRACT
TRAILER AA23
SEPT 1983
OCCIDENTAL OIL SHALE, INC.

	AVE		
	24		
	23		
	22	<b>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</b>	
	21	<b>⊕ E B B E E E E E E E E E E E E E E E E </b>	
	20	O B F F B B O O O U D A A B B B B B F C O O F B B B B F F F B C B C D C D C B B B F F F B C B C B C D C D C B B B C B C B C B C	
	19		
	18		
	11		
	16	«UU®®®UUU®®®AA®®®®A	
ME)	15	######################################	
30 11	<b>*</b>		
HOUR (LOCAL STANDARD TIME)	13	B∪B <b<bb<b<b<b<b<b<b<b<b<b<b<b<b<b </b<bb<b<b<b<b<b<b<b<b<b<b<b<b<b  B <b<b<b<b<b </b<b<b<b<b  B <b<b<b<b </b<b<b<b  B <b<b </b<b  B <b </b 	
CAL S	12		
R (LO	Ξ		
НОП	10	< 0 < < 0 < 0 < 0 < < < < < < < < < < <	
	6	ww00000w<00<00w 0000w 0	
	00	<b>またとこのにはまたを与りままたのです。○</b>	
	7		
	•		
	2		
	4		
	9		
	2		
	-		
	DAY	A A C E C C C C C C C C C C C C C C C C	

NITRI	C 0X1	NITRIC OXIDE (NO)	2											CATH	EDRAL	BLUF	FS SF	CATHEDRAL BLUFFS SHALE OIL	=
				TRAILER		AB23	•	PERTOD( 9/01/83 TO	9/01	/83 1		9/30/83)	2						
101111111111111111111111111111111111111	z	NNE	NE.	ENE	ш	ESE	SE	SSE	DIRES	DIRECTION	3	MSM	3	3 2 3	3 Z	NNW CALM	ALM	TOTAL	
CONCENTRALION MAX UG/M**3	-	2	-	-	-	N.	2	~	2	2	-	-	-	2	2	-	~		
61 65.	٥	0	5	0	0	э		c			D	۰	0	٥	D	ь		Ď	
60 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
55 60. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
50 55. :	С	C	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	0	
: *05 - *5*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
: -54 04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
35 40. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
30 35. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
25 30. :	0	c	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	0	
20 25. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
15 20. :	0	0	0	0	0	0	0	0	0	o	0	0	0	0	0	0	0	0	
10 15. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5 10. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LT 5.:	13	15	6	54	51	52	33	0 4	12 1	145 1	155	35	27	45	20	28	=	715	
TOTAL	13	15	•	24	21	25	33	40	72 1	145 1	122	35	27	45	50	28	=	715	
MEAN CONC.	0	0	D	0	0	0	0	o	0	0	5	0	0	0	ъ	0	0	0	
			-																

0 = NO OBSERVATIONS

(10/19/83-RPI)

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

OXIDES OF NITROGEN (NOX)

CATHEDRAL BLUFFS SHALE OIL

					THAILEP	EP	AB23		PERTOD( 9/01/83 TO	16 )	01/83		9/30/831	33)						
		z	NA E	NE	ENE	Œ.	E SE	SE	SSE S SSW	0 01	RECTIC	MS NC	M S M	3	3 2 3	3	3 2	NNW CALM		TOTAL
UG/M**3	7	e	3	e.	*1	m	e	m	3	er)	e	e	е	6	e	S	e	ED.		
	:	: '	: '	•	:				:								•	٠	: .	
• 60 10		=	0	0	-	0	5	-	-	>	-	•	5	5	-	•	>	-		>
60 65.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	•	••	0
55 60.		c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
50 55.		c	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0		0
45 50.		0	0	0	0	0	0	0	0	0	o	0	0	0	0	0	0	•		0
40 45. :		С	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0		0
35 40. :		c	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
30 35.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
25 30.	30. :	0	0	0	0	0	0	0		ó	0	0	0	0	0	0	0	0		0
20 25. :		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15 20. :		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.	0		0
10 15. :		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 10.	10.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	•		-
Lf 5.		13	15	6	54	21	52	33	4 0	12	145	122	35	27	45	64	28	=		714
TOTAL		=	15	6	54	21	52	33	0 4	72		122	35	27	45	50	28	=		715
MEAN CONC.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	~		-		-
	0	0N =	= NO DBSERVATIONS	RVAT	SNO															

(10/19/83-RP1)

Z	ITRO	GEN D	NITROGEN DIOXIDE (NO2)	CNO	2)		6004		07 607 1070 7001030	0	1,03		100,00,0	6	CAT	1E DR A	CATHEDRAL BLUFFS SHALE OIL	FS S	HALE	010
					TA ILE		ABCS		MIND	DIR	FCTIO		2/30/6	5						
TAGLICATION	100	z	NNE	NE.	ENE	ш	ESE	SE	SSE S SW	S	SSW	NS	MSM	3	3 2 3	ž	NNW CALM	ALM	TOTAL	AL
UG/M**3	3	-	E	-	٣	-	-	٣	e e	е	е	e .	-	-	٣	~	е	6		
61 65.		0	0	9	0	0	9	2	0	0	0	•	0	0	0	۰	0	9		9
60 65.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
55 60.		0	0	0	0	0	0	0	0	9	0	0	0	0	0	0	0	0		0
50 55.		0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
45 50.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
40 45.		0	c	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		9
35 40.		0	0	0	0	C	0	0	0	0	0	0	0	0	0	0	0	0	••	0
30 35.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
25 30.		0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	••	0
20 25.		С	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15 20.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 15.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5 10.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	О	0		0
LT 5.		13	15	6	54	12	52	33	0.4	7.5	145	122	35	27	45	20	28	Ξ		715
TOTAL	:	13	15	5	24	₹:	25	33	4.0	72	145	122	35	27	45	50	28	=	-:	715
ME AN CONC.		С	0	0	0	0	9	0	-	9	0	0	9	0	0	0	0	0		0
	0	ON II	0 = NO OBSERVATIONS	VATIC	SNC						•									

0 = NO OBSERVATION

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

NAME NE ENE ENE E SE	N   N   N   N   N   N   N   N   N   N	OZONE	020NE (03)													CATH	CATHEDRAL BLUFFS SHALE OIL	BLUF	FS SI	HALE
N NNE NE ENE ENE ESSE SE SE SE SE NIND DIRECTION WIND WIND NIND DIRECTION WIND WIND NIND DIRECTION WIND WIND NIND NIND DIRECTION WIND WIND WIND NIND NIND NIND NIND NIN	NNE   NE   ENE   ENE   SE   SE   SE					THAILE		AH23		PER I OU	0/6 )(	1/83		1/30/8	3)					
40         64         64         64         64         64         101         115         111         88         99         82         82         82         82         83         82         82         82         83         82         82         82         83         83         82         82         83         83         83         84         84         101         115         111         88         99         82         83         83         83         83         83         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         84         <	40         64         64         64         64         94         101         115         111         88         99         82         82         0           0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0				NE.	ENE	•	ESE	SE	SSE	40 DIR	SSW	N SW	MSM	3	3 2 3		300	ALM	TOTAL
1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	UG/M##3			68	80	90	99	3.5	:	96	101	115	= :	88	66	82		•	
1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	GT 140. :	0	0	0	Þ	0	0	0		0	0	0	0	0	0	0	•	0	
- 130. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 130. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30 140. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	1         0         0         0         0         4         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0		0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	
1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	1         0         0         0         0         1         5         2         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	10 120. :	0	0	0	0	0	0	0	0	0	0	4	-	0	0	0	0	0	
- 100. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 100. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 110. :	0	0	0	0	0	0	0	0	0	-	2	2	0	0	0	0	0	
- 90. : 2 2 2 0 2 1 2 4 2 2 10 7 2 1 1 1 6 10 1 1 1 6 10 1 1 1 1 1 1 1 1 1	- 90. 1 2 2 2 2 0 2 1 4 5 2 2 1 0 7 2 10 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	0	0	0	0	0	0	0	0	~	4	œ	6	0	-	0	0	0	: 18
- 70. : 1 1 1 0 1 4 5 2 3 6 10 10 1 1 1 6 16 16 1   - 70. : 0 0 0 1 2 3 1 4 0 0 3 4 1 2 2 3 4 1 6 10 10 1 1 1 6 16 16 16 16 16 16 16 16 16 16 1	- 80. : 1 1 1 0 1 4 5 2 3 9 10 10 10 1 1 6 16 6 9 9 9 9 1 1 1 1 1 1 1 1 1 1	1	2	2	0	2	-	2	4	2	2	10	7	2	-	-	9	2	0	4 6
- 60. : 0 0 1 2 3 3 8 8 12 12 10 2 2 4 3 0 0 0 0 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 70. : 0 0 0 1 2 3 3 8 8 8 12 12 10 2 2 2 4 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-	-	0	-	4	5	2	6	9	10	10	-	-	9	16	9	0	: 73
- 60. : 0 2 0 3 1 4 0 0 3 4 1 2 2 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	,	0	0	-	2	3	e	80	æ	12.	12	10	2	2	4	m	0	0	. 70
50.: 2 0 0 0 3 0 0 0 1 0 1 4 3 2 0 0 0 1 30.0 0 1 40.1 40.2 50.0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	50. : 2 0 0 0 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	0	2	0	9	-	4	0	0		4	-	2	2	6	0	0	0	: 25
40.: 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0	40.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	~	0	0	6	0	0	0	-	0	-	4	6	2	0	0	~	0	-
30.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	30.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	1	0	0	0	0	-	0	0	0	0	
20.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	Ó	0	-	0	0	0	0	0	0	0	0	0	••
: 5 5 1 11 9 14 14 15 25 42 49 16 9 15 25	: 5 5 1 11 9 14 14 15 25 42 49 16 9 15 25 9 0 2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2. 2. 0. 4. 3. 5. 5. 6. 9. 16. 19. 6. 3. 6. 9. 3. 0.	TOTAL :	5		-	=	5	1,4	1,4	15	25	42	64	16	6	15	55	6	•	564
2. 2. 0. 4. 3. 3. 5. 6. 3. 10. 19. 0. 3. 0. 3.		PERCENT	2						5.		6	16.	19.	•	3.	•	6	3.	.0	100.

0 = NO OHSERVATIONS

CAR	NOS	CARBON MONOXIDE (CU)	E (CO)											CATH	EDRAL	BLUF	FS SH	CATHEDRAL BLUFFS SHALE OIL	
				TRAILEH		AB23	_	PERIOD( 9/01/83 TO	0/6 )	11/83	10	9/30/83)	(8)						
		N NNE	Ä	ENE	ш	ESE	SE	SSE	D DIA	SSE S SSW	NS N	MSM	3	3 2 3	3 2	NNW CALM		TOTAL	
CONCENTRATION MAX UG/M*+3		45 45		45	45	45	45	4.5	4.5	45	45		45	45	4.5	4.5	45		
GT 1300.		0	0	э	0	0	0	c	9	o	0	٥	0	۰	•	0		0	
2001300.	**	0 0	0	0	0	9	0	0	0	0	0	0	0	0	0	0	. 0	0	
1001200.	••	0 0	0	0	0	c	0	0	0	0	0	0	0	0	0	0	. 0	0	
0001100.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	
9001000.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HU0 900.	**	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	
700 800.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	
600 700.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	
500 600.	••	0 0	0	0	0	0	0	.0	0	c	0	0	0	0	0	0	. 0	0	
400 500.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	
300 400.		0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	
200 300.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
100 200.	••	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	
LT 100.		13 15	3	54	21	52	33	4 0	12	145	122	35	27	45	51	58	=	716	
TOTAL		13 15	6	24	717	52	33	0.4	72	145	122	35	27.	45	51	28	=	716	
MEAN CONC.		31 32	35	33	35	*	34	36	38	35	34	35	32	32	5.6	32	37	34	
	0	= NO OBSERVATIONS	ERVATI	SNO															

U = NO OBSERVALION

ורב סור	TOTAL	٠	0	0	44	o	0	75	0.	4 0	0	0	35	0	515	715	
		•	**	••	••	••	**	••	••	**	••	••	**	••	••		
CAINEDRAL BLUFFS STALE	NNW CALM	. 0	0	0	-	0	0	3	0	0	0	0	1	0	9	=	
. P.C.	3 0 1 0	•	0	0	4	0	0	-	0	0	0	0	0	0	23	28	
LUNAL	3 0	•	0	0	-	0	0	2	0	0	0	0	4	0	43	50	
4 5	3 O T	0	0	0	-	0	0	5	0	0	0	0	3	0	36	45	
_	38 NJ		0	0	0	0	0	0	0	-	0	0	2	0	54	27	
1/83						0											
9/30/83)	WSW 10		J	Ŭ	2	Ü	0	ß	0	0	0	0		0	27	35	
10	SW 13	-	0	0	9	0	0	12	0	1	0	0	8	0	88	122	
1/83	SSW 13	-	0	0	80	0	0	50	0	12	0	•	4	0	100	145	
0/6 )	9 01R	9	0	0	Ŧ	0	0	14	0	7	0	0	4	0	36	72	
PERTOD( 9/01/83 TO	SSE S SSW 10 15 13	c	0	0	4	0	0	3	0		0	0	2	0	23	4.0	
_	SE 10		0	0	6	0	0	3	0	2	0	0	0	0	52	33	
AH23	FSE 10	•	0	0	-	0	0	e	0	-	0	0	-	0	19	25	
	E .	-	0	9	2	0	0	~	0	-	0	0	3	9	13	21	
TRAILER	ENE 10	٥	0	0	2	0	0	-	0	~	0	0	-	9	19	24	
	NE E	0	0	0	-	0	0	2	0	0	0	0	0	0	9	5	
	NNE 2	9	0	0	0	0	0	0	0	0	0	0	_	0	41	15	
	Z o	· ·		0	С	0	-	0	0	0	0	-	С	0	13	13	
	NOI	:														3	
n	₽ ¥ 3	13.	13.	12.	=	10.	6	Ŧ.	7	6	2	4	3.	۲,	-	۲	
	CONCENTRATION MAX UG/M**3	19	12		0 1	6	8	1	9	9	1 . 4	3	2		17	TOTAL	

0 = NO OBSERVATIONS

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

HYDRO	GEN S	HYDROGEN SULFIDE (H2S)	(H2	(S)										CAT	CATHEDRAL BLUFFS SHALE OIL	L BL	JFFS	SHA	LE 0
				THAILER		ABS3		PERIODI 9/01/83 TO	76 )	01/83		9/30/83)	3						
	z	NNE	N.	ENE	ů.	ESE	SE	SSE S	5 51	DIRECTION	N S W	MSM	3	3 2 3	3	3 2	NNW CALM		TOTAL
CONCENTRALION MAX UG/M**3	4	4	-	4	2	4	٥	ç	٠	80	9	55	2	Z.	9	S	0		
6F 13. :	0	0	0	9	0	•	0	0	0	0	0	0	9	0	0	٥	0		0
12 13. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
111 12. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
10 11. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
9 10. :	0	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	••	0
в 9. :	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	••	-
7 8. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
6 7. :	0	0	0	0	0	0	-	-	~	0	2	0	0	0	-	0	0	••	_
5 6. :	0	c	0	0	0	0	0	0	9	-	0	٣	0	4	9	-	0	••	21
5	6	2	0	e	0	2	-	e	2	14	21	4	0	5	13	4	0	••	77
3 4. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
2 3. :	4	-	0	S	æ	7	S	1	15	27	56	2	-	7	30	4	0	••	125
1 2. :	0	S	2	1	1	4	9	1	9	15	20	1	1.4	11	Ξ	S	0	••	133
LT 1.:	1	7	1	6	Ξ	12	20	22	41	. 87	53	16	12	12	6	15	=	••	351
TOTAL :	1.4	15	6	24	21	25	33	0.4	72	145	122	35	27	45	48	59	=	:	715
MEAN CONC.	-	-	0	-	9	-	-	-	-	-	~	-	0	-	N	-	0		-
0	ON II	= NO OBSERVATIONS	VATIO	SNO						•									

0 = NO OBSERVATIONS

CATHEDRAL BLUFFS SHALE OI		TOTAL		B	3	89	183	273	155	407	
E					••	**	: 0	••	••		
JFFS		VAR	0	۰	0	0	0	0	0	0	
ר. פרו		Z	9	٥	0	-	2	15	æ	53	
HEDRA		2	30	٥	2	2	17	27	4	52	
CAT		3 2 3	-	۰	0	10	16	14	2	45	
	3	3	2	۰	0	E.	4	13	1	27	
	PERIOD( 9/01/83 TO 9/30/83)	MSM	5 4 3 2 3 4 7 8 8 8 5 7 8 6	٥	-	9	6	14	100	35	
	0 01	NO Sw	æ	0	2	32	31	35	20	123	
	1783	WIND DIRECTION	œ	0	-	28	48	46	22	145	
	0/6)	ND DIF	_	0	0	6	33	13	11	7.2	
	ERIOD	SSE	4	0	0	0	12	22	œ	4 0	
		SE	е	0	0	0	2	16	15	33	
	STATION AA23	ESE	~	٥	0	0	0	18	1	52	
	TAFIO	ш	m	0	0	0	-	14	9	12	
	S	ENE	~	Ð	0	9	0	Ξ	13	54	
		Ā	r	0	0	0	~	0	8	5	
EVEL		NNE	4	٥	0	0	e	6	9	15	
10 METER LEVEL		2	S	0	0	1	-	9	9	14	
A.						••	••	••	••		:
10		PFFD	X /SEC	=	=	8	5.		-:		
		WIND SPEED	MAX METERS/SEC	19	θ.	5		<u>:</u>	-	TOTAL	

0 = NO OBSERVATIONS

0. 100.

•

5.

6. 10. 20. 17.

5.

3

2. 2.

PEMCENT

L BLUFFS
CATHEDRAL
•
EVEL
30 METER LEVEL
30

PERIOD( 9/01/83 TO 9/30/83)

STATION AA23

S SHALE OIL

										3	IO OF	WIND DIRECTION	z								
OFFIGO CATA	0		z	NNE	Z Z	ENE	u	ESE	SE	SSE	s	NSS	NS	MSM	3	3 2 3	ž	3 2 2	VAR	TOTAL	
METERS/SEC	EC		1	S	2	6	r.	2	4	π	10	12	12	Ξ	œ	10	12	6	0		
		:																			-
6T 1	=	••	0	0	0	0	0	0	o	0	0	4	e	-	0	0	N	0	0	10	
8 1	::	••	0	0	0	0	0	0	0	-	20	20	19	2	~	2	-	-	0	65	
- *5	9.	••	E)	-	0	0	-	-	0	14	24	57	27	4	6	14	6	0	0	164	
3. =	5.		-	۳	0	-	~	30	16	14	20	82	15	Ξ	2	21	16	4	0	165	
1.	3.	••	60	S	N	10	Ξ	13	12	14	13	23	14	Ξ	00	80	23	13	0	188	
1.1	:		æ	9	S	e.	е	30	13	1	12	10	10	Ξ	10	9	S	10	0	127	
TOTAL			20	15	-	<b>1</b>	-	30	7	50	=	142	88	0 7	34	54	56	28	0	713	
PERCENT	F		3.	۶.	-	۶.	۶.		ģ	7.		20.	12.	•	5.	æ	<b>*</b>	4	•		

0 = NO OBSERVATIONS

FREQUENCY TABLE OF WIND SPEED BY DIRECTION

	2			2	A I I ON	SIALIUN AACS			7/07	183	6 0	PERIOD( 9/01/83 TO 9/30/83)	_						
	2					-		3	0 016		z								
		NNE	Ä	ENE	LLI	ESE	SE	SSE	S	SSW	MS.	MSM	3	3 2 3	3	3 2	VAR	TOTAL	AL.
•	80	œ	-	~	¢	ø	9	٥	12	13	13	15	80	Ξ	13	01	0		
67 11. :	0	0	0	. 0 0 0 0 0 0 0 3 12 6 1 0 1 2 0 0: 25	0	0	0	0	m	12	9	-	0	-	~	۰	0		52
8 11. :	-	0	0	0	0	0	0	ы	15	28	21	Э	5	7	-	-	0		85
5 8. :	1	4	0	0	-	1	-	15	56	53	27	r.	2	15	10	2	0		166
3 5. :	2	-	0	9	4	<b>c</b>	15	11	1.7	22	:	13	9	20	54	9	. 0		166
1 3. :	12	60	2	3	æ	3	13	œ	=	19	13	10	12	9	18	15	. 0		164
11 11 :	4	6	6	9	4	S	6	•	5	10	1	12	10	6	12	2	. 0		111
TOTAL :	20	Ξ	5	00	17	23	38	55	8.1	144	85	4 4	38	58	19	92	0	_	717
PERCENT		2	-	3. 2. 1. 1. 2.	2.	3.	5.	-	<u>:</u>	3. 5. 7. 11. 20. 12.	12.		5.		•	4	0. 100.	-	100.

0 = NO OBSERVATIONS

S SHALE OIL CO.

BLUFF							
C-B TRACT SITE AB23 SEPT 1983 CATHEDRAL	VALUE	999999	10.5 9.4 7.9 1.9	00000	00000 00000 00000	11111111111111111111111111111111111111	4 W U U U U U U U U U U U U U U U U U U
	HOUR (BEG)	22 22 74 4	7.1 1.1 7.	യാസസം	22 22 20 10	450111 100100	
	DAY	00000 0000 0000	00000 00000 00000	ุนน๓๓๓	48044	๓๓๛๛	119
	RANK	<b>⊣</b> 0.64€	⊸nw4n	<b>⊸</b> ળო4ળ	<b>⊸</b> ∪m4n	<b>-</b> -0.64€	  
ш	TIME	~	~	œ	Or.	œ	~
AVERAGE	AVG. T	3 #	24 HR	1 HR	8 H R	1 HR	24 HR
AXIMUM SLIDING	COMPONENT	502	S02	00	00	03	PART

## DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

## SEPTEMBER 1983

GASEOUS PARAMETERS	METEOROLOGICAL PARAMETERS	
NOX: 100 %	WIND SPEED	100 %
NO: 100	10 M: 30 M:	100 %
	60 M:	100
NO2: 100	WIND DIRECTION	
03: 37	10 M:	100
	30 M:	100
CO: 100	60 M:	100
S02: 100	SIGMA HORIZONTAL	
	WIND DIRECTION	
H2S: 100	10 M:	100
	30 M:	100
	60 M:	100
	TEMPERATURE	
	10 M:	100
	30 M:	100
	60 M:	100
	DELTA TEMPERATURE:	100
	RELATIVE HUMIDITY:	100
PARTICULATES: 100 %	SOLAR RADIATION:	100
	BAROMETRIC PRESSURE:	100
	PRECIPITATION:	100



# LIST OF TABLES

		Page
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER	
	Nitric Oxide (NO) at Station AB23	.II-365 .II-366 .II-367 .II-368
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS	
	Wind Speed at Station AA23 - 10 Meter Level Wind Speed at Station AA23 - 30 Meter Level Wind Speed at Station AA23 - 60 Meter Level Wind Direction at Station AA23 - 10 Meter Level Wind Direction at Station AA23 - 30 Meter Level Wind Direction at Station AA23 - 30 Meter Level Wind Direction and Vector Average at Station AA23 - 10 Meter Level Wind Direction and Vector Average at Station AA23 - 30 Meter Level Wind Direction and Vector Average at Station AA23 - 60 Meter Level Sigma Horizontal Wind Direction at Station AA23 - 10 Meter Level Sigma Horizontal Wind Direction at Station AA23 - 30 Meter Level	. II-373 . II-374 . II-375 . II-376 . II-377 . II-378 . II-379 . II-380
	60 Meter Level Ambient Air Temperature at Station AA23 - 10 Meter Level Ambient Air Temperature at Station AA23 - 30 Meter Level Ambient Air Temperature at Station AA23 - 60 Meter Level Delta Temperature (60m - 10m) at Station AA23 Relative Humidity at Station AB23 - 3 Meter Level Solar Radiation at Station AB23 Barometric Pressure at Station AB23 Precipitation at Station AB23 Precipitation at Station AD28 Precipitation at Station AD28	. II -384 . II -385 . II -386 . II -387 . II -388 . II -390 . II -391
	(60m - 10m) at Station AA23	11-332

LIST OF TABLES (Contd)	D
NUMBER OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY CONCENTRATION AND WIND DIRECTION	Page
Nitric Oxide (NO) at Station AB23	.II-394 .II-395 .II-396 .II-397 .II-398
SUMMARY REPORT: FREQUENCY TABLE OF WIND SPEED BY DIRECTION	
Station AA23 - 10 Meter Level	.II-401
FIVE MAXIMUM INDEPENDENT SLIDING AVERAGES, STATION AB23	.11-403
DATA ACQUISITION INSTRUMENT EFFICIENCY, STATION AB23	.II-404

CB-TRACT TRAILER AB23 CCT 1945 CATHEDRAL BLUFFS SHALE OIL CO.

	PE																															
	AVE				-	-	-	-	-	-	-	~	-	-	-	-	-	-	-		- 0	o -	. 0	0	С	C	0	0	0	-	-	
	5.4	~ ^	, 0	٠ ٨	-	2	-	2	-	~	-	-	2		-	7	~	-		2	- 0	٠-	-	0	0	0	-	0	-	-	- ~	J
	23	0 -			0	0	-	0	0	_	-	0	-	-	0	0	0	c	0	0	0 0	o -	• 0	0	0	0	c	0	0	0	0 -	
	22	0 0	-	- 0	-	-	-	0	-	-	-	0	-	-	0	-	-	-	-		0 0	> -	0	0	0	0	0	0	0	-		
	5.1				0	0	0	-	-	-	-	0	-	-	~	~	_	-	0	0	0 0	> -	· c	0	0	0	0	0	0	-		
	50	0 -			0	0	0	-	-	-	-	0	-	-	0	0	-	_	0	-	- 0	= =	0	0	0	0	0	0	0	-		
	13	0 -			0	0	0	-	-		-	0	0	-	0	-	0	-	0	0	0 0	> -	0	0	0	0	0	0	0	-	0 -	
	18		-		-	0	0	0	-	0	-	0	-	0	0	0	0	-	0	-	0 -	- 0	0	0	0	0	0	0	0	-	0 -	
	11	- 0	, -		0	-	-	0	-	~		0	-	-	0	0	-	-	-	-	0 0	o -	. 0	0	0	0	0	0	0	-	- ^	
	9		٠ ،	-	-	0	0	0	-	2	-	0	-	-	-	0	0	0	0		- 0	0	0	0	0	0	0	0	0	-	- ~	
TIME	15	0 -			. 0	-	0	-	0	-	0	0	-	-	~	-	0	-	0	0	0 0	0	0	0	0	0	0	0	0	-	0 -	
STANDARD	4	, and ,		- c	-	0	0	-	-	~	-	0	-	-	0	-	0	0	-	-	0 0	٠.	• 0	0	-	0	0	0	0	0	- <	J
	13	0 0		- 0	0	-	0	-	-	2	-	0	-	-	0	0	-	0	0	-	- 0	> ~		0	(A)	0	0	0	0	-	n	
(LOCAL	15		-	۰.	~	0	-	-	-	(CA)	-	0	-	-	-	0	-	~	-	-	0 -	-	0	~	0	0	0	0	0	(CA)		
HOUR	Ξ		٠ ،	-	• 0	0			0		~	-	(CA)	-	0	0	0	0	-	-	۰.		• 0	-	0	0	0	0	0	(CA)		
_	10	0 0	•	00		-	-	-	-		~	-	0	2	-	0	-	-	-	-		- 0	~	0	2	0	0	0	c	0	~ ~	J
	6				-	-	0	0	0	(CA)	-	-	D	-	-	-	-	-	-	-			-	-	0	0	0	0	c	0		
	90		٠ ،	-	. 0	-	0	-	-	-	-	~	-	-	-	0	-	-	0	0		۰ د	٠.	0	0	0	0	0	0	0		
	1	0	٠,		-	-	9	-	-	o	-	0	4	0	0	0	0	0	-	~		٥ -	۰ د	0	0	0	0	0	0	0	- 1	,
	¢			- 0	-	-	-	0	-	0	0	-	0	-	0	-	-	-	0	-	- 0	0 -	- 0		0	0	0	0	0	0		
	٠,	0 .			۰.	-	0	,,,,,,,	0	0	1	-	~~	-	0	0	0	0	-	-	0	0 -		0	0	0	0	0	0	0		
	4			<	0	-	0	0	0	0	-	-	-	-	0	-	-	-	0	0		0 0	0 0	0	0	0	0	0	0	0	0 -	
	m	- :				-	-	-	0	0	-	0	-	-	-	~	0	-	0	0	0.	- 0	-	0	0	0	0	9	0	0		
	20	0	-					-	0	-	-	~	-	-	-	-	-	0	0	0	- :	c -		0	0	0	0	0	C	~		
	DAY 1 2	0 0	0		- 0			0	1 0	-	-	-	-	0	1	1 1	0 1	1 0	0 0		0 1			0 0	1 0			0 0		0 1		

DAY

24 AVF PFAK

CB-TRACT TRAILER AB23 OCT 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	23	2	0	2	0	0	2	2	2	~:	~	0	~	4	~	2	2	4	4	2	2	2	4	0	2	~	4	2	2	4	7	2	
	25	2	2	2	0	0	0	0	0	2	0	2	0	4	٠.	2	2	2	2	~	2	0	2	2	~	4	~	4	4	4	4	4	
	21	2	0	5	~	2	2	~	2	N (	N.	0	2	4	0	2	0	2	2	2	2	2	2	0	4	^	2	4	2	4	4	9	c
	50	0	0	2	0	0	5	0	2	2	2	0	0	2	2	~	0	0	~	4	2	2	2	2	0	4	~	۸.	2	4	9	4	
	6	~	2	2	0	5	2	0	2	~	2	0	0	۸.	2	2	2	2	4	ç	4	2	2	4	2	4	2	4	4	4	4	4	
	20	2	0	0	2	2	0	2	0	0	2	0	2	4	2	~	2	2	2	6	2	0	2	2	4	2	2	2	4	4	2	4	,
	11	2	~	2	0	2	2	2	2	2	2	0	2	2	2	~	2	2	4	2	2	0	2	0	2	4	4	4	4	8	4	4	
	16	2	0	2	2	2	2	~	2	2	2	~	2	2	2	0	2	2	2	~	2	2	2	0	2	4	~	2	4	4	4	9	
TIME	15	0	0	0	2	2	~	~	~	~	4	~	œ	2	2	2	8	2	~	~	4	2	2	~	~	2	2	2	2	4	4	4	
STANDARD	7	~	0	2	2	۸.	~	0	0	0	4	2	2	2	C.	~	2	~	~	~	4	2	2	2	~	9	4	2	2	9	4	9	
	13	2	~	2	2	~	2	0	4	~	4	~	~	2	2	2	2	2	~	~	4	2	2	~	0	9	CA)	2	2	4	4	30	
(LOCAL	12	2	2	2	2	4	2	2	2	2	CA)	2	2	2	2	2	0	2	2	2	4	2	2	2	2	90	4	4	4	4	4	CA)	
HOUR (	11	2	0	2	4	2	2	~	~	2	CA)	2	4	CA)	2	0	2	2	2	2	80	4	2	2	2	20	4	4	4	4	4	CA) (	
I	10	2	2	2	2	2	2	2	0	4	CA)	2	ç	4	~	0	~	2	2	4	4	2	2	2	2	4	13	4	4	4	4	9	
	•	2	0	2	2	4	2	4	2	4	CA)	2	4	4	4	2	~	2	~	2	ç	2	2	2	2	2	4	2	4	4	4	4	
	œ	~	0	2	2	4	0	0	2	2	4	2	2	4	2	2	2	2	2	2	4	~	4	~	4	~	2	2	2	4	4	9	
	-	0	0	2	9	2	0	0	2	4	~	2	2	90	n.	~	2	2	~	N.	2	4	~	~	4	2	2	2	4	9	4	4	
	ç	0	0	0	2	2	2	С	2	2	~	۸:	~	~	~	0	2	0	0	2	2	2	0	4	4	4	2	2	~	n:	4	4	
	2																																
		2	0	0	2	2	2	0	0	5	2	~	2	2	N	0	2	2	2	2	~	4	0	2	4	2	2	2	4	4	2	4	
	4									2 2																							
		2	2	0	4	~	~	2	2		~	0	~	c	~	2	~	0	2	~	2	4	2	2	2	0	~	~	~	~	4	4	
	4	2 2	2 0	2 0	4 ~	۷ >	≥ 4	2 2	2 2	2	~ ~	2 0	2 2	0 2	2 0	0 2	2 2	2 0	5 4	~	2	4 <	2 2	2 2	2 2	2 0	2 2	> >	~ *	~ 4	4	4	

II- 364

0 4

2 2 6

29

~ 4

2 8

~ 0

2 4

> 4 7, CH-TRACT TRAILER AB23 UCT 1943 CATHEDRAL BLUFFS SHALF 01L CO.

	PF AK	~~==~==	£4474£344X£	2
	AVE	o	N===Nmmmm44 = =	
	54	000000000000000000000000000000000000000	C00000V1+V4VV ~	4
	23	C D D O W O W W C O W W O W W 4 4 W	VV40VV4VV44V N	3
	25	N 630500000000000000	000001011110	4
	21	000000000000000000000000000000000000000	V N V D 4 V V 4 V 4 4 4	4
	20	000000000000000000000000000000000000000	000004000450 -	ع
	19	000000000000000000000000000000000000000	4 / / / / / 4 / 4 4 4 4 / / / / /	£
	20		00074777747700	5
	13	, , , , , , , , , , , , , , , , , , ,	000004444440	89
	16	0 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000400444	4
TIME	15		4 0 0 0 0 0 0 0 0 0 0 4 0 0 0	4
STANDARD	7		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	9
	13		CA 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	9
(LOCAL	12	O O O O O O V S S S C O O O O O O O O O O O O O O O O	CA) + + + + + + + + + + + + + + + + + + +	Q
HOOM	Ξ	CAS CAS COS CAS COS CAS COS CAS CAS CAS CAS CAS CAS CAS CAS CAS CA	C A 4 4 4 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	9
1	10	M	100000404444¢ v	5
	6	0 0 0 0 0 4 0 4 0 4 0 0 0 0 0 0 0 0 0 0	400000404444	4
	20	0 00 4 0 0 00 0 00 0 00 0	140401111111111111111111111111111111111	£
	-	000000000000000000000000000000000000000	> 0 0 0 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ç
	9	000000000000000000000000000000000000000	020044000044	7
	r	0 60 1 3 3 0 1 1 0 0 3 0 0 1 1 1 1 1	040000000000	4
	4	00410010100000000000000		3
		0 30 3 V 3 C 4 V 3 V 0 C 0 0 V V V	:4N0N0NNN4+N+	4
	~	000000000000000000000000000000000000000		7
	-	V CO V V D 4 C V D D O 4 D O V V 4	0///00//0/4444 //	4
	DAY	V * 4 1 0 C T O O - V * 4 1 0 C E E	50005545855588 A	T.

CB-TRACT TRAILER AB23 OCT 1943 CATHFORAL BLUFFS SHALE OIL CO.

										1	HOUR (	LOCAL	STAN	(LOCAL STANDARD TIME	(IME)											
() A Y	-	2	ю	4	S	¢	-	æ	o.	10	Ξ	15	13	4.	15	16	1.7	18	61	20 2	2 12	22 23	23 24	AVE	PE AK	Ų
- 2	ÛW.	(MI)	(E)	(MI)		IM IM	(WI	IM)	E E		E E	E S	E E		E CWI	E CWI	EE .	E GWI	EMI EMI EMI	IN) (MI	MI) (MI	IM) (IM) IM) (MI)	CIM)			
7	[14]	(MI)	-	(WI)	£	-			Œ	Œ.			_	2 : 2 :							-					
, c	2	E E		(IM)					ž Ž	-	-	-		-	-	-	-	-	-	-	-	-		5.4	7.3	. т
c	4.3	14		14					53																	3
1	5.5	25		64					51																	
Ð	45	51		4.7					45																	3
2	64	53		51					51																	~
01	53	52		64					52																	c :
- 3	+ 5	3/		6.0					4 1																	
0 -	5.5	67		2 5					0 0																	
. 7	57	65		57					19																	. ~
1	17	3.7		5.1					19																	·
16	2.5	61		59					53																	4
17	63	69		2					25																	т
18	63	65		69					53																	-
5-	65	65		5.7					65																	^
20	6.3	19		19					65																	
21	7.1	14		73					65																	
25	19	14		7.1					9																	
53	14	7.8		14					14																	_
24	69	63		5.1					45																	_
52	2.	53		65					39			_														_
56	53	6.1		61					65			-														٠.
12	14	7.3		91					65																	^
54	7.1	14		7.3					19																	~
56	8.0	7.8		18					69																	Ţ
3.0	14	82		HH					16																	~
31	7.1	14		73					65			_	_													
												,		;	1	,										
> Y	0 0	500	2 0	c :	100	0	0 0	56	2,	4 0	66	27	2 9	5 6	2 2	2	0 7		29		200	25	29 29	40		
4	90	26	90	r r		r r	T.	9/	9	90	ŧ	99	88	r	88	99									3	_

CB-TRACT TGALLER AB23 OCT 1943 CATHEDHAL BLUFFS SHALF OIL CO.

	PF AK	6.0	20	20	650	99	2.0	9.0	5 ()	04	20	650	30	20	5.0	20	5.0	2.0	20	5.0	30	30	30	30	7.0	2.0	20	30	30	2.0	20	9		9	
	AVF	6.9	4	44	4	42	E 7	43	44	44	44	4 3	23	27	94	0.4	35	35	43	35	34	34	34	34	ž	4 0	0 %	34	34	37	43	51	0.4	•	
	47	6.0	20	20	20	20	20	20	20	20	20	30	20	20	20	30	30	9.0	20	30	30	30	30	30	30	20	30	30	30	30	20	09	4	60	
	23	09	20	20	20	20	20	20	20	20	2.0	30	50	30	20	30	30	20	20	30	3.0	30	30	30	30	20	30	30	30	2.0	20	09	4 4	0.0	
	22	09	2.0	2.0	20	20	20	20	20	20	2.0	2.0	20	20	20	3.0	3.0	30	9.0	3.0	3.0	30	30	30	90	20	3.0	30	30	20	20	09	1 7	. 0	
	~	5.0	20	20	20	20	20	9.0	20	20	20	30	20	50	20	30	30	30	20	30	30	30	30	30	30	20	30	30	30	30	20	09	0.4	200	,
	50	2.0	9.0	9.0	20	20	20	20	20	20	20	30	50	20	90	30	30	30	20	30	30	30	30	30	30	20	20	30	30	20	20	09	0.4	200	,
	61	20	20	20	20	20	20	20	20	20	20	20	50	50	20	2.0	30	30	20	30	30	30	30	30	20	20	30	30	30	30	20	09	4	109	
	1.8	20	20	9.0	20	20	2.0	20	20	20	2.0	20	20	50	20	20	30	30	90	30	30	30	30	30	20	20	30	30	30	2.0	0 %	09	. 4	1 4	,
	17	20	20	20	20	30	30	20	20	20	20	20	50	20	20	30	30	30	30	30	30	30	30	30	20	20	30	30	30	20	20	09	0.4	0 0	-
	16	50	20	20	20	20	30	20	20	20	20	20	10	50	20	30	30	30	30	30	30	30	30	30	20	30	30	30	30	30	20	09	30	60	,
TIME)	15	2.0	20	20	20	30	30	20	20	20	20	20	0	50	20	30	30	30	20	30	30	30	30	30	30	20	30	30	30	30	20	09	0.5	6 0	,
STANDARD TIME	7	20	20	2.0	20	30	30	30	20	20	20	30	10	20	20	30	30	3.0	20	30	30	30	30	30	2.0	20	30	30	30	30	20	9.0	0	200	,
	13	50	20	20	20	20	30	30	20	20	20	20	10	50	20	30	30	30	20	30	30	30	30	30	20	30	CA)	30	30	30	20	2.0	30	200	,
(LOCAL	12	9	20	20	20	20	30	30	20	20	CA)	20	10	50	20	30	30	30	90	30	3.0	30	30	30	20	30	50 (	30	30	30	20	CA)	90	60	
HOUR (	=	60	50	20	20	20	30	30	20	20	CA) (	30	0	50	20	30	30	30	20	30	30	30	30	30	20	30	30	30	30	30	20	CA)	3.0	9	
I	10	09	20	20	20	20	20	30	20	20	CA) (	30	10	10	20	30	30	30	20	30	30	30	30	30	30	30	20	30	30	30	20	20 (	3.0	0 9	5
	9	20	20	20	20	20	20	20	20	20	CA) (	20	20	0	20	20	30	30	90	30	30	30	30	30	30	30	20	30	30	30	20	20	90	50	
	æ	09	20	90	9.0	09	20	20	20	20	20 (	20	30	20	20	20	30	30	90	30	30	30	30	30	30	30	2.0	30	30	30	99	20	6.4	200	2
	~	20	20	9.0	90	90	20	20	20	20	20	20	30	20	50	20	30	3.0	30	30	30	30	30	30	30	30	20	30	30	3.0	30	20	0.4	1	5
	9	5.0	20	20	20	20	20	20	20	20	. 05	20	30	30	5.0	20	30	30	30	30	30	30	30	30	30	30	2.0	30	30	30	30	2.0	0 4	2 0	3
	5	5.0	20	20	20	. 05	20	20	20	20	20	90	30	30	20	2.0	30	30	30	30	30	30	30	30	30	30	20	30	30	30	30	2.0	0	2 5	2
	4	5.0	90	20	20	2.0	5.0	20	20	2.0	20	20	30	30	2.0	20	3.0	3.0	3.0	3.0	30	3.0	3.0	3.0	3.0	30	20	30	30	30	30	2.0	0 %	, ,	2
	E	6.0	20	20	20	20	50	5.0	0.5	20	20	20	3.0	3.0	20	2.0	30	30	20	30	3.0	30	30	30	30	30	20	30	3.0	3.0	3.0	20	0 %	2 3	
	~	5.0	20	20	20	20	5.0	30	20	20	20	5.0	30	30	20	2.0	30	30	20	20	3.0	30	30	3.0	3.0	30	2.0	30	3.0	30	30	20	0 4	0 0	,
	-	2.0	2.0	20	50	5.0	5.0	2.0	20	90	20	5.0	3.0	30	3.0	20	2.0	3.0	20	20	30	3.0	30	30	3.0	20	20	30	3.0	3.0	30	5.0	1 7	2 1	
	DAY	-	. ~	-	3	5	4	1	H	c	0.1	=	15	-	14	15	16	11	1.4	19	20	7	25	~	24	52	56	12	54	50	30	=		0 ×	

PAY

SINIZITENITĀTENITĪSITOTUTUTU

II- 368

10

		PF AK	4 0	10	3 4	2	*	~ (	2 0	0	_	~ ~	4	3 :	t .C	4	r	4 4	m	Ť	,		-		-	0		10
		AVE	~~	£	~ ~	٠ ~	-			0		0 1	3	4 0	۳.	~	5	4 0	٠ ٨	-	~		0 0	9 0	C	0	2	
		54	0 8	۳.	~ 0	0	0	0 0	0	0	0	0 6	6	e c	n m	3	4	m -	. –	-	0	0 :	0 0	<b>-</b>	0	0	-	æ
SHALE OIL CO.		23	0 1	· m		• 0	0	0 0	. 0	0	0	<b>o</b> m		e c	n m	~	4 1	m -	, 0	_	0	0 0	0 0		0	0	_	x
011				_	_		_						_			_			_		_						_	_
HALE		22	0	,,		-	0	0 0	, 0	0	0	0 6	(7)	m) F	. (*)	(7)	3.		, 0	_	0		5 6	-	-	5		1
FS .		21	7 0				0	00	0	.0	0	۰ ۳	3	e c	nen	3	3	m -	0	-	0	0 0	0 :	0 0	0	0	-	_
823 8LUF		20	0 0	. "		n m	0	0 -	0	0	0	0 ~	3	e c	n m	3	4 1	m -	0	-	0	0 0	0	0 0	0	0	^	0
CB-TRACT TRATLER AB23 OCT 1983 CATHEDRAL BLUFFS		61	- œ	m	m 10	. ~	0		0	0	0	o m	3	e c	7 4	3	3 1	m r	, -	_	-	0 0	0 0	<b>&gt; C</b>	0	c	~	r
CB-TRACT TRAILER OCT 19 CATHEURA		8	- 3		e c		0	- 0		0	_	0 ~	. 6	4 4	* m	3	4	40	, _	_		<u> </u>			0	0	~:	Œ
0-50				_			0				_		_						. ~							_	2	_
		. 17	-1	,,	(*) (*	, 4		_			(-)	0 6	(*)	4 1	F (*)	4		<b>a</b> r (*	1 1-1	_	_	- '	-				.0	2
		16	m ec	4	m r	4	0		0	0	~	o m	4	4 4	1 4	4	9	4 0	· -	3	۳.		٦ ٥	0	0	0	3	x
	STANDAPD TIME	15	mæ	4	4 4	+	0	e c	0	0	CA)		4	4 4	1 4	4	9	4 4	m	3	е.		٠ ،		0	0	*	Œ
	APD	*	4 0	4	4 4	t 4	-		- 0		_	~ ~	4	4	1 4	4	9	4 4	m	-	۳.		- 0	0 0	0	0	9	æ
	TAND		നമ	1	e 4	9	_				_	0 6		4 4	. 4	4	9	4 4	· m	_	۳.	_ <	- c	- 0	0	0		20
											(CA)											(CA)						
	007)	12		_	6 4	9	m	~ 0	> M	0	(CA)	- ~	4	4 4	1 4	4	9	4 <	m	_	.m	~ °	0 0	0	0	0	3	-
	HOUR (LOCAL	Ξ	~ «	00	e 4	m	3		- m	0	(CA)	. c	4	4 .	1 4	4	9	~ ~	n m	~	~		۰ د		0	0	•	70
	_	10	~ «	_																							6	-
				æ	- 1	- 10	3	- 0	9	0		e) (c	4	4 4	1 4	4	-	4 0	n m	-	_		0	0	0	0	(-)	Ψ.
		6	- 8	10 8	3 1	3	1 3	0 0		0	2		3 4														<i>س</i>	
		ъ ъ	0 1 7 8	10	9	9 9		0 0	· · ·	0	(CA) (C	(CA)	. 60	4 (							-	0 0	0 0		0	c	٣	01
		œ	0 1	10	9	3 3	0	00	~	0 0 0	0 (CA) (C	(CA) (CA)	. 6	<b>*</b> * *	n 4	4					-	0 0	000		0	0	2	01 T
			1 0 1	10	9		0		~	0 0	0 (CA) (C	(CA) (CA)	. 60	<b>*</b> * *	n 4	4					-	0 0	000	0 0	0	0	٣	01 T
		œ		7 8 10	9		0 0	00	-	0 0 0	0 0 (CA) (C	(CA) (CA)	3 3	4 C	n 4	4 4	4 4	4 1		0 1 1		0 0 0	0000		0 0	0 0 0	2	01 8 4
) E		8 /		8 7 8 10			0 0 0	0 0 0		0 0 0 0	0 0 0 (CA) (C	(CA) (CA) (CA)		4 1 4 1	n 4 4 5 6	4 4 6	9 4 4	4 m		1 0 1	1 1 1	0 0 0			0 0 0	0 0 0 0	2 2 3	01 7 10
ULF 10E		8 / 9		8 7 8 10	3 3 1 1 3		0 0 0	0 0 0 0		0 0 0 0 0	0 0 0 (CA) (C	0 0 (CA) (CA) (CA)		4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	n 4 4 5 6	3 3 4 4 E	9 4 4	4 m		1 1 0 1 1		0 0 0 0 0			0 0 0 0	0 0 0 0 0	2 2 3	01 8 4 10
SULFIDE		5 6 7 8		н 8 7 8 10	3 3 1 1 3		0 0 0 0	0 0 0 0		0 0 0 0 0	0 0 0 0 (CA) (C	0 0 (CA) (CA) (CA)		4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	n 4 4 5 6	3 3 4 4 4	9 4 4	41, 41, 41, 41, 41, 41, 41,		1 1 0 1 1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				0 0 0 0 0	0 0 0 0 0 0	2 2 2 2 2	10 4 4 4 10
OROGEN SULFIDE 16/M3)		3 4 5 6 7 8		н 8 7 8 10	3 3 1 1 3		0 0 0 0 0 0	0 0 0 0 0		0 0 0 0 0 0	0 0 0 0 0 0 (CA) (C	0 0 (CA) (CA) (CA)		4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	n 4 4 5 6	3 3 3 4 4 4 6	80 4 4 4 4	4		1 1 0 1 1	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				0 0 0 0 0 0	0 0 0 0 0 0 0	2 2 2 2 3	10 10 4 4 7 4 10
HVDROGEN SULFIDE		5 6 7 8		10 10 8 8 7 8 10	3 3 1 1 3		0 0 0 0 0 0			0 0 0 0 0 0 0 0	0 0 0 0 0 (CA) (C	0 0 (CA) (CA) (CA)		4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 3 3 4 4 6 6	8 4 4 4 4 4	41, 41, 41, 41, 41, 41, 41,		0 1 1 1 0 1 1					0 0 0 0 0 0 0	0 0 0 0 0 0 0	2 2 2 2 2	H 10 10 4 4 7 4 10

C-B THACT OCT 1983 OCCIDENTAL OIL SHALE. INC.

	AD56	^	^	-	_	^	^	_	-	^	-
	A D	~	~	~	~	~	~	~	_	~	,
	AD42	^	^	^	^	^	^	^	^	^	-
	A	~	~	~	~	~	~	~	~	~	,
	,										
	101	^	^	^	^	^	^	^	^	^	-
	ARZ6	~	~	~	~	~	~	~	u	~	,
(											
	AB23	11.5	4.9	12.3	8.8	7	6.9	18.3	10	9.3	18.3
	AB	Ξ	9	12	œ		S.	18		6	9
	AB20	-	-	^	_	_	-	_	_	^	-
	A B	~	~	~	~	~	~	~	~	~	,
		_	<b>3</b>	_		_		•			
	DAY		,	13	11	21	25	53	AVE	6M	DF AK
									4	9	a.

CH-TRACT
THAILER AA23
OCT 194 AA23
CATHERRAL HUNFFS SHALE OIL CO.

	PF AK	10	7	£	4	~	~	2	~	-	-	4	•	٤	٤	4	~	5	s	7	~	•	~	~	đ	~	~	9	•	~	5	۲.		10
	AVE	4	~	۳		-	-	۸	-	3	۴	-	-	٣	e	~	-	~	3	~	7	-	-	~	~	-	-	-	-	-	~	~	V.	
	45	О	-	-	2	-	2	-	2	9	-	-	0	•	-	-	0	4	2	О	0	0	C:	-	~	Þ	0	-	-	-	9	0	-	c
	2.3	-	-	~	~	-		-	-	4	2	0	-	-	-	^	-	5	~	^	0	-	2	0	2	0	(W)	-	0	-	~	0	-	2
	25	2	-	2	~	0	0	~	N	2	7	0		5	2	2	0	4	9	2	0	-	~	0	~	-	CM) (C	0	~	-	4	0	~	2
	21	٣	2	CM)	0	0	-	0	~	2	-	_	0	_	parts.	2	0	2	4	2	-	CM)	-	~	~		(M)	-	~	0	٣.	0	-	€1
	20	4	2	_	3	_	3	_	_	2	2	0	~	2	-	-	2	2	~	3	~	_	~	4	3	2	) (C	0	2	c	3	-	2	4
	61	9	,	~	4	_	3	~	2	3	_	~	0	2	2	~	7	2	3	٦	_	_	_	4	3	~	~	_	0		3	~	~	٤
	81	1	_						2	5	2	3	-	3	3	2	~	2	4	3	~	~	~	3	n.	_	_	_	~	0	,	_	~	~
		_																												_			_	
	17			0	_																~								-0	2	3	~		20
	16	3	2	2	-	٨	2	3	2	9	3	3	-	5				4	5	4	-	6	-	9	4	٧.	N	4	*	^	4	-	~	2
TIME	15	10	~	4	-	~	~	~	3	9	~	4	5	4	5	2	(CM)	4	3	3	3	^	-	1	4	~	~	4	m	2	S.	4	3	0.7
JOARD	<del>*</del>	Œ	4	4	-	-	2	,004	2	ç	~	3	~	ş	9	2	0	4	3	3	~	~	~	5	3	^	٨	3	N.	٠.	^	2	е	α
STAR	13	3	2	4	-	-	2	-	-	7	2	3	3	9	9	2	-	4	4	2	٣	2	~	2	3	N.	N	~	N	~	2	4	*)	0
HOUR (LOCAL STANDARD TIME)	21	9	0	2	-	-	-	-	0	ζ	~	~	3	9	ç	2	-	4	4	2	~	2	-	S	4	-	n.	N.	-	~	٣.	4	٤	ş
OUR (	Ξ	*1	~	ç	0	-	-	-	-	4	3	2	~	4	S	2	~	-	2	-	~	-	-	2	3	-	V	-	-	~	~	5	>	r
Ī	10	2	3	9	-	-	-	0	-	7	^	C.	2	N	4	33	-	-	4	~	-	-	~	4	7	-		-	-	~	-	~	V	£
	o	0	-	S	-	-	-	_	0	0	-	-	-	~	4	2	2	-	2	7	-	0	c	-	-	-	CM)	_	_	M)	_	-	-	r
	æ	-	_	4	-	~	-	~	0	2	~	_	0	~	3	-	2	_	_	0	0	0	0	r.i	~	С	0 (0	_	0	0	~	~		¢
	~	~	_	٧.	0	_	0	2	0	~	<b>~</b> ;	0	~	~	4	0	~	_	_	0	0	_	CM)	~	-	0	_	0	_	_	_	_	_	2
	£	e	£.	0	_	_	_	~	0	~	3	0	0	~	4	~	2	^	~	3	_		_	2	~	0	_	-	~	_		_	ν,	3
	r	~	•	4	0	_	_	~	0	2	4	_		~		٧.	Λ;	2	3	_	0	0	~	٠.	_	_	~	( CM)	_	_	_	3	~	<i>3</i>
					_		_			_		_							_			_				_			_		( CM)	•		
	4	_	_	_	_	,	-	;(	0		g:	_	_	~	_	10	_			_	(64)	0	(C.4)	1	_	-	-	( W)	0		_	4		4.
	~	-	2	1	-	~	-	-	0	~	£	~	-	1	-	-	~	1	0	(CM)	-	~	0	~	~	-	(CM)	-		~	-	1	_	С
	~	•	•	-	-	·	0	~	0	-	~	G	0	1	-	~	-	-	-	~	-	-	c	-	`		0	C	0	-	-	~	-	_
	-	4	~	-	-	~	-	٥	(CM)	-	ç	-	-	-	~	~	C	-	3	*	(WU)	0	-	1	-	-	-	0	0	0	( M)	~	~	٤
	DAY	-	٨	٠	4	5	4	7	æ	7	10	-	~	13	1 4	1,2	16	11	7.3	19	00	12	22	>3	24	2,2	26	27	7.4	5.5	40	=	٧ ٧	24

CH-TPACT TPAILER AA23 OCT 1943 CATHEDRAL HLUFFS SHALE OIL CO.

	ā																																	
	AVE	¢	~	4	~	~	~	~	~	S	\$	~	^	4	3	~	~	4	4	~	^	-	-	S	4	-	~:	^	~	-	e	~	•	
	4	-	-	2	3	-	2	0	~	æ	~	0	0	4	-	-	-	ę	*	(CM)	0	0	2	2	2	0	0	-	0	-	3	0	~	x
	23	~	-	~	~	-	-	-	^	2	4	-	0	^	2	3	-	30	3	~	0	-	e	-	m	0	0	-	c	-	3	CM)	~	x
	25	4	0	2	-	-	-	~	4	~	2	c	0	œ	3	4	CM)	1	4	~	CM)	0	-	-	٣	-	0	CM)	-	-	ı,	0	^:	α
	2	4	2	-	-	CM)	0	0	~	3	-	-	0	-	-	3	-	3	5	æ	-	0	CM)	4	4	-	0	0	~	-	S	-	~:	5
	5.0	S	2	2	ç	-	2	0	-	4	~	-	e	6	2	-	9	4	4	3	2	-	0	æ	4	~	2	CM)	۷	-	S	۰.	۳	Œ
	61	6	٨:	3	9	-	2	-	٣	9	۲	3	0	~	3	4	3	4	ç	4	-	0	-	~	9	^	~	0	-	-	4	~	~	σ
	1.8	3	2	2	3	2	3	4	2	30	3	4	2	4	4	4	4	4	9	4	3	2	3	2	3	2	2	~	•		S	-	9	3
	17	Ξ	٣	-	0	٣	~	9	-	7	4	4	-	_	_	2	2	5	_	S	2	3	3	1	4	2	n	•	3	æ	2	9	*	=
	91	13	3	3	-	3	~	4	e	œ	3	4	-	~	ç	4	-	5	æ	2	~	٠	2	æ	4	~	٣	4	4	~	9	^	4	13
1ME)	15	13	3	2	_	3	3	~	4	В	~	4	٣	2	7	2	(M	5	4	4	4	3	2	6	4	~	~	5	4	~	~	¢	3	-
STANDARD TIME	14	12	2	9	-	~	3											S						7						٠	3	,	4	-
STAND	13	12	3	7	-	2	2	-	-	6	3	4	4	9	9	2	-	9	9	3	4	3	3	7	5	~	n	~	3	N	e	9	*	12
(LOCAL	12	80	0	1	_	-	-	-	0	_	3	•	4	æ	1	3	2	4	9	3	3	~	_	7	S	-	3	2	_		4	4	4	ž
HOUR (L	11	4	2	1	0	~	~	-	-	9	9	3	•	9	70	3	_	_	~	_	٦	2	_	ro	2	_	2	~	_	~	2		~	ź
HO	10	e	4	8	_	_	_	0	_	2	4	~	2	3	9	4	~	_	2	~	2	_	_	ç	2	_	_	_	_	_	_	۸.	~	x
	<b>3</b>	0	2	90	_	2	_	2	0	_	2	_	_	_	1	3	~	2	2	_	_	0	0	_	4	_	(W)	_	_	0	_	~	~	x
	x	E.	_	7	_	3	_	~	_	•		-	0	3	4	4	3	_	_	_	0	_	_	4	4	0	Ξ	_	0	_	~	~	٦.	~
	_	~		*			-	-	0			0						0					0					0		_	0	_	~	~
	ø		4				~											~		_								0		_	_	٨	2	S
	,								_																		_	_	•	_	_	~	^	_
			7	5			_			,		(CM)				7		~									_	_		_				_
	*	~	~	~	7		-	2	_	4	I	0	-	6	-	4	_	~	4	_	0	-	0	~	_	C	0	0	-	-	-	J.	~	ž
	~	~	7	2	_	*	_	0	0	~	5	~	_	-	-	2	-	-	-	_	0	1	0	•	~	0	C	-	-	-	~	3	1	7
	~	-3	2	-	-	~	~	~	0	-	10		0	~	1	*	-	C.	~	7	0	٥	0	-	~	0	-	-	(CM)	0	-	*		1.0
	_	~	5	-	1	-	-	~	0	3	5	1	-	~	3	~	0	-	47	47	0	(CM)	0	~	~	~	-	0	0	0	0	4	~	2

> 1 > X

II- 372

F AK

CB-TRACT
TRAILER AA23
CCT 19433
CATHEDRAL REUFFS SHALE OIL CO.

	ď																																
	AVE	~ ~	ı	~	~	~	~	~	ε	ς	~	~	3	5	4	٨	4	2	~	^	^	-	s	7	-	~	~	~	~	4	7	~	
	54	n m	3	^	-	2	-	2	10	~	-	~	4	2	2	2	7	4	-	(M)	-	-	~	3	0	-	2	0	~	٤	-	~	0.1
	23	m) m	m	~	-	2	-	4	7	4	2	-	٤	3	3	2	σ	4		~	-	2	-	4	0	С	-	0	^	4	0	~	3
	25	4 -	~	2	0	2	~	9	3	2	-	0	•	3	4	0	œ	5	3	-	0	-	3	4	-	0	-	-	2	ç	-	3	2
	21	s m	2	3	0	2	-	۴	5	2	-	2	2	-	4	_	3	7	4	-	-	-	9	7	-	-	0	2	~	ç	~	2	7
	20	90	2	8	-	7	0	2	5	9	2	3	4	2	2	3	2	4	3	2	0	0	6	9	2	2	0	~	-	5	~	3	0
	61	10	6	7	~	7	-	4	1	~	4	-	3	4	4	3	4	1	4	~	-	2	Œ	ç	~	2	-	~	-	5	4	4	1.0
	91	10	2	4	2	4	4	3	œ	4	4	2	2	5	4	4	5	1	5	3	4	۳	1	4	2	æ	~	3	-	9	2	4	9
	11	12	~	0	4	3	10	-	80	4	4	2	8	30	5	3	9	8	.5	3	4	3	æ	4	Ψ,	3	4	3	4	9	4	5	~
	16	13		2	4	3	4	4	8	4	4	~	7	7	4	~	2	90	2	~	4	2	8	2	٣	~	r,	4	~	7	~	\$	~
TIMED	15	7 7	9	_	4	3	2	4	æ	~	5	4	9	80	3	î	2	2	5.	4	4	~	10	5	•	3	5	4	3	1	7	s	14
	14	51														_																4	2
STANDARD	13	13																															~
CLOCAL	12	0 -	æ	_	_	-	_	0	8	3	3	4	10	8	4	2	5	7	3	3	2	_	7	9	2	3	=	_	~	4	9	4	3
	=	ur m	30	_	-	2	-	2	9	9	3	9	9	30	3	_	_	1	~	3	~	_	r	ç.	_	2	~	_	2	٠,	99	~	I
HOUR	10	1 1	6	_	_	_	0											9											_	0	~	~	3
	- 5	- 6	5	_	2	_	_																						0	~	~	~	0
	Ŧ	e =																											_			~	
	_	e -																															x
	£																														_		
		ır ır	_	~		_	_	_	4.															4			_	, ,				_	
	1			~	_	-	2	-	4									9						-	-	_	_	-	-	-0	_	_	1
	4	~ 4	~	~	~	-	-	_	5	3	_	^	~	_	2	2	~	5	~	c	-	0	N.	1	0		-	-	0	-	2	~	2
	~	4 1	1	_	3	-	-	0	•	=	0	-	-	0	•	-	-	~	~	0	-	(CM)	~	~	-	-	-	-	-	~	c	~	-
	~	5~	. ~	-	1	-	1	0	-	-	-	-	~	^	4	1	~	-	77	C	0	-	-	~		0	-	С	-	^	*	Λ.	=
	-	ες	5	4	~	-	~	-	~	=	~	0	1	7	4	-	(CM)	5	c	0	-	-	-	~	-	-	0	-	-	~	7	-	-
	ĐΑΥ	- 1	~	4	C	4	~	x	7	0.1	=	~		7	15	1.6	17	<u>+</u>	3	5.0	2	22	~	34	52	56	12	7.	50	30	=	> 4	ž

PRE V

C9-TRACT TRAILER AA23 COTT 1943 CATHEDRAL HLUFFS SHALE OIL CO.

17   19   17   18   18   18   18   18   18   18																																	
1		24	326	63	235	96	203	111	502	78	179	156	559	145	207	147	186	159	188	0	146	247	58	115	592	554	141	161	211	216	215	164	203
1		23	562	127	227	06	145	66	196	102	169	157	315	166	546	193	200	161	143	330	218	161	213	109	323	047	96	(CM)	210	211	152	148	233
1		22	248	67	211	98	253	341	211	169	101	65	191	208	202	147	157	514	192	307	552	173	164	113	126	234	195	(CM)	66	217	204	168	343
1		21	202	125	CM)	19	516	36	210	181	130	305	197	180	105	06	144	122	221	588	232	202	C₩)	101	203	252	519	CM)	225	222	207	171	125
		5.0			ū																		ч					Ť					
		19	194	137	207	201	546	202	142	236	202	349	99	180	143	540	213	554	503	207	272	543	553	144	505	324	727	922	203	45	172	143	150
		Ŧ																															
Variable   Variable		1.1								-							-										Ī						
		91				_																											
	LIME)																																
																		-															
	ANDA									•			. ,	,		•		_						,									
		13	200	312	240	6	298	226	161	156	220	111	328	339	222	212	306	317	711	231	310	315	328	331	205	325	323	307	315	322	319	549	11
	LUCA	15	179	348	248	345	305	9	866	539	216	34	343	327	212	226	301	214	212	215	306	303	325	35.7	216	318	338	303	120	327	3.54	218	112
	400R	Ξ	143	287	224	513	289	351	0	325	222	16	324	312	202	221	281	297	270	222	331	300	338	17	217	306	4	303	13	5	123	515	1.28
1   2   3   4   5   6   6   6   6   6   6   6   6   6		10	163	324	224	14	54	14	262	8	217	33	9	303	802	192	526	7.1	38	200	315	359	61	=	216	262	310	327	13	352	317	5.1	-
1   2   3   4   5   6   6   6   6   6   6   6   6   6		2	651	978	204	68	6.8	6.1	65	24	552	1	65	320	10	2.30	112	69	63	147	325	73	65	16	28	608	23	(M)	13	54	CM)	29	177
1		x																										_			_		
		~																															
1		٠																						~									
7		S.																															
7 10 10 10 10 10 10 10 10 10 10 10 10 10																																~	
4 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		4	10	215	103	183	153	146	105	144	166	1/4	135	155	113	35	200	115	1 39	7 41	062	(CM)	200	(CM)	111	7 10	196	1750	(C:4)	374	210	145	117
		~	171	20%	106	140	152	203	104	737	1117	180	204	1 / 0	124	53	204	10.3	163	281	( M )	711	952	183	151	2.35	122	(K.3)	143	170	210	204	88
÷		^	195	202	75	516	148	103	144	225	122	180	248	500	144	114	220	120	141	202	6.7	217	210	310	122	54.3	161	06	166	100%	250	>13	176
÷		-	671	207	2011	2H 3	121	120	124	(M)	To	17.9	123	212	1 35	171	612	164	601	961	7.0	CM)	145	112	171	946	212	203	160	212	145	CM)	144
		AVU	-	. c.	~	, ,	5	2	1	-	0	10	-	12								_										~	

215

PREV

CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	54	306	177	549	104	174	115	194	68	175	145	283	219	203	214	198	146	182	358	(CH)	293	352	114	274	241	65	190	205	275	210	167	37	195
	23	281	164	245	118	===	171	193	130	167	140	9	161	240	201	172	178	178	335	236	45	210	114	9	529	06	Ξ	217	157	178	144	(CH)	173
	25	243	98	526	110	558	274	214	175	141	48	341	156	201	144	147	(CH)	188	308	243	(CM)	338	121	182	252	217	68	(CM)	536	177	162	599	196
	23	203	155	215	184	CHO	341	232	179	159	331	141	161	135	16	121	157	220	261	255	558	27	CHO	199	566	235	170	232	230	158	160	177	193
	50	204	109	188	961	317 (	199	125	147	172	-	96	145	159	169	184	222	206	526	263	243	227	42	204	305	292	556	CM)	254	110	171	151	194
	19			_			_			_		_	_	_					204	_								_					207
	18	185	160	180	198	568	224	199	279	215	314	15	317	182	292	264	231	217	211	321	327	339	220	223	343	314	294	4.1	4	0	215	63	264
	11	183	139	305	117	228	281	185	307	218	320	356	336	201	215	292	194	221	526	335	326	341	314	214	336	336	293	351	336	345	211	357	282
	16	185	152	235	66	233	268	158	321	516	341	350	0	205	197	270	112	222	536	332	330	328	332	228	346	317	298	335	325	330	519	287	280
TIME)	15	187	270	242	62	539	566	184	305	218	30	343	340	188	195	305	CM)	223	222	334	302	331	8	222	341	301	307	321	307	315	213	509	278
DARD	14																Ĭ		238														612
STANDAR	13	194	306	240	0	162	217	157	148	215	101	322	333	217	208	662	311	505	227	305	311	323	326	500	320	320	303	310	320	317	245	602	274
LOCAL	15	921	908	445	339	301	0	062	646	111	58	335	325	207	252	562	274	602	111	305	666	322	352	513	314	334	300	916	325	330	515	903	287
HOUR CE	Ξ	7.8	181	23	14	26	641	158	125	613	13	120	601	203	613	91:	26	99	516	123	16	131	15	115	103	154	66	4	951	11	90	93	291
Ĭ	10									-								-	197		-			_									333
	6	_	. ,																148		.,					.,	.,			. ,			75
	20																		104								_						121
	1																		62														153
	9																		172	_													174
	2	_	_					-		_									187			_		_		.,		_				_	166 1
	4											_							227														164 1
	3																		2 545														170 1
	2		_	_		_	_	_	4-7	_	_	_	_	_			_	_	203 2			,	_	_	,,,		100	_		_	_	_	161 1
	_																		192 2										_				169
	DAY	1 1	2 2	3 2	4 2	5 1	6 2	7 1	8 3	6	10 1	11 1							18 19			~											PV 16

>

WIND DIRECTION AND VECTOR AVERAGE VELOCITY (DEG & MPS) 10 METER LEVEL

CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

LOR	VEL	3.6	9.0	2.2	0.4	9.0	0.5	1.0	0.3	2.8	0.5	1.0	0.4	2.5	2.4	1.3	9.0	1.8	2.2	1:1	8.0	9.0	0.2	2.2	2.0	0.5	1.0	0.5	9.0	9.0	1.7	1.5		0.8
VEC	DIR VEL	190	201	217	143	189	227	156	247	196	194	349	566	188	214	234	142	194	225	307	562	314	36	201	301	288	276	324	301	287	961	193	217	
	54	326	66	235	96	203	111	205	78	179	156	558	145	207	187	186	159	188	0	146	247	58	115	565	524	141	161	211	216	215	164	203	178	0.8
	23	295	127	227	06	145	66	196	102	169	157	315	166	246	193	200	161	183	330	218	161	213	109	323	240	96		210	211	152	148	233	176	6.0
	22	248	67	211	98	253	341	211	169	101	29	191	208	202	147	157	214	192	307	225	173	164	113	126	234	195	8 0	66	217	204	168	343	190	6.0
	21	207	125	* * *	19	216	39	210	181	130	302	197	180	105	06	144	122	221	528	232	202	* * *	101	203	252	519	*	225	222	207	171	125	195	0.8
	50	509	102	196	205	549	201	173	138	156	349	161	181	155	151	161	214	205	235	239	224	212	80	506	599	233	230	175	231	143	174	176	201	1.3
	19	194	137	207	201	246	202	142	236	202	349	99	180	143	240	213	224	509	207	272	243	223	144	502	324	227	526	203	45	172	183	150	208	1.5
	18	190	143	184	204	162	230	216	281	220	314	19	320	187	569	592	559	220	213	321	321	333	218	526	343	589	265	9	1	338	218	76	243	1.2
	11	188	141	309	***	233	283	191	599	222	325	358	339	207	218	566	196	526	529	336	329	343	320	519	340	339	594	352	339	345	214	355	252	1.4
_	16	190	155	237	105	237	270	161	325	221	344	354	4	211	201	275	119	552	240	335	335	333	332	233	351	321	298	339	331	333	222	562	258	1.5
TIME	15	192	272	247	62	245	569	189	307	222	33	347	346	194	201	315	***	227	227	339	305	335	=	556	345	303	311	325	311	319	217	211	952	1.7
IDARD	4	191	586	519	18	258	245	335	223	221	101	343	340	215	514	322	146	210	240	323	314	328	330	217	336	339	329	319	327	345	270	519	556	9.1
STA		200	312	240	•	862	526	161	156	220	111	328	339	222	212	306	317	211	231	310	315	328	331	205	325	323	307	315	322	319	549	212	250	1.7
LOCAL	15	179	348	248	345	305	9	298	539	216	34	343	327	212	556	301	274	212	215	306	303	325	357	516	318	338	303	320	327	334	218	211	258	1.5
HOUR	Ξ	183	287	228	279	589	351	0	325	222	16	324	312	207	221	281	297	270	222	331	300	332	17	217	306	*	303	13	មា	323	215	198	529	1.3
_	10	163	324	224	4.7	24	14	297	60	217	33	9	303	208	261	526	1.1	38	200	315	329	19	Ξ	216	297	310	327	13	352	317	51	13	612	1.0
	•	159	278	208	68	68	61	65	45	225	1	29	320	7.0	230	211	69	63	147	325	73	65	16	86	309	53	* * *	73	54	***	29	177	94	0.2
	œ	106	99	204	114	66	122	83	53	146	257	174	99	16	215	204	95	85	124	115	101	546	06	91	314	06	16	133	548	180	901	145	132	9.0
	-	164	20	187	111	116	95	109	565	135	569	519	509	107	516	203	96	99	7.3	7.1	131	212	***	119	292	139	220	120	514	546	85	18	151	0.5
	9	186	195	153	225	158	232	124	214	153	278	175	201	109	208	207	110	106	179	221	223	218	176	106	544	353	210	***	84	221	183	169	183	1.0
	2	108	193	190	112	151	196	117	270	148	193	228	174	95	156	196	104	132	191	238	131	96	526	115	220	221	217	552	84	552	* * *	175	172	1.3
	4	16	215	103	183	153	146	105	199	166	178	135	155	113	35	202	115	138	231	290	* * *	200	* * *	111	539	196	558	***	324	210	185	172	165	1.1
	e	171	202	106	180	152	208	104	232	117	180	204	170	128	53	204	103	163	281	* * *	211	256	189	151	535	227	* * *	143	220	519	204	188	111	1.0
	0	195	207	96	219	148	109	144	225	122	180	248	508	144	114	220	120	141	207	43	217	210	310	122	549	197	06	166	203	250	213	176	177	1.0
	-	179	207	208	283	121	223	124	* * *	86	119	129	212	135	120	519	168	109	961	20	* * *	185	231	121	546	212	203	169	217	145	* * *	991	175	-:
	DAY	-	2	3	4	2	9	1	80	6	10	1	12	13	14	15	16	17	18	19	50	21	22	23	54	52	56	27	28	56	30	31	٥٨	>

WIND DIRECT VECTOR AVER 30 METER LE

DAY

VELOCITY		(DEG	40	HP S )									CB-TF TRAIL OCT CATHE	CB-TRACT TRAILER AAG OCT 1983 CATHEDRAL	123 BLUFF	S SHA	SHALE OI	OIL CO.			
9	80	œ		6	10	HOUR 11	(LOCAL	STAN	JARD 14	TIME)	19	11	18	19	50	21	22	23	24	VEC	ron VEL
163 97	97	-,	14	6	162	178	176	194	187	187	185	183	185	188	204	203	243	281	306	185	5.
176 191 199 20	199	0 10	2 2	3 6	219	223	244	240	220	245	235	305	180	198	188	215	226	245	549	214	3
84 124	124			61	45	274	339	0	14	62	66	117	198	197	196	184	110	118	104	165	0.6
124 104	104			25	27	292	301	291	249	239	233	228	662	281	317	***	229	===	174	182	0.7
115 107	107			8 9	247	35.8	290	157	333	184	158	185	199	122	125	232	214	193	194	154	. T
21 67	19			54	6	325	546	148	220	305	321	307	513	544	147	179	175	130	68	245	0.3
134 145 2	145		2	==	212	519	211	515	217	218	216	218	215	203	172	159	141	167	175	193	4.2
267 253	253			2	30	13	53	101	107	30	341	320	314	350	- 1	331	48	140	145	177	0.8
120 146	146	,	0	23	300	300	335	325	338	343	350	356	15	26	145	141	341	16.1	210	330	2.0
122 108	108	,	7	86	201	202	207	217	210	188	205	201	182	136	159	135	201	240	203	184	3.5
213		2113	,,	523	257	219	252	208	503	195	197	215	292	235	169	16	144	201	214	212	3.7
196		204 5		10	223	276	562	568	317	305	270	262	564	221	184	121	147	172	198	526	2.1
109 102	102			73	68	292	274	311	145	***	112	194	231	237	222	157	* 0	178	146	161	0 0
62 104	104		-	4 8	197	216	211	227	238	222	236	226	511	204	226	261	308	335	358	221	3 6
*** 100	100	,	(1)	51	313	323	302	305	319	334	332	335	321	588	263	255	243	236	0 0	316	2.0
220 63	63			91	326	297	568	311	310	302	330	326	327	284	543	558		42	593	307	=
180 258	258			80	14	331	322	323	323	331	328	341	339	270	227	27	338	210	352	327	-
100 001	5,0		-	- 0	210	212	356	350	369	222	332	314	022	200	204	100	182	•	274	198	3 6
292 315	315			0.5	293	303	314	320	332	341	346	336	343	323	305	566	252	259	241	303	3.5
151 148	148			28	310	354	334	320	333	301	317	336	314	247	262	235	217	06	9	302	0.7
242 7	-	•	*		323	599	300	303	324	307	862	293	594	253	556	170	68	=	190	589	3
94 140	140			86	-	4	316	310	314	321	335	351	41	153	***	232	* *	217	205	332	0.
204 260	260			48	346	356	325	320	320	307	325	336	4	18	254	230	536	151	275	317	-
273 233	233	***	3	21	308	317	330	317	335	315	330	345	0	131	110	158	177	178	210	310	0.
151 108	108			88	53	208	215	545	566	213	519	211	215	177	171	160	162	144	167	192	2.5
79 139 1	139	_	-	80	15	193	506	508	515	503	287	357	63	126	151	171	568	* *	37	183	2.3
175 161 138 1	138		-	150	267	251	253	245	251	250	251	245	241	508	202	200	197	179	179	214	
																					ŀ

1.3 1.7 1.4 0.8 0.9 0.3 0.9 1.7 2.0 2.4 2.3 2.3 2.0 1.9 1.7 1.9 1.8 1.2 1.4 1.1 1.1

1.2

1.2

1.2

167

169 1.2

9 >

WIND VECT

DAY

	TOR	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4:
	VECTO	185 2212 2212 2211 2221 1722 1724 1724 1727 1727	218
	54	283 283 283 283 283 283 283 383 383 383	195
01L CO.	23	268 11762 11762 11762 11762 11762 11763 11763 11763 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11764 11	195
SHALE OI	22	2240 2255 2255 2255 2255 2255 2255 2255	203
	21	203 1946 1946 1946 1946 1946 1946 1946 1946	208
23 BLUFFS	20	1140 1140 1140 1140 1140 1140 1140 1140	209
CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLU	19	11897 2002 2002 2002 2002 2002 2002 2004 2004 2004 2004 2007 2004 2007 2007	2.0
CB-TR TRAIL OCT CATHE	91	182 1983 1986 1987 1987 1987 1987 1987 1987 1987 1987	243
	11	181 126 130 130 130 130 130 130 130 130 130 130	246
	16	168 333 4 5 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	252
	TIME)	1186 222 222 222 222 222 222 222 222 222 2	251
	DARD 14	6883 100 100 100 100 100 100 100 10	252
	STAN 13	4 2 2 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	245
	LOCAL	1777 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882 1882	252
	11 C	774 2222 2869 2869 2869 2869 2869 2869 2871 2871 2871 2871 2871 2871 2871 2871	1.8
	20	665 221 30 30 30 30 30 30 30 30 30 30 30 30 30	1.0
	۰	444 994 994 994 994 996 996 996 996 996	771
& MPS)	80	117 7 6 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.1
(DEG 8	-	770 888 888 888 888 888 888 888 888 888	184
	٠	888 888 888 888 888 888 888 888 888 88	185 1
VELOCITY	r.	994 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	170 1
RAGE	4	331 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	176 1
DIRECTION OR AVERAGE ETER LEVEL	e	770 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.5 1
9 5 H		eerve eree aavaan antan aaaa	

1176 160 160 172 172 172 172 172 172 172 173 173 174 175 175 173 173

173

185 1.4

		•
		24
00		23
10		
SHALE		22
FS		21
CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.		20
CT R AA 1983 RAL		19
AILE CT THED		
8402		18
		11
		16
	HOUR (LOCAL STANDARD TIME)	15
	DARD	2
	STAN	13
	OCAL	12
	5	
	HOUF	=
		10

PEA	20	4	m	4	e	4	2	2	N	Ñ	~	-	-	4	Ň	2	N	ē	-	2	9	è	-	4	-	2	ñ	2	3	Ň		4	
AVE	==	2	11	15	16	12	14	10	01	7	13	6	Ξ	12	12	10	=	12	6	0	15	=	_	=	6	=	=	6	15	=	12		
<b>*</b> 2	12	4	4	17	-	18	14	_	0	13	19	12	=	=	10	S	=	-	12	9	S	00	3	12	8	80	4	9	4	13	10	0	
23	12		-	8	52	80	17	10	9	53	6	15	6	80	Ξ	9	15	S	2	8	S	13	9	'n	(CH)	9	14	9	9	9	10	50	;
22	10	, ~	10	14	22	2	18	12	13	15	14	10	9	9	50	14	6	ın	-	9	1	24	2	1	CHO	80	S	12	3	4	10	24	,
21	13	CHO	21	-	14	15	80	80	=	00	0	6	16	r.	80	=	9	4	S	(CM)	53	18	9	9	(CH)	15	2	_	9	6	10	5	
02	12	=	-	10	0	9	15	9	80	80	*	•	13	9	S	4	13	ະດ	e	9	16	9	9	4	6	=	S	*	*	10	•	7	:
61	6 4		9	=	S	12	S	9	12	9	15	80	=	3	S	3	1	9	9	2	7	2	2	9	3	4	80	4	9	6	7	- 12	:
18	10	-	~	61	7	9	•	7	S	9	S	6	16	9	9	9	9	S	S	4	80	9	9	*	4	12	e	80	0	01	1	0	
-	10	· =	(CM)	12	54	_	13	=	10	0	15	10	9	6	12	60	10	-	00	9	0	6	80	4	9	4	_	S	6	æ	0	90	,
16	===	=	27	22	19	6	10	10	13	13	59	14	80	17	<u>*</u>	=	13	10	18	13	18	12	10	15	15	80	=	12	10	13	4	000	,
15	==		32	54	19	15	*	=	22	*	11	12	6	56	(CM)	+	*	13	12	11	31	Ξ	6	11	11	12	13	=	Ξ	10	15	200	2
<u> </u>	=======================================	•	32	31	59	16	22	12	22	16	23	=	6	20	18	13	16	20	16	14	56	7	6	15	18	17	17	15	19	=	11	33	,
13	15	9	37	38	27	58	58	12	*	50	23	=	8	18	25	16	13	18	16	11	23	12	10	54	18	50	54	52	56	13	19	3.0	1
15	17	-	346	59	38	22	52	*	12	59	17	Ξ	=	19	52	16	13	56	15	23	58	12	10	21	13	17	35	16	22	12	20	9 0	)
Ξ	16	2	34	7	53	39	19	14	10	27	23	12	0	16	59	52	10	56	7	19	22	=	80	40	13	<u>*</u>	56	13	20	13	20	7	;
10	20	2 -	53	28	22	0 4	0	13	*	15	15	19	Ξ	16	91	21	12	58	17	10	16	15	7	54	15	10	16	*	9	6	16	4	,
6	19	1 -	6	10	13	12	21	20	13	50	12	11	01	•	80	10	6	17	13	Ξ	<u>+</u>	17	6	Ξ	(CM)	-	10	(CM)	9	20	13	000	1
<b>c</b>	60	: =	60	9	8	4	S	12	60	Ξ	12	ß	6	10	S	Ξ	4	13	Ξ	Ξ	16	_	6	9	15	=	6	10	S	10	, 6	14	2
-	7	4	35	9	8	4	0	6	-	6	S	S	-	43	4	13	Ξ	14	1	2	(CM)	7	~	e	9	16	_	5	6	55	15	7 7	,
œ	7 0		9	12	9	4	-	2	0	S	9	4.	6	00	3	S	8	9	2	80	_	9	S	13	3	(CM)	S	14	30	53	0	30	,
S	~ ~	14	13	80	8	4	+	11	_	80	4	4	0	9	_	9	9	9	6	S	S	S	ഗ	9	9	80	12	9	(CM)	4	00	17	
*	9 7	2 .	13	S	1	ß	14	4	S	18	1	4	13	9	1	en	13	18	(CM)	4	(CM)	4	4	10	1	(CM)	14	9	11	9	•		2
m	6 1	9 1		٣	6	10	15	1	9	9	S	4	17	16	4	6	17	(CH)	2	=	15	'n	*	9	(CM)	1	9	4	27	60	0	27	
Cu Cu	rv a	2	7 4	4	S	2	=	S	9	16	14	9	14	e	14	10	23	10	8	8	8	25	S	9	00	=	=	1	6	=	0	23	,
-	500	200	000	S	54	9	(CM)	1	9	13	8	2	14	4	18	10	4	6	(CM)	2	10	=	2	9	1	16	6	1	(CM)	4	0	24	
DAY	100	, ,	1 4	S	9	1	80	6	10	=	12	13	14	15	91	11	18	19	50	21	22	23	54	52	92	27	58	53	30	31	\ \	ă	

DAY

CB-TRACT
TRAILER AA23
TOT 1983
CATHEDRAL BLUFFS SHALE 01L CO.

A A

DAY

CB-TRACT
TRAILER AA23
TOCT 1983
CATHEDRAL BLUFFS SHALE OIL CO.

	PEA	_		_	2	2	_	8	_	_	_	_	_		_	_	_	-	_	_	_	2	_		_	8	~	_	~	_	_		2	
	AVE F	10	S	0	12	12	12	15	13	6	9	1	10	e	2	9	6	6	4	9	6	10	=	e	S	8	=	10	10	10	6	80		
	54	r 4	3	9	8	6	_	6	12	4	2	4	3	2	2	4	0	4	7	e	4	1	9	2	-	4	9	_	7	7	•	S	12	
	23	<b>~</b> €	4	9	1	6	0	3	12	4	3	4	2	2	2	4	o	S	-	4	9	7	9	7	~	4	9	60	60	89	'n	S	12	•
	22	60	*	1	0	6	6	=	Ξ	9	3	4	-	2	٣	4	6	1	-	4	9	80	7	7	e	9	9	6	8	89	9	•	= 7	
	21	<b>Ф</b> М	e	8	0.0	10	6	=	=	9	*	9	=	2	e	S	Ξ	80	2	1	1	0	8	-	4	7	7	•	00	00	•	7	=-	•
	20	6 6	m	6	=	12	10	=	=	-	S	7	=	~	6	_	01	6	9	1	6	6	6	~	9	6	σ	=	6	6	-	00	12	d
	61	11	e	=	13	13	=	13	13	8	1	8	12	9	4	7	11	10	S	6	10	=	10	9	1	=	10	12	6	11	œ	٥	13	,
	18	12	S	15	91	17	13	16	91	=	6	12	14	S	89	Ξ	12	12	1	12	13	*	13	*	6	13	12	14	12	12	6	Ξ	17	,
	11	13	-	18	19	19	7	11	18	13	10	14	17	1	10	13	13	13	10	15	16	18	16	9	13	11	16	17	15	13	12	*	61	,
	16	3	9	18	50	21	17	18	19	14	12	15	18	9	12	13	7	14	=	91	18	50	18	2	15	19	19	18	17	14	14	15	21	,
TIME)	15	17	9	11	19	19	17	21	19	13	13	15	11	4	12	13	91	14	12	16	19	50	19	4	11	50	50	18	16	16	13	15	21	,
STANDARD	<b>±</b>	**	S	11	19	21	11	21	19	13	12	14	18	4	13	12	17	=	12	91	19	21	19	4	16	19	21	19	19	18	16	15	21.	*
STAN	13	16	e	16	19	21	18	50	19	80	13	13	18	e	6	13	17	13	=	15	18	53	19	e	15	18	21	19	19	19	16	15	21	,
LOCAL	12	17	80	14	61	19	18	19	18	1	13	12	18	4	0	14	91	13	6	13	18	19	18	2	13	15	50	18	11	11	13	7	20	ü
HOUR	=	11 2	00	13	18	18	19	18	16	9	15	Ξ	11	4	0	*	*	Ξ	0	Ξ	15	17	11	2	6	13	18	16	91	13	6	13	61	a
Ī	10	10	60	6	15	16	11	91	16	6	6	6	14	9	8	10	12	10	2	6	Ξ	13	16	-	9	Ξ	15	15	13	Ξ	6	11		-
	•	=,	-	9	11	12	13	12	14	89	7	9	6	9	9	9	8	1	2	4	9	80	=	2	~	9	=	1	1	89	60	80	41	J
	<b>6</b> 0	<b>6</b> 49	4	3	1	6	6	7	Ξ	9	æ	2	S	4	2	2	4	9	-5	7	9	4	_	2	-5	2	1	4	9	9	~	4	12	2
	-	00 4	. LO	0	4	9	7	5	10	9	-	0	9	9	7	0	3	9	-3	-5	-	2	4	٣	4-	0	3	٣	e	9	9	m	10	ŧ
	٠	r-4	4	7	S	1	1	ß	10	0	-	-	9	9	7	0	3	9	<b>-</b> 3	-5	-	3	4	4	4-	-	9	۳	3	9	1	m	10	ť
	r.	- 4	r.	0	9	9	7	S	10	12	-	-	3	3	0	-	4	7	e-	-5	~	3	9	٣	-3	_	4	3	4	9	œ	4	12	2
	4	ou	4	_	9	9	7	9	11	11	2	C)	4	3	0	-	3	8	-5	-5	-	3	9	٣	-3	_	4	S	4	9	80	4	= 7	2
	e	٦ ح	4	-	9	7	6	9	10	-	2	2	4	9	0	-	4	7	-	7	2	3	1	4	۳	_	9	9	4	9	7	4	=7	2
	~	٦ د	4	2	7	9	6	9	6	12	3	3	9	3	-	-	4	8	2	7	3	3	1	4	-5	-	4	2	2	9	_	4	12	2-
	-	80 40	4	(*)	9	1	8	9	6	12	4	3	5	2	2	-	3	8	٣	-5	3	4	1	4	-2	2	2	9	9	1	89	S	12	2

3309

MONTHLY MINIMUM =

4

21

> X Z

CB-TRACT TRAILER AA23 TOT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

DAY

19

A A Z

¥

CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEA		
	AVE	0.0000000000000000000000000000000000000	
	24	- 4 2 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	•
	23	- 488911111111111111111111111111111111111	•
	22	111111111111111111111111111111111111111	•
	23	040011000011000011000010000000000000000	•
	50	133 01010000000000000000000000000000000	1
	19		2
	18	35543513554713271545555551322	•
	11	E	,
	16	**************************************	J
TIME)	15	2004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 1004 - 100	,
STANDARD	14	**************************************	,
STAN	13	20	,
LOCAL	12	9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	s
HOUR (	Ξ		
Ī	10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	6	138 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	
	60	0444001101046V488000114V8011800088	1
	~	8480r80r=00r04e=040r04r4e=08848r 4==	,
	9	84881-801-2010188101811-1910141-49101401-8 S.I.	J
	S	- 4 0 0 L B 0 L L L L L L L L L L L L L L L	J
	4	2 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	,
	е	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	J
	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,
	-	122 98 48 41 46 46 68 88 88 88 88 88 88 88 88 88 88 88 88	4
	DAY	PA V 33333333333333333333333333333333333	

TAME	THE
CONCINETO	ANDARD
Ī	
	LUCAL
011011	2005

CB-TRACT TRAILER AA23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

PEAK	133	68	100	506	194	228	233	217	150	83	144	183	217	94	278	200	200	128	128	156	544	217	278	150	139	539	526	506	222	544	167		278	
AVE	-24	-13	5	7	1	56	57	20	-29	-27	-10	6-	1	-12	44	49	31	-14	-26	-19	13	35	68	1	-51	=	53	13	38	35	38	12		
54	-33	12	46	144	150	133	233	20	33	17	Ξ	144	-56	83	183	161	83	9	128	26	544	183	67	18	122	539	233	19	144	178	46	Ξ	544	-56
23	-28	12	96	194	194	128	68	26	33	33	128	96	=	96	200	100	58	58	96	18	128	172	200	46	18	183	156	83	139	61	167	102	200	-28
22	-11	83	96	150	139	128	128	117	117	=	Ξ	156	-12	44	156	46	0	7.5	100	117	100	133	156	19	61	18	506	67	156	106	161	66	506	-17
21	7	68	100	=	4	144	67	83	150	20	4 4	183	=	22	96	150	39	128	100	22	96	Ξ	556	28	46	83	106	20	156	67	161	16	256	7
20	-17	39	96	128	26	167	67	72	106	20	106	72	67	9-	172	172	122	106	72	44	-61	46	278	33	67	89	-56	26	72	20	139	62	278	-61
61	-58	36	33	61	=	106	200	22	17	28	20	20	22	-11	139	128	68	72	4	4	61	139	189	17	4	20	12	33	26	-55	12	58	200	-28
18	-61	9	-50	117	100	-67	133	-61	150	-56	-50	100	-25	-56	-50	-25	•	9-	-17	-33	-28	9-	58	9	-11	-39	83	=	-25	-39	33	-29	133	150
11	-83				•				•			•																					-22	•
16	-106			•	•	•			•	•		•	•	•	•				•	•	•	•	•		•	•		•				•	-56	•
15	-128 -				•	•		•	•			•	•		•			•	•	•		•	•		•	•		•				•	44-	•
<b>±</b>	- 1001-				•			•		•	•	•			•	•		•			•	•	•					•				•	44-	•
13	- 111-			•	•	•		•	•	•	•	•	•		•		•		•		•	•	•		•	•	•	•	•	•		•	-25	•
12	- 122 -					•	•	•	•		•	•	•		•		•	•			۰	•	•		•	•	•	•	•	•	•	,	-61	,
=	•			•	•	•	•	-191-	•		•	•	•		•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	٠,	٩	•
10	- 99-			•	•	•	•	•	•	•		•	•		•	•	•		•		•		•		•	•		•	•			٠	4	,
۰					•	•	•	44	•	•	•	•			•				•	•			•		•	•			•				144	•
89								217	•										'														217 1	
_		·						144 2		·														ľ									239 2	
•		•					_	150 1		•			-		_										_		_	_	_		_		2 662	
s								156 1																								_	2 112	•
		•		,,,	_	_	_	150 19							_	_	_				_				_	_	_	_	_	_	_		217 2	
en .								172 15																		_							244 2	
2																													-					
_		ľ						7 139																	·								7 278	
DAY	1 8	4- 5						8 217														-	-										K 217	
0						_	, ,	8		-	-	7	-	-	15	-	-	ĩ	-	2	2	2	2	2	2	2	2	2	2	3	6	V	P	Ī

II- 386

DAY

TRAILER AB23 OCT 1983 CATHEDRAL BLUFFS SHALE OIL CO.

CB-TRACT

Z X Z

II- 390

CB TRACT
HRI AD28
OCT 1983
CATHEDRAL BLUFFS SHALE 01L CO.

	TOTAL	140 140 286 53		368
	-			
	24	m		m
	23	36		101
	22	0 m		13
	21	œ <u>e</u>		20
	20	m		ю
	61			
	18	e		15
	11	m		3 1
	16			
Æ)	15 1			
HOUR (LOCAL STANDARD TIME)				
ANDAR	*			15
LST	13	8 S S		63
(LOCA	12	52		52
HOUR	Ξ	un un		10
_	10			
	۰	30		4.
	_			
	9			
	en .			
	4			
	e	m		е
	2	0		10
	-	. <u> </u>		2
	>			
	DAY	100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	228 228 23 23 23 23 23 23 23 23 23 23 23 23 23	7

II- 391

AVE

CB-TRACT
TRAILER AA23
OCT 1983
OCCIDENTAL OIL SHALE, INC.

HOUR (LOCAL STANDARD TIME)

23	O M C C C C C M C C C M C C C C C C C C	u_
22		L
21		<u>.</u>
20		ш
19		ш
18	○ ■ ○ ◆ ◆ ○ 下 ○ ○ ○ ◆ ■ ○ ○ ○ ■ ■ ■ ○ ○ ○ ■ ■ ■ ○ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ □ ■ ■ ■ ○ ○ □ ■ ■ ■ ○ ○ □ ■ ■ □ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ■ ○ ○ ■ ■ ○ ○ ■ ■ ○ ○ ■ ■ ○ ○ ■ ■ ○ ○ ■ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ■ ○ ○ ○ ■ ○ ○ ○ ○ ○ ■ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	0
11		ပ
16		80
15		<b>B</b>
*		<b>6</b> 0
13	□□□ < < < < □ □ □ □ □ □ □ □ □ □ □ < < □ □ □ □ □ □ < < □ □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < < □ < <	<b>6</b> 0
12	U	œ
Ξ	□□□<<<<<< □□□ < <<<< < << < < < < < < < < < < < <td>œ</td>	œ
10	□□□□□ « « • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • <td>၁</td>	၁
•	000	ш
00		w.
-		4
9		LL.
2		L.
*		L.
e		<b>L</b>
~		L.
-		L
DAY	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AVE

HOURS MISSING= 20

NITRIC OXIDE (NO)

CATHEDRAL BLUFFS SHALE OIL

CONCENTRATION  N NNE NNE NNE NNE NNE NNE NNE NNE NNE					TRAILER		AB23	_	PERIOD(10/01/83 TO 10/31/83)	10/	01/83	10 1	0/31/8	3					
1 1 1 1 2 2 2 3 1 2 1 2 2 2 2 2 2 2 2 2		z	NNE	NE	ENE	W.	ESE	SE	SSE	0 01	SSW	NO S.	MSM	3	3 2 3	3		CALM	TOTA
65. I 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UG/M**3	-	-	-	2	2	9	-	2	-	2	~	2	a.	-	2	2	-	
65. I 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0		
66. 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
55. 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
50.         1.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.         0.		0	0	0	0	Ó	0	0	0	0	0	0	0	0	0	0	0	0	
45.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
46. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	••
35. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	•	0	0	0	9	0	0	0	0	••
30. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
25. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	••
20. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
15.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5. : 23 13 12 27 34 49 42 43 61 102 115 36 24 28 55 20 :  NTAL : 23 13 12 27 34 49 42 43 61 102 115 36 24 28 55 52 20 :  AN AN 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••
: 23 13 12 27 34 49 42 43 61 102 115 36 24 28 55 52 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		23	13	12	27	34	64	45	43	19	102	115	36	54	28	55	55	20	
	TOTAL :	23		12	27	34	64	45	43	19	102	115	36	54	28	55	52	20	7.3
	ME AN CONC.	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0	0

0 = NO OBSERVATIONS

11- 393

OXIDE	S 0F	OXIDES OF NITROGEN (NOX) TRAI	0GEN	(NOX) TRAILER	LER	AR23		PERIOD(10/01/83 TO 10/31/83)	/013 g	01/83	10	1/31/	33)	CAT	CATHEDRAL BLUFFS SHALE	BLUI	FFS SI	HALE 0
	z	NNE	Z	ENE	u	ESE	SE	SSE	NO OI	SSE SSW	MS NC	MSM	3	3 2 3	3 2	NNW CALM	CALM	TOTAL
CONCENTRALION MAX UG/M**3	_	5	6	ις.	6	_	r.	9	c	_	5	S	ις.	_	,	13	m	
61 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0
60 65. :	0	0	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	
55 60. :	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0 :
50 55. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
45 50. :	0	0	9	0	•	0	0	0	0	0	0	0	0	0	0	0	0	
40 45. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	
35 40. :	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	
30 35. :	0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0	0 :
25 30. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 :
20 25. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 20. :	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0 :
10 15. :	0	0	0	0	0	0	0	•	•	0	0	0	0	0	0	-	0	
5 10. :	-	-	0	-	0	-	2	0	~	-	-	-		3	2	4	0	: 20
LT 5. :	22	12	12	56	34	4.8	4 0	43	9	101	114	35	23	52	53	41	20	: 715
TOTAL	23	13	12	27	34	64	45	43	61	102	115	36	24	28	55	52	20	736
MEAN CONC.	~	2	~	~	~	-	-	-	~	-	2	2	-	2	~	~	2	2
	11	= NO ORSERVATIONS	PVAT	IONS														

NITRO	GEN D	NITROGEN DIOXIDE (NO2)	E (NO	2)										CAT	CATHEDRAL BLUFFS SHALE OIL	L BLU	FFS SI	HALE	10
				TRAILER	2	AH23		PERTOD(10/01/83 TO 10/31/83)	101	01/83	10 1	0/31/6	13)						
	z	NNE	R	ENE	in in	ESE	SE	SSE	0 01	DIRECTION	NO S.E.	MSM	3	3 2 3	3 Z	3 2	NNW CALM	TOTAL	A.
UG/M**3	S.	TC.	E .	е	9	E .	n.	6	S	r.	ທ	2	5	2	5	6	en .		
GT 65. :	0	0	0	0	0	0	0	0	0	0	0	0	٥	0	0	0	0		0
60 65. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
55 60. :	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	••	0
50 55. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
45 50. :	0	0	0	9	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
40 45. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
35 40. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
30 35. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
25 30. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
20 25. :	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0		0
15 20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 15. :	0	0	0	0	0	0	0	0	0	0	•	0	0	0	9	0	0		0
5 10. :	-	-	0	9	0	0	-	0	7	-	-	-	-	-	2	S	0		16
LT 5. :	22	12	12	12	34	64	7	43	09	101	114	35	23	27	53	41	50		120
TOTAL :	23	13	12	27	34	64	42	£43	19	102	115	36	24	28	55	52	20		736
MEAN	-	-	-	-	-	5	0	-	-	-	-	-	-	-	-	2	-		_
		2000																	

0 = NO OBSERVATIONS

OIL

020	020NE (03)	=		TRAILER	ER	AB23		PERIOD(10/01/83 TO 10/31/83)	20107	01/83	10 1	0/31/	(83)	CAT	CATHEDRAL		BLUFFS SHALE	SHAI	щ
	z	NNE	N M		u	ESE	SE	SSE	ND DI	SSE SSWIND BIRECTION	NO SW	MSM	3	3 2 3	3 2	3 2	NNW CALM		TOTAL
CONCENTRATION MAX UG/M**3	80	16	9 16	16	40	18	80	7.8	98	86	98	82	82	80	98	88	82		
GT 140.	0		0 0	0	٥	۰	0	•	0	0	٥	0	0	0	э	°	0		
130 140.		_	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		Ĭ
120 130.		_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	Ī
110 120.		_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	Ĭ
100 110.		_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		Ĭ
90 100.		_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	Ĭ
80 90.			0	0	-	0	-	•	3	6	16	-	-	2	14	18	-	••	9
70 80.	4		e.	8	7	13	5	o	12	18	18	7	5	5	14	1,4	1	••	141
60 70.	12		.4	1	9	1	7.	6	Ξ	30	36	12	Ξ	12	14	13	1	••	21
50 60.	4		3	10	8	16	8	12	15	21	27	5	-	3	9	4	2	••	146
40 50.	_		0	9	4	3	20	3	4	6	90	5	e	2	2	-	-		9
30 40.	0	_	0	0	0	0	0	•	2	2	-	-	0	0	0	0	0		,-
20 30.		_	0 0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	••	Ŭ
LT 20.		_	0 0	0	0	0	0	0	0	.0	0	0	0	0	0	0	0	••	•
TOTAL	23		71	22	26	39	36	33	4.7	83	106	31	21	24	50	50	18		634
PERCENT	4	. 4	2. 2	2. 3.	*	•	•	5.	7.	13.	17.	ı,	3.	4		æ	3.		100
	11	10 08	= NO OBSERVATIONS	IONS															

CARE	NOE	ONO	CARBON MONOXIDE (CO)	(00)											CATH	CATHEDRAL BLUFFS SHALE OF	BLUF	FS S	HALE	0
					TRAILER		AB23	a	FRIOC	1010	01/83	PERIOD(10/01/83 TO 10/31/83)	0/31/8	(3)						
		z	NNE	R	ENE	E	ESE	SE	SSE	10 01	SSE SSW SSSW	NO SW	MSM	3	3 2 3	3 2	NNW CALM	CALM	TOTAL	AL
CONCENTRATION MAX UG/M**3		5.7	45	4.5	45	57	57	57	57	57	57	57	57	4. ت	57	57	57	45		
GT 1300.			0	D	D	0	0	0	0	•	0	0	0	0	0	0	0	0		0
12001300.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11001200.		0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
10001100.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0		0
9001000.		0	0	0	0	0	0		0	0	0	•	0	0	0	0	0	0		0
800 900.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
700 800.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
600 700.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
500 600.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
400 500.		0	0	0	0	0	0	•	0	0	0	•	0	•	0	0	0	0		0
300 400		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
200 300.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
100 200.		0	0	0	o	0	o	0	0	0	0	0	0	0	0	0	0	0	••	0
LT 100.		23	13	12	27	34	64	45	43	19	103	115	36	54	28	55	55	50 :		737
TOTAL	2	23	13	12	27	34	64	42	43	61	103	115	36	24	28	55	52	20		737
MEAN CONC.	m	38	1.	43	38	4.1	0 4	0 4	42	45	0 4	0 4	39	4.1	39	36	36	37		39
	0	ON	HSER	= NO OBSERVATIONS	SNO															

CONCEMIRATION  No. NNE. NE. ENE. ESE. SSETTON DIRECTION  OUGHAN.3  OTHER 13. 10 5 5 10 13 10 10 10 10 10 10 10 10 10 10 10 10 10	SULFU	2	SULFUR DIOXIDE	(205)	TRAILER		AB23		PERIO	0110	01/83	10 1	PERTOD(10/01/83 TO 10/31/83)	33)	CA.	CAIHEUMAL		BLUFFS SHALE	SHAL
10 5 5 10 13 10 10 10 10 10 10 10 10 10 10 10 10 10		z	NNE	N.	ENE	w	ESE		SSE	ND DI	RECTI	NO SW	MSM	3	3 2 3	3	3 Z Z	NNW CALM	TOTA
- 13. : 0 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	UG/M**3	10	S	ırı	10	13	10	10	10	10	10	10	2	-	13	15	15	5	
- 13. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0	0	0	-	0	0	0	0	•	0	0	0	-	٣	-	0	
- 12. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
- 11. : 1 1 0 0 0 3 1 1 1 1 1 3 5 5 5 5 5 5 5 5 5 5 5 5 5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
- 10, : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	-	0	0	es.	-	-	-	-	3	2	3	0	0	0	-	7	0	
- 9, : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	••
- 6. : 4 0 0 3 1 6 3 5 12 11 - 7. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
- 7. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		4	0	0	3	-	9	9	2	12	Ξ	6	0	2	~	~	2	0	
- 6. : 8 6 8 5 7 11 10 14 17 39 - 5. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 - 4. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 - 2. : 0 0 0 0 0 0 0 0 0 0 0 0 0 1. : 6 3 1 5 27 34 49 42 43 61 103  EAM.  - 5. : 6 3 4 5 6 4 5 15  - 6. : 6 4 5 15  - 7. III 10 10 10 10  - 8. III 10 10 10  - 9. III 10 10 10  - 10 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10  - 10 10 10		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
- 5. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	8	9	œ	S	1	Ξ	10	14	11	39	37	11	15	10	16	5	-	: 23
4.: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3. ; 4 4 3 11 18 25 24 18 14 31 2. ; 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	,	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		4	4	2	=	18	52	54	18	14	31	55	16	9	12	25	20	15	: 29
1. : 6 3 1 5 6 6 4 5 15 17 STAL : 23 13 12 27 34 49 42 43 61 103 AN. 4 3 4 4 3 3 3 3 4 4		0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	
: 23 13 12 27 34 49 42 43 61 103 4 3 4 4 3 3 3 4 4		9	9	-	S	9	9	4	2	15	17	20	9	-	3	9	13	4	••
4 4 8 8 8 8 4 4 8 4	TOTAL :	23		12	27	34	64	42	43	61	103	115	36	24	28	55	52	20	
	MEAN CONC.	4	6	4	4	9	9	6	6	4	4	6	6	4	4	4		2	
0 = NO OBSERVATIONS	0	1	OBSE	RVATI	SNO														

HYDROGEN SULFIDE (H2S)

CATHEDRAL BLUFFS SHALE OIL

				=	TRAILER		AH23		ERIOD	100	01/83	10 1	PERIOD(10/01/83 TO 10/31/83)	3)						
	2	NN		A.	FNF	140	95.9	S.	NIM	10 0	WIND DIRECTION	NO	A CA	3	3	3	2	M I A C		TOTAL
CONCENTRATION MAX UG/M**3					æ	œ		•	æ		ō	æ	ç	o o	æ	10	٠	*		
61 13.	0		٥	0	0	=	0			0	0	0	۰	0		۰	0	o		٥
12 13.	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
11 12.	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
10 11.	0		0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	••	5
9 10.	0		0	0	0	0	9	7	•	0	-	0	0	0	0	0	0	0	••	æ.
в 9.	0		0	0	2	2	0	*	2	-	2	2	•	2	2	2	0	0	••	2.1
7 8.	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
6 7.	-		0	_	-	0	0	0	0	-	-	0	~	0	0	0	2	0	**	3
5 6.	_		0	0	0	0	0	0	-	0	0	2	0	0	2	4	2	0	••	12
4 5.			4	-	8	9	2	4	-	2	14	15	Ξ	9	S	Ξ	12	2		110
3 4. :	0	Ī	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	2
2 3.	7	Ī		2	2	80	30	7	10	12	35	32	7	80	S	1	æ	9	••	171
1 2.	3		_	4	-	œ	17	3	12	9	14	54	6	2	6	15	6	-	••	141
1.	0	Ī	9	S	6	12	15	23	11	36	38	4 0	_	3	4	14	15	Ξ	••	264
TOTAL	24		15	13	26	33	48	42	43	61	105	115	36	24	27	53	48	20	3	733
MEAN CONC.	~		_	_	~	-	-	-	-	-	-	-	~	~	~	2	~ ·	-		~
	ž II	0 OB	= NO OBSERVATIONS	TION	St.															

10 METER LEVEL

10/31/83)
PERIOD(10/01/83 TO 10/31/83
STATION AA23

CATHEDRAL BLUFFS SHALE OIL

								WIND DIRECTION		3	916 0	WIND DIRECTION	Z								
WIND COFFO	0 4		z	NNE	Ä	ENE	ia.i	ESE	SE	SSE	S	NSS	MS.	MSM	3	3 2 3	3 2	3 2 2	VAR		TOTAL
MAX METERS/SEC	SEC		e	4	2	3 4 2 1 2 2 2	N .	~	2	е	5	•	9	2	4	4	4	4	0		
19	: ::			0	0	9	9	0	0	۰	0	0	•	0	0	0	0	0	۰		
. 20	=		0	0	0	0	0	0	0	0	3	2	0	0	0	0	0	0	0	••	٠,
- • 5			0	0	0	0	0	0	0	0	6	S	14	-	0	0	0	0	0	••	5
3	5.	••	2	-	0	0	0	0	0	2	12	30	27	S	9	2	20	80	0	••	10
-	3. :		Ξ	œ	9	Ξ	15	36	54	52	13	35	48	16	13	18	36	35	0	••	34
1.7	.:		Ξ	9	10	16	19	13	18	16	24	33	92	14	'n	80	12	6	0	••	24(
TOTAL			54	15	13	12	34	64	45	43	19	105	115	36	54	28	56	52			0 72
PERCENT	N		e.	2.	2	3. 2. 2. 4. 5. 7. 6. 6. 8. 15. 16. 5. 3. 4. 8. 7.	ž,	۲.	٥	٠	œ	15.	15. 16.	5.	ë.	4	20	ŗ			100

0 = NO OHSERVATIONS

	ro 10/31/83)	NO
FREQUENCY LABLE OF WIND SPEED BY DIRECTION	STATION AA23 PERIOD(10/01/83 TO 10/31/83)	MIND DIRECTION
EQUENCY TABLE C	TATION AA23 F	
FRE	30 METER LEVEL	

CATHEDRAL BLUFFS SHALE OIL

0 = NO OBSERVATIONS

CATHEDRAL BLUFFS SHALE OIL

HIND SPEED  HETCH HAX  HAX  HAX  HAX  HAX  HAX  HAX  HAX						2	2	STATION ARES FERTIDITIONINGS TO 10/31/631		TOTAL TOTAL	70.01	50/	101	31/631							
4         5         4         6         14         15         9         6         7         5         6         6         0           1         0         0         0         0         0         1         1         1         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0         0	o on the		z	NNE	N.	ENE	ш	ESE	SE	WIN	0 0IA	SSW	3	MSM	3	3 2 3			VAR	TOTAL	
11. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	MAX MAX METERS/SE		4	5	4	2	~	4	4	ç	7	12	6	30	-	S	5	٠	0		
11. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	Ω.	-	۰	0			•	0	0		
9. : 0 1 0 0 0 0 0 0 6 12 37 15 4 3 2 7 5 0 0 : 1  5. : 8 5 2 0 0 7 8 17 14 15 14 15 18 8 12 10 23 25 0 : 1  1. : 12 6 6 8 15 16 17 13 6 10 11 9 4 8 9 7 0 : 1  AL : 38 19 14 12 25 49 50 59 69 102 73 32 35 42 66 55 0 7  100 101 101 101 101 101 101 101 101 10			0	0	0	0	0	0	0	0	10	13	16	-	0	0	9	0	0	4	
5. : 8 5 2 0 0 7 8 17 14 15 18 8 12 10 23 25 0 :		:	0	-	0	0	0	0	0	9	12	37	15	4	9	2	~	5	0	6 :	
3. : 18 7 6 4 10 26 25 23 22 26 13 10 16 22 27 18 0 : 1 s 12 6 6 8 15 16 17 13 6 10 11 9 4 8 9 7 0 : 1 s 12 12 12 12 12 12 12 12 12 12 12 12 12		•	œ	5	2	0	0	1	30	11	1.4	15	18	<b>3</b> 0	12	10	23	52	0	17.	
1.: 12 6 6 8 15 16 17 13 6 10 11 9 4 8 9 7 0: TAL : 38 19 14 12 25 49 50 59 69 102 73 32 35 42 66 55 0 RCENT S. 3. 2. 2. 3. 7. 7. 8. 9. 14. 10. 4. 5. 6. 9. 7. 0. 1		:	1.8	1	9	4	0.1	56	52	23	22	56	13	10	16	22	27	18	0	. 27	
: 38 19 14 12 25 49 50 59 69 102 73 32 35 42 66 55 0 5. 3. 2. 2. 3. 7. 7. 8. 9. 14. 10. 4. 5. 6. 9. 7. 0. 1					9	60	15	16	11	13	ç	10	=	6	4	9	7	7			
5. 3. 2. 2. 3. 7. 7. 9. 14. 10. 4. 5. 6. 9. 7. 0.	TOTAL		38	19	7-	12		2.4	50	65	69	102	73	32	35	42	99	55	0	74(	
	PERCEN		5	3,	, ,	å		-	~	œ	6	14.	10.	4	5	• •	٠ •		0		

0 = NO OBSERVATIONS

MAXIMUM SLIDING AVERAGE	COMPONENT	502	502	00	00		PART
4VERAGE	AVG. TIME	3 HR	24 HR	1 HR	8 HR	1 HR	24 HR
	RANK	~0m4n	~ona4n	~เกผ4ณ	⊸ผพ4ฑ	\nu4\n	<b>~</b> ₩ <b>~</b> 44
	DAY	55111	100111			80000 30000	13.
	HOUR (BEG)	12 12 12 12	19 18 19	2222110	15 15 1	200044	
C-8 TRACT SITE AB23 OCT 1983 CATHEDRAL BLUFFS SHALE 01L CO.	VALUE	47111 47110 67660	\$\$\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	00000	00000 00000	######################################	1128 74.5333

## DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

## OCTOBER 1983

GASEOUS PARAMETERS	METEOROLOGICAL PARAMETERS	
NOX: 100 %	WIND SPEED	
NO: 100	10 M: 30 M:	100
NO2: 100	60 M:	100
03: 86	WIND DIRECTION 10 M: 30 M:	100
CO: 100	60 M:	100
S02: 100	SIGMA HORIZONTAL WIND DIRECTION	
H2S: 100	10 M: 30 M:	100
	60 M:	100
	TEMPERATURE 10 M:	100
	30 M:	100
	60 M:	100
	DELTA TEMPERATURE:	100
	RELATIVE HUMIDITY:	100
PARIICULAIES: 100 %	SOLAR RADIATION:	100
	BAROMETRIC PRESSURE:	100
	PRECIPITATION:	100



## LIST OF TABLES

		D
DIURNAL	VARIATION OF GASEOUS AND PARTICULATE MATTER	Page
	Nitric Oxide (NO) at Station AB23	.II-408 .II-409 .II-410 .II-411 .II-412
DIURNAL	VARIATION OF METEOROLOGICAL PARAMETERS	
	Wind Speed at Station AA23 - 10 Meter Level	.II-416 .II-417 .II-418 .II-419 .II-420 .II-421 .II-422
	10 Meter Level	
	30 Meter Level	
	Ambient Air Temperature at Station AA23 - 10 Meter Level. Ambient Air Temperature at Station AA23 - 30 Meter Level. Ambient Air Temperature at Station AA23 - 60 Meter Level. Delta Temperature (60m - 10m) at Station AA23 . Relative Humidity at Station AB23 - 3 Meter Level	.II-427 .II-428 .II-429 .II-430 .II-431 .II-432 .II-433 .II-434
	(60m - 10m) at Station AA23	.11-436

LIST OF TABLES (Contd)	D	
NUMBER OF 1-HOUR SAMPLES OF GASEOUS PARAMETERS BY CONCENTRATION AND WIND DIRECTION	Pag	<u>le</u>
Nitric Oxide (NO) at Station AB23	II- II- II-	-438 -439 -440 -441 -442
SUMMARY REPORT: FREQUENCY TABLE OF WIND SPEED BY DIRECTION		
Station AA23 - 10 Meter Level	 II-	-445
FIVE MAXIMUM INDEPENDENT SLIDING AVERAGES, STATION AB23	 11-	-447
DATA ACQUISITION INSTRUMENT EFFICIENCY, STATION AB23	 11-	-448

CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	2	2	~ ~	_	8	_	N (	۰.	- ~	~	_	_	_	~	_	۰ ۱	٠.			_	_	_	_			- 70	
	AVE P	-	-			0	-		۰ -		-	-	-	0	-	-		٥,		-	0	0	-	0	0 .	- <	۔ د	
	54	2	-	- 2	-	~	-	<b>-</b> (	۰-	- ~	2	-	-	~	~	-	۰.	٠.		2	-	-	0				٠ 2	
	23	0	-	00	-	0	0	0 (	0 0	-	-	-	~	0	0	-	۰.	٠.	- 0	-	0	-	0	0	0	00	00	
	22	0	0	~ 0	-	-	•	0	0 =	-	-	-	0	0	-	-	(	0 0	-	0	-	0	-	0	0	0 0	. 0	
	21	0	-	-0	0	0	-	(	o =	-		-	-	0	0	-	(	۰ د		0	0	-	-	-	0	0 0	<b>-</b>	
	50	0	0	-0	0	0	-	۰ ،	D 15	-	~	0	0	•	•	0	0 (	۰,	~ 0	•	0	0	•	-	0	۰.	. 0	
	6	0	-	• •		•	•	۰.		٠.	-	-	-	•	0	0		۰,		0	0	-	0	-	0	0 0	۔ د	
	28	0	0	• •	0	0	-	0	0 0	-	0	0	0	-	0	-		0	0	-	0	0	-	0	0		- 0	
	11	-	0	۰~	0	-	0	0	٥,	٠.	-	0	0	0	-	0	0 (		-	0	0	0	-	0	0	- 0		
	16	0	CA)	۰-	-	0	-	٥.		• ~	-	0	0	0	-	•	0	۰,	- 0	-	0	0	-	0	0	0 0	- د	
TIME)	15	0	CA) C	~0	0	0	0	n,	٠.	-	-	-	0	0	0	-	0	0	> -	0	-	0	-	0	0	- 0	- د	
DARD	<b>±</b>	-	-		. 0	-	0		0 0	, n	-	#14	0	0	0	-	0	۰.		-	0	-	-	0	0		- 0	
STAN	13	-	-		. 0	0	-		0 0	CA)	-	0	0	0	0	-		۰ د	- 0	-	-	0	-	-	<b>-</b> .	- 0	۰-	
(LOCAL STANDARD TIME)	15	-	-	CA)	. 0	0	-		0 0	CAJ		0	-	0	0	0		٠.		-	0	0	-	0	0	0 -		
HOUR (	Ξ	-	~	φ. -	. 0	-	-	۰ د	- 0	-	-	-	-	•	0	0		- 0		0	0	0	0	•	-		۰.	
Ĭ	10	0	2	e e	, ~	0	-	٠.	<b>-</b> c	0		-	~	-	-	-		٠,	>	-	-	0	-	0	0	0 -		
	6	-	-	3 7		0	0	0	0 0	0	2	-	0	0	0	0	0 .	۰.		-	0	0	-	-	0	- 0	0	
	60	0	0	٥-	. 0	-	-	-	0 0	-	-	_	-	-	-	_		۰.		-	0	0	-	0	-	- 0	. 0	
	-	-	0			_	-		0 0	-	-		0	-	-	-	0	0 0	- c	. 0	0	-	-	0	0	0 0	o ~	
	9	0	_	-	0	0	0	0	0 -	-	0	0	-	-	-	0	-	٥,	- 0	0	0	0	0	-	0	0 0	o ~	
	S	0	-	0-	-	0	0	-	0 -			0	-	0	-	0	۲,	۰,	> ~	-	0	-	0	0	-		- 0	
	*	0	-	00	0	0	0	0	0 0		-	-	0	0	0	0	0	0 0		-	0	-	0	0	_	0 0	0	
	m	0	0	0-	• 0	0	-	-	0 -	- 0		0	-	-	-	-		<b>-</b>	۰ 0	0	-		0	~		- 0	- 0	
	~	-	-	0-		0	-		<b>-</b> -	- 0		-	-	-	0	-				-	-	0	-	-	0	0 -		
	-	0	0	00	00	0	0	-	0 0	0 0		_	-	0	0	-		<b>.</b> .	- 0	-	0	0	0	0	0		- 0	
	ΑΥ	-	2	€ 3	run	9	1	8	0 0	> -	. ~	· e	4	2	9	7	6	5 9		2	3	4	2	9	_	00 0	20	

0 -

- 0

- 0

CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	40 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
	AVE P	m ए व ल व व व व व म प्राप्त क्षा क्षा क्षा क्षा कर प्राप्त कर	
	54	**************************************	
	23	4 0 4 1 1 0 1 1 4 4 8 1 0 4 4 8 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	22	4 C U U 4 U 4 C 4 4 C 4 4 C C 4 C C 4 C C 4 C C 4 C C C C C C C C C C C C C C C C C C C C	
	21	NO4N444N44044N4600N644440N6644 40	
	20	4004NN4N44004444004404044044040	
	19	N4444N4N6N46444666446444446N 46	
	18	N4N444N4406NNNN44040404040444 40	
	11	00000000000000000000000000000000000000	
	91	n → 4 n 4 4 4 6 4 n 0 6 4 n 0 6 6 4 6 4 6 4 6 4 6 0 0 6 4 4 4 6 4 6	
STANDARD TIME!	15	∩ — 4 4 4 4 4 0 4 0 0 0 0 4 4 4 4 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
VDARD	<b>±</b>		
	13	*************************************	
(LOCAL	12	0 4 0 4 0 0 0 0 0 4 5 0 4 0 4 0 4 4 4 0 4 0	
HOUR	Ξ	A Q = Q = Q = Q = Q = Q = Q = Q = Q = Q	
I	10	40 - 40 44 0 44 44 0 44 44 0 40 44 0 0 40 40	
	۰	40 <sup>2</sup> 400000040404440440004404400 40	
	œ	404V0040444004V46V440444404404 40	
	-	***************	
	•	000000000000000000000000000000000000000	
	2	N444N444440N4NN0N040044404404	
	•	44 0 4 4 0 4 4 4 N 4 0 4 4 N N O 4 4 0 O 4 4 4 4 0 0 4 4 4 4 0 4 4 4 4	
	e	4404404404N04440N04N400444004404 40	
	2	Nana4na44nna4na4na4na4na4na4na4na4	
	-	NOC4404NO440044460440660464604 NC	
	DAY	PA 30 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	

		AVE	N 4	6	2	4	m	m (	า 4	٠ م	m	m	3	3	3	3	4	3	3	4	m	4	4	9	3	4	4	9	4	9	
		54	0 4	0	0	*	0	~ 0	<b>u</b> <	0	0	~	2	4	0	2	4	2	2	4	0	0	2	0	9	2	4	4	2	0	
07 11		23	**	4	2	4	~	• •	• •	٠,	1 4	~	~	2	~	4	4	4	0	4	4	2	9	2	9	4	4	4	4	4	
SHALE OIL CO.		22	4 00	0	2	2	0	4 (	u 4	۸ 1	4	2	~	4	2	~	9	0	4	89	2	4	4	4	*	4	4	4	4	9	
FS SH		21	~	2	2	4	4	N C	۰ ،	۰,	4	2	~	0	*	9	80	4	2	+	2	4	4	2	4	0	9	9	4	2	
CB-FRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS		5.0	4 0	0	4	2	~	N	•	•	0	*	4	4	4	9	80	4	4	9	*	9	4	9	9	2	4	4	4	9	
CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLI		19	~ ~	4	•	+	N.	• (	v 4		· N	4	2	2	4	9	9	~	*	4	2	4	9	2	4	2	4	4	9	0	
CATHE		18	N 4	N	4	4	4	~ 0	u 4	٠ -		9	~	2	0	4	2	4	•	9	4	4	4	4	*	4	9	2	2	4	
		11	0.0	2	2	+	4	~ 0	v	۰ ر	*	2	2	2	4	*	*	9	2	4	~	*	4	9	2	•	9	2	4	4	
		16	2 (CA)	•	0	2	*	~	0 0	J 0	~	4	4	2	2	4	9	4	4	+	4	*	4	4	*	2	9	4	+	2	
	IME)	15	2 (CA)	~	4	4	4	• •	0 0	۰ د	4	4	~	4	*	4	~	+	2	4	4	*	4	~	4	4	4	~	*	2	
	HOUR (LOCAL STANDARD TIME)	*	0 4	2	2	9	~	• •		. 4	4	4	2	4	*	2	2	4	4	4	4	4	4	~	4	4	9	2	2	4	
	STAND	13	N 4	*	2	9	41	N 6	<b>.</b> .	•	=	2	*	4	+	+	2	2	4	2	•	4	2		~	2	4	~	*	2	
	CAL	2	~ 9	=	N	9	~			•	(CA)	4			•	2		2			2	9	4		2	9	9		2	4	
	2		~ 80	(CA)		_				Į	CV		2	•			_	_	_									_	•		
	HOUR	=		(CA)					١	ì	(CA)				•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	
		10	4.0	(CA)	*	*	4 1	~ 0	0 0	4	4	4	2	2	2	2	*	2	*	*	2	*	*	*	4	9	9	4	*	2	
		0	2.9	(CA)	~	9	0	N 4	0 4	٥,	4	~	~	ø	4	*	*	~	~	2	0	*	9	*	8	*	*	~	9	9	
		00	4.0	*		9	4	N V	0 4	•	~	4	*	2	0	2	4	0	~	4	89	2	4	4	2	9	2	~	9	4	
		1	N 4	2	2	*	~	0 0	u 4	4	~	2	2	2	0	2	4	2	2	*	~	4	9	4	2	9	4	4	4	2	
		٠	N 4	0	~	4	ο.	* -	• •	- 0	~	9	9	8	2	~	4	~	9	2	9	9	4	4	4	2	4	9	4	2	
DE		ນາ	~~	4	~	0	4	4 (	u 4	۰ ۸	~	*	2	~	~	0	9	0	4	4	4	*	4	~	4	9	2	2	4	4	
(UG/M3)		4	4 N	9	4	4	9			2	4	4	~	4	N	~	9	4	4	9	4	~	4	2	4	89	2	4	4	4	
M3)		6	**	9	2	4	9	N (	v	٥,	~	4	4	2	4	0	4	2	0	2	9	9	2	2	4	9	2	2	9	4	
NITROGE (UG/M3)		2	0 0	9	2	2	9	N 0	0 0	٠, ١	4	4	4	2	4	4	4	~	~	2	4	2	2	9	2	4.	4	9	2	2	

2 9

m 9

9

40

9

> X

PEAK

CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	17	2 5	73	16	7.3	69	69	69	4	69	65	80	16	80	84	80	67	7	69	88	63	69	69	73	73	73	7.1	78	16		88
	AVE	62	200	63	9	64	63	58	29	63	65	52	64	67	69	14	69	61	9	58	7.1	64	62	99	62	9	64	63	7	7.2	63	
	54	55	10	67	51	69	64	69	57	61	53	53	61	63	7.	69	64	63	67	63	69	64	63	63	69	65	61	69	11	14	61	14
	23	55	50	12	55	69	21	29	61	63	65	51	51	29	7.	69	64	63	69	61	73	64	63	65	9	19	51	69	73	92	29	16
	22	19	60	22	61	69	61	63	61	61	69	53	69	65	73	7.1	47	63	=	55	13	4.1	63	69	69	19	63	69	73	14	63	4.
	21	59	53	73	69	65	63	63	29	29	29	53	53	57	14	69	57	61	19	57	73	45	63	69	19	19	63	69	7	14	62	44
	50	5 5	12	5.2	65	19	63	63	22	26	61	53	63	21	73	69	65	63	69	53	16	47	19	69	19	19	69	69	7	73	64	91
	61	59	53	69	67	67	63	63	53	63	63	53	63	61	7.	73	1.1	65	29	64	90	47	65	69	19	65	69	69	7.1	4.	64	80
	18	63	100	32	73	69	9	63	55	61	65	21	65	9	7.1	80	7.1	19	65	64	80	64	19	29	1.	65	7.	69	18	4.	99	80
	11	19	10	22	91	69	69	65	63	29	69	61	7	73	17	82	91	63	65	64	98	51	69	29	73	69	73	7.1	92	14	89	98
	16	69	7	==	92	73	9	29	9	67	69	63	14	92	91	84	80	65	67	53	88	53	69	69	7.1	7.	73	69	14	92	10	88
IME)	15	69	62	609	14	73	65	63	63	69	69	65	73	74	7.8	80	80	63	69	29	88	53	69	69	63	73	73	69	73	92	10	88
STANDARD TIME	<u>*</u>	69	5 1	69	69	1.	65	67	69	74	69	61	92	7.1	80	80	80	63	63	61	96	51	69	69	29	7.	69	69	74	69	69	96
STAND	13	2,		69	24	1.1	92	69	69	24	69	21	90	69	90	80	80	63	63	29	84	63	69	69	69	69	69	69	91	÷	69	94
CAL	12	=:	,	-																										_	29	-
HOUR (LOCAL	=	= 1																												_	9 59	
ноп																														_		
	10	67												-																	9 .	
	•	51																													57	
	<b>6</b> 0	49	53	59	55	65	65	51	57	63	67	47	69	67	59	69	69	29	43	61	29	4 1	57	65	59	64	65	63	67	7	58	-
	7	65	20	63	61	53	19	51	52	29	69	65	59	19	63	7.1	69	63	39	63	64	45	61	63	61	64	65	61	69	7.1	69	7
	9	65	0	63	61	55	63	53	51	63	69	53	63	7.1	65	7	67	57	47	63	49	64	29	63	61	47	63	53	69	69	9	=
	5	19	20	6.0	61	55	65	53	57	63	69	51	63	16	65	19	69	47	23	63	64	64	61	63	61	43	61	53	69	69	9	16
	4	53	2	53	19	57	63	25	52	61	69	64	65	16	61	69	69	55	25	63	23	21	29	63	63	43	63	51	69	69	9	9,
	e	57	200	55	69	57	67	45	22	63	69	64	59	14	61	7.	69	21	29	65	65	61	55	63	63	47	63	51	69	69	6.0	4
	~	63	65	53	69	57	63	43	22	61	65	47	53	63	63	14	69	61	61	65	63	63	47	63	63	22	63	53	69	11	09	14
	-	57	55	64	65	53	65	45	25	51	61	64	41	25	65	69	65	51	29	63	65	63	47	61	63	22	61	53	69	19	58	69
	DAY	-	2	7) 4	2	9	1	8	6	10	Ξ	12	13	14	15	91	11	18	19	50	21	22	23	54	52	92	27	28	53	30	A .	PK

CO

BLUFFS SHALE OIL

TRAILER AB23

CATHEDRAL

> X

AK

CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PE/																														
	AVE P	0 -		0	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (	0	0		•	•	-	0	0	•	0
	54	0 0	. 0	0	0	0	0	0	0	0	0	0	•	0	•	•	0	0	0	0	0 (	7	- 0	•	•	•	0	•	0	•	3 0
	23	0 0	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		•	•	۰ د	•	0	0	•	00
	22	00	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0 0	0	•	•	۰ د	-	•	0	•	00
	21	0 0	•	0	0	0	•	•	0	•	0	0	0	0	•	0	•	•	0	•	•	0 0		•	•	۰ د	-	•	0	•	••
	20	00	m	0	0	0	0	•	•	0	9	0	0	0	0	0	0	0	0	0	0	0 0	0	•		•	0	•	•	•	0 10
	61	0 0	. 0	0	0	0	0	0	0	0	6	0	0	0	0	0	0	0	0	0	0	0 0					0	0	0	6	0.6
	18	00	e m	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0				0	0	0	•	9.0
	11	00	m	0	3	0	0	0	0	0	0	0	0	0	•	9	•	•	0	0	0	0 0	9 0		•		0	•	0	•	9.0
	91	0 6	0	m	3	0	0	•	0	•	9	0	0	0	•	0	0	•	0	0	0	0 0	0			٠.	•	0	0	•	0 F
TIME)	15	0 .	n m	0	3	0	0	0	0	0	e	0	0	0	0	0	0	0	0	0	0	0	0 0		> 0		0	0	0	•	0 6
DARD	<u>*</u>	0 6	'n	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0 0				0	0	0	•	0 10
STANDARD	13	0 1	n m	0	9	0	0	0	0	•	CA)	0	0	0	0	0	0	0	0	•	0	0 0	٥ د	•	> <		•	•	•	•	0 6
(LOCAL	12	0		0	9	0	0	0	0	0	CA)	0	0	0	0	0	0	0	0	0		0 0	0 0	•			0	0	0	•	9.0
HOUR C	::	0		9	9	0	0	0	0	0	(Y)	0	0	0	0	0	0	0	0	•	0	0 0	0 0			•	•	0	0	0	0 6
ž	10	0		0	0	0	0	0	0	0	ت 0	0	0	0	e	•	0	•	0	•	0	0 (	<b>n</b> c	•			0	0	0	•	9.0
	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0 0	۰ د	2			•	0	0		0 10
	80	00	-				0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0 1	<b>n</b> c				0	0	0	•	9.0
	7	0 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0				0	0	0	0	00
	9	00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	۰ د				•	0	0	•	
	S	00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	<b>5</b>				0	0	0	•	
	4	00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0 0		> <	> -	0	0	0	•	00
	3	e 0	00	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0 0	0		> 0		0	0	0	0	0 10
	2	00	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	_		0 '	7 6	•	9 0	9 '	0	0	0	0	9
	1 2	0																													3 3

CB-TRACT TRAILER AB23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	**************************************
	AVE	
	54	
	23	
	22	
	23	
	20	
	16	
	18	
	11	
	16	
TIME)	15	• • • • • • • • • • • • • • • • • • •
DARD	<b>*</b>	
STAN	13	00000000000000000000000000000000000000
HOUR (LOCAL, STANDARD TIME)	15	j
OUR	::	
I	10	
	۰	• • • • • • • • • • • • • • • • • • •
	<b>c</b> o	
	-	
	٠	
	S	• • • • • • • • • • • • • • • • • • •
	•	oooooooooooooooooooo
	е	
	2	
	-	-0
	DAY	PX 30 98 32 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

SHALE, INC.

. 01L												
C-B TRACT NOV 1983 OCCIDENTAL	AD56	-	^	-	-	-	-	-	-	-	^	-
C-B NOV OCCII		_	-	_	_	~	_	~	-	_	_	
	AD42	^	^	^	^	^	^	^	^	^	^	^
	Ą	~	~	٠.	~	~	~	~	~	~	~.	~
	10N	~	~	_	_	~	_	_	_	-	-	-
	STATION AB26	-	~	~	~	-	_	~	~	-	-	~
	AB23	18.5	6.9	1.7	e	1	0.8	2.2	3.4	66.4	26.5	18.5
	AB20	_	-	-	-	-	-	~	-	~	-	_
	AB	~	~	~	~	~	~	~	_	~	~	~
	DAY	2	9	10	14	18	22	92	30	AVE	₩9	PEAK

CB-TRACT
TRAILER AA23
NOV 1983
CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	4	S	3	S	9	4	6	S	0	9	89	4	10	9	4	8	10	4	9	89	9	4	4	8	1	89	5	S	9	•		10
	AVE	2	-	-	2	2	~	2	e	-	2	3	2	4	3	2	9	4	3	3	S	3	2	2	4	3	S	2	2	3	2	۳	)
	54	-	0	0	2	-	2	4	~	2	2	-	4	S	-	~	2	-	4	4	4	0	-	4	9	2	e	-	S.	-	-	٥	ı s
	23	-	0	-	4	2	2	S	-	2	0	-	9	-	0	2	-	-	4	4	4	9	0	4	9	0	4	0	4	-	-	٥	ı ın
	22	-	0	-	3	~	9	4	2	-	~	-	9	2	2	~	-	2	9	4	9	~	2	4	4	2	*	-	4	-	2	0	4
	21	-	-	0	2	-	-	4	2	N	~	N	٣	-	2	~	3	-	4	4	4	2	2	4	00	-	3	-	4	-	~	٥	00
	9.0	0	~	-	0	-	9	3	~	2	0	0	4	2	2	~	4	9	9	9	4	2	-	4	S	2	9	-	4	-	~	٥	9
	19	2	-	CHO	2	-	4	2	-	2		2	9	9	~	N	4	3	4	'n	4	2	-	4	~	-	9	-	4	-	~	٥	ı v
	18	7		_	9	~	*	'n	2	~	N	S	4	N	-	2	4	4	4	4	9	9	-	3	~	~	4	-	4	4	~	۳	9
	11	~	2	٣	4	4	4	1	٣	N	-	8	4	-	2	3	2	S	4	4	9	9	2	4	3	4	S	2	4	9	9	•	- 60
	16	3	2	-	4	S	4	1	S	2	-	00	4	4	2	٣	1	S	٣	4	9	9	9	4	*	1	S	٣	4	9	2	4	00
TIME)	15	4	2	2	4	4	2	9	4	N	~	80	4	N	N	4	_	S	4	2	_	4	-	4	4	1	9	3	4	N	4	4	60
	<b>±</b>	4	S	٣	4	3	-	8	3	0	-	80	~	-	2	٣	9	8	3	-	60	3	~	3	9	9	1	4	4	4	4	4	- 60
STANDARD	13	•	2	2	S	۳	~	6	9	-	-	00	-	-	٣	2	00	89	*	-	00	٣	2	2	9	*	9	ហ	2	*	*	4	0
(LOCAL	12	4	2	-	-	4	2	1	2	-	-	٣	0	2	4	٣	9	10	*	-	9	4	~	2	9	-	ın	S	0	S	4	۳	01
HOUR (	Ξ	4	2	-	-	9	-	s	9	-	-	*	-	~	4	9	6	0	N	-	9	9	2	-	S	0	S	4	0	S	*	٠	0
I	10	6	-	-	-	4	0	60	2	-	0	9	-	-	4	~	~	89	(H)	0	S	4	2	-	S	-	9	9	0	٣	9	۳	0
	•	-	-	-	CM)	-	-	9	2	-	-	-	0	-	~	-		_	CH)	-	9	2	8	0	9	-	9	3	0	0	-	٥	1
	œ	2	-		_	2	-	9	4	-	2	2	-	S	2	2	2	Œ	E .	-	4	-	4	0	3	4	9	2	0	-	-	0	. •
	-	2	-	0	0	-	-	4	3	2	~	-	0	1	2	2	2	2	E (#)	_	2	0	9	0	N	3	8	2	0	~	0	0	3 60
	•	-	0	0	-	0	0	-	3	-					9			m	=	-	4	-	٣	0	3	9	9	2	0	4	-	٥	10
	S.	9	-	0	_	0	~	-	2	~	3	٣	~	0 1	9	-	-	0	_	_	~	-	~	-	4	~	1	~	0	S	-	0	10
	4	-	0	CM)	-	2	0	2	m	-	~	3	_	6	2	0	2	~	~	~	2	0		-	S	-	9	~	0	9	-	0	10
	ъ	CM)	-	-	-	2	CM)	-	4	-	2	3	0	8	4	-	2	-	-	3	3	-	2	-	S	3	9	2	0	S	0	0	1 00
	2	-	-	CM)	0	-	0	-	2		2	-	0	9	2	-	-	0	2	4	3	4	2	0	4	E	2	3	0	S	-	0	9
	-i	0	-	CM) (C	٠	2	-	-	3	2	2	-	-	4	3	0	2	2	-	4	2	3	2	-	4	3	2	3	0	9	-	0	1 9
	DAY	,	2	3 (C		5	9	1	100	5	10	11	12	13	14	15	16	17	18	19	20	21	22	23	54	25	56	27	28	62	30	N 4	, A

AK

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PE/								_				_		_			_	_			_				_								-	
	AVE		,	2	-	3	9	3	-	4	2	2	S	9	9	4	3	4	2	4	4	9	4	2	9	9	4	_	3	9	S	3	•	•	
	54	-		0	0	9	-	4	9	3	2	9	-	7	89	-	4	2	-	S	S	9	3	-	9	4	4	2	2	1	٣	7	•	n co	
	23	-	-	0	0	S	~	4	_	~	2	e	2	S	2	-	9	-	3	S	9	1	4	0	1	4	-	2	0	2	-	~	•	٠.	
	22	c	ų .	-	-	4	3	4	1	3	2	3	-	S	4	9	2	4	3	4	S	4	4	-	9	S	3	9	-	-	2	e	,	٦.	
	21	-		~	-	2	-	m	9	3	3	9	2	9	~	2	2	9	2	s	ហ	9	٣	2	9	15	-	4	-	9	٣	2	,	12	
	20	-	٠.	-	(CM)	-	0	S	*	2	3	9	-	•	4	2	e	-	4	S	6	S	٣	-	1	80	3	2	2	7	9	е	,	* 0	
	19		٠,	~	0	6	-	9	1	2	3	~	6	9	2	0	3	60	4	9	-	S	4	2	9	3	0	4	-	9	~	e	,	n eo	
	18	,	ŋ .	-	9	2	*	9	8	9	e	4	1	S	2	-	e	9	S	2	S	60	4	2	2	٣	4	4	2	9	S	4		e 00	
	11	4		•	٣	2	9	9	10	4	9	2	Ξ	9	8	9	2	4	1	S	S	00	89	N	2	4	S	-	2	2	S	00	L	- 1	
	16	4	•	•	-	9	_	2	10	1	0	-	12	S	2	3	4	10	0	4	S	80	8	4	9	2	6	7	4	S	2	9	,	12	
TIME)	15	,	0 (	N	2	2	9	9	8	S	9	9	12	S	2	9	4	6	1	S	٣	6	ø	2	2	S	6	6	4	S		S.		12	
STANDARD	<b>±</b>	u	0 1	-	4	9	4	2	10	*	0	-	=	e	2	9	4	8	10	4	-	10	•	2	4	80	80	6	2	2	2	9	ı	. :	
	13	u	0 0	7)	~	9	*	9	13	4	-	-	15	-	-	4	9	=	12	9	-	Ξ	4	9	9	80	9	80	9	9	9	S.		130	
LOCAL	12	,	0 1	•	-	~	S	9	٥	2	-		4	0	9	S	4	4	13	4	-	6	9	9	2	00	-	-	9	-	0	4	,	13	
HOUR (	=	,		~	-	-	8	2	8	+	-	-	S	-	9	S	4	+	13	4	~	00	4	2	-	_	-	8	9	0	-	S		13	
I	10			_	-	-	S	-	10	9	2	0	4	-	-	9	3	3	12	4	0	_	9	3	-	-	-	00	4	0	4	4	,	12	
	٥	,	u (	N	-	0	2	2	6	*	-	٣	2	-	~	*	2	9	Ξ	CH)	-	S	٣	6	CM)	4	~	00	4	-	-	~	,	· ::	
	60	٠	۰.	-	0	-	2	-	80	4	-	9	9	N	80	3	9	3	0	CM)	0	9	8	S	CM)	4	9	6	4	0	0	2	,	20	
	۲ .			-	-	-	~	-	1	4	3	2	2	-	6	3	3	3	2	CM)	2	7	-	4	0	9	4	12	3	0	6	-	,	12	
	9	,		0	0	2	0	0	0	4	0	2	9	2	15	S	9	2	4	2	-	S	2	4	0	4	8	15	3	-	ç	~	•	15	
	2	u	n ·	-	CMO	-	~	0	-	٣	-	4	4	2	7	80	2	-	-	-	2	9	-	9	-	S	4	6	9	-	_	~	,	14	
	4	,	η,	-	CH)	0	3	-	7	4	-	e	4	-	14	1	-	-	9	-	٣	3	7	2	-	1	-	8	4	-	00	0	•	14	
	9	-	٠.	_	0	-	۳	0	3	9	-	~	4	0	12	9	-	3	2	-	4	4	2	9	-	00	S	6	9	-	1	ÇW.	,	12	
	2			-	0	CMO	0	0	3	4	2	4	2	-	6	1	-	-	-	4	9	4	2	2	0	9	4	4	4	0	00	-	,	0	
	-		٠.	-	-	1	3	-	4	5	2	9	-	3	9	4	-	3	3	2	9	1	4	3	-	9	4	3	4	-	6	-	,	0	
	DAY		-	2	3	4	2	9	1	00	6	10	11	12	13	14	15	16	11	18	19	50	21	22	53	54	52	56	27	58	58	30		A X	

15

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	844688844886699448886986	17
	AVE	こしょ ちらかく ちょうかん ようちょう ちょう こまかり ちゅうかん	4
•	54		40
	23		4 00
	22		* œ
	21	Q → m → 4 Φ· 4 m 4 Q B Q → − − α m 4 Q > − − α α m − 1 m − α 4 Q	13
	20	0	*=
	61	O - W - A A A W A A A A A A A A A A A A A	40
	18	O UU 4 F 5 4 M 4 8 F U U M F F V V V V V F F V V V V V V V V V V	200
	-	E 49	13
_	16	4 W W B B B B B B B B B B B B B B B B B	13
TIME	15	111111111111111111111111111111111111111	13
STANDARD	7	8 4 4 4 4 2 11 4 1 1 2 1 2 1 2 1 2 1 2 1	12
	13	CC 1337777833777833	13
(LOCAL	12	CC 10 10 10 10 10 10 10 10 10 10 10 10 10	15
HOUR	Ξ		15
-	10	O	4 4
	•	E 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	13
	<b>®</b>	5 5 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	10
	_	C	12
	•	G	17
	ru.		16
	4	. O-40-50-50-60-60-60-60-60-60-60-60-60-60-60-60-60	15
	6	O	4 41
	~	000010464646000000000000000000000000000	12
	-		7 :
	DAY	3098765321000000000000000000000000000000000000	> 4 > X

HOUR (LOCAL STANDARD TIME)

PREV

_																															
24	220				_			_	_					_	_		,				•		_	1.7	,					186	
53	221	148	152	232	193	208	13	112	139	240	194	112	145	134	84	122	329	201	509	188	243	207	83	254	310	529	202	39	73	175	
22	145	230	146	261	194	198	13	112	147	197	200	188	228	150	210	141	333	186	215	171	232	205	179	164	319	261	219	272	186	201	
21	191	594	140	235	163	178	354	109	123	173	202	113	210	127	211	237	333	194	200	123	185	203	184	Ξ	337	267	215	516	102	186	
20	156	558	145	215	203	189	262	114	133	19	509	198	207	126	215	270	333	207	194	158	200	207	191	144	338	331	211	215	91	196	
19	207	(CM)	203	283	203	203	566	120	143	589	207	202	201	138	217	224	333	516	197	157	556	204	139	52	338	325	205	228	181	211	
18	217	22	194	552	196	207	312	154	146	241	204	204	323	136	223	203	349	200	199	168	262	197	160	258	343	358	208	290	197	218	
11	213	345	214	539	212	214	350	172	190	222	210	268	307	168	215	201	12	222	191	192	340	552	133	234	341	325	210	320	198	234	
16	324	247	218	222	218	207	336	175	211	220	214	297	298	161	519	506	2	224	199	204	359	230	161	183	335	0	214	320	191	232	
15	207	205	213	218	231	205	336	210	222	217	215	351	310	222	222	199	4	236	203	558	330	231	171	175	332	0	210	298	203	235	
2	197	244	516	204	245	508	318	261	205	218	232	341	338	526	230	195	359	98	198	194	292	554	198	186	340	-	519	549	506	233	
13	223	234	215	208	308	201	311	270	310	213	23	9	320	207	519	202	336	349	212	194	311	297	196	186	340	347	218	261	207	524	
15	330	23	253	214	568	161	304	344	31	194	52	317	303	211	242	206	335	329	212	172	315	230	191	184	342	347	187	261	200	292	
=	223	91	345	218	334	194	316	68	9	202	303	313	286	215	220	201	320	340	509	177	308	210	196	128	339	339	==	244	201	529	
10	204	45	2	189	39	194	337	95	109	194	240	274	589	174	204	209	Œ	277	202	198	300	66	196	118	327	335	101	261	201	516	
6	109	107	CH)	11	46	195	331	7.4	158	96	2	300	287	109	151	208	CM)	235	201	184	316	130	189	132	331	324	210	326	167	168	
<b>c</b> o	113	225	210 (	11	139	190	345	15	165	191	69	255	270	133	107	CM)	CM)	WR)	201	180	314	130	186	154	332	302	508	87	157	991	
-	168															~	_	~												208	
•	163																_	~												503	
S	169																	_												186	
•	155	CM)	193	145	202	64	341	13	172	191	184	217	257	180	117	167	135	WR) (	176	7	240	208	183	112	320	308	207	217	33	180	
6	CM)	_																~												161	
~	188 (213				_																									182	
-	214	_																												194	
DAY	- 2	3 (	7 4					6																						2	

DAY

TIME	T WE
CTAMBABB	DAK DAK D
14 00 11	CAL
anon	200

CB-TRACT TRALLER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

REV

	a a	-	2	6	-	-	2	-	3		-	-	2	2	2	_	_	-	3	2	-	_	2	2	-	-	9	3	~	2	-	2
	24	183	180	173	107	233	182	210	355	137	140	546	187	237	225	127	145	140	327	199	205	161	212	199	125	311	302	173	187	147	135	185
	23	189	120	184	137	252	190	202	355	119	154	529	191	161	254	132	118	121	325	196	207	188	6	205	98	559	310	165	200	7.1	92	175
	25	153	337	284	141	566	191	194	355	125	157	161	193	190	526	141	211	132	333	181	210	161	552	200	175	152	315	253	215	281	178	199
	21	145	201	352	155	270	187	174	346	124	122	173	196	153	204	123	212	546	318	191	197	119	154	198	178	107	335	280	211	231	101	183
	20	159	211	(CM)	174	105	199	187	308	121	131	340	503	194	178	128	213	267	328	202	193	163	202	202	187	147	334	338	506	222	88	190
	13	190	519	88	188	301	199	201	596	122	143	278	204	194	156	159	214	217	330	211	193	150	592	198	143	27	335	331	199	231	176	203
	18	213	164	16	190	251	195	203	311	149	143	241	201	212	341	134	221	201	346	195	195	163	297	190	159	251	341	356	204	287	192	213
	11	212	304	341	210	235	208	210	346	163	188	558	211	569	301	161	210	516	80	519	185	187	337	220	159	558	337	324	206	315	192	232
	16	203	320	250	213	217	213	203	330	170	208	221	228	568	562	185	214	212	329	220	195	199	324	526	159	177	332	2	210	315	187	230
1	15	204	283	506	508	213	227	202	328	203	516	213	214	348	306	516	218	202	357	233	200	224	325	526	169	169	328	356	205	567	198	232
O V	<u> </u>	216	193	240	214	202	237	204	315	238	201	214	556	333	330	220	526	197	355	83	195	189	288	223	193	180	337	9	215	245	201	559
	13	212	219	230	213	207	302	197	306	265	301	211	27	0	315	201	514	661	332	339	208	161	307	290	191	181	337	344	516	258	202	549
	12	223	325	27	546	509	295	186	301	349	39	506	65	315	297	506	235	202	331	317	802	166	312	528	189	180	339	343	188	257	197	952
400	=	218	339	75	339	213	359	188	312	15	9	202	298	311	282	210	514	197	320	332	506	175	301	207	192	157	336	336	06	241	199	253
	10	200	331	47	19	186	38	189	333	101	120	161	552	568	284	170	202	207	346	519	198	195	297	109	192	142	323	333	===	692	195	215
	6	1117	258	114	132	15	98	190	328	06	151	101	53	590	283	135	162	505	CM)	251	199	182	315	CM)	188	138	326	323	200	588	184	177
	80	125																	_					_								173
	1	157																	_					_								211
	•	151																	_													185
	ro.	163	861	(H)	147	951	174	0+1	* 462	354	158	136	0 42	600	658	139	151	143	129	3	194	72	065	000	187	151	323	908	184	903	611	175
	4	160		~																												170
	т	165		~																												179 1
	2																					195									٦	181
	-				_																	191										185 1
		_	_				17	_	· ·	(*)	_	7	w	7	cu	174	~	~	_		C	_	_	.0	_		12	ru	7	C	_	_

802

Ь

		ā				_								•	•								•	•							
		24	176	176	227	120	270	188	210	303	159	164	254	188	25.0	140	165	179	330	199	204	200	CE C	102	133	317	606	172	188	142	156
011 00		23			526																										
SHALE 0		25	159	255	588	155	516	194	193	345	151	175	502	195	191	145	213	135	337	183	510	160	491	402	9/1	201	325	862	515	576	176
		21			35																										
A23 3 BLUFFS		20	69	540	+1	187	15	202	190	303	148	141	308	211	161	100	215	566	333	202	197	175	613	502	188	691	341	351	502	540	001
CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BL		19	00	186	55	187	340	201	201	162	141	158	270	506	6	147	215	213	335	112	194	158	-	102	159	/ RZ	341	345	161	539	178
TRAI NOV CATH		18	916	06	91	161	252	199	202	319	159	151	232	202	212	150	219	961	348	195	961	167	315	**	691	0 1	345	0	504	583	189
		11	110	310	345	210	234	207	208	346	162	191	217	205	200	163	502	194	6	519	187	188	341	220	141	922	341	330	204	315	191
		16	100	322	543	508	516	212	202	333	17.	202	215	207	262	184	213	201	360	520	194	198	325	922	163	9 1	337	-	508	317	187
	TIME)	15	202	282	506	207	212	526	200	335	199	210	210	210	347	216	218	196	357	233	200	223	354	922	172	100	331	356	204	297	198
	STANDARD	1,4	215	192	238	212	203	238	203	320	225	205	211	224	335	910	225	190	356	83	194	161	291	552	261	1/8	336	9	515	549	200
	STAN	13			227																										
	LOCAL	12			31														_												
	HOUR (	Ξ			14														_												
	I	10			58														_												
		6			65														_												
		00	145	142	335	117	6	558	186	336	166	160	184	92	202	151	141	194	CM)	313	199	161	315	(W)	188	55	331	317	172	582	187
		1	15.7	141	323	182	176	288	185	311	150	186	176	244	2000	161	149	115	CM)	317	192	216	300	CW	183	134	351	315	168	214	161
I 0 0		9	15.0	143	252	151	195	148	192	302	248	144	127	272	200	153	127	164	345	12	186	202	301	CHO	179	9/1	335	321	172	504	177
2		r.	163	153	568	139	184	139	174	307	543	166	149	254	261	102	15	166	175	357	195	104	301	210	189	156	356	318	202	208	139
WIND DIRECTION		4	146	162	293	174	174	156	183	335	566	155	172	231	212	167	508	173	156	345	180	85	539	\$12	176	1 4 1	350	318	199	213	191
JEGREES		E	9	163	559	130	167	153	189	298	267	113	175	280	112	143	116	179	(CM)	341	188	194	522	173	186	141	350	320	212	201	172
DEG		2	170	176	508	131	293	199	194	223	519	162	150	262	200	152	124	174	202	335	194	194	200	213	189	157	583	307	207	506	181
		-	35.4	188	202	151	102	535	185	218	281	165	170	261	188	202	172	181	200	332	203	192	158	622	194	5	562	306	150	207	151

MPS)

000

VECTOR SIR VEL

20

17

9

THE)

STANDARD 13 14

LOCAL

IOUR

205

9

98

000

0:

8 - m u o m m u o u - o 8 u o 4 u u - o u m o - o o - o m u

 DATA

MISSIM

WIND DIRECTION AND VECTOR AVERAGE VELOCITY (DEG & MPS) 30 METER LEVEL

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

VECTOR DIR VEL	2.6	0.3	2.1	2.2	2.0	6.5	3.1	9.0	1.9	3.8	2.5	4.4	3.3	2.3	3.7	6.4	3.1	1.8	6.4	3.3	1.7	3.1	5.3	3.0	7.0	2.8	3.1	3.6	5.6		2.0	
VEC	190	290	186	506	207	194	316	110	148	506	212	556	278	162	202	198	337	232	198	183	288	210	111	166	327	327	203	536	181	214		
24	183	173	107	233	182	210	355	137	140	546	187	237	552	127	145	140	327	199	502	191	212	199	125	311	305	173	187	147	135	194	1.9	
23	189	184	137	252	190	202	355	119	154	529	191	161	254	132	118	121	325	196	207	188	6	205	96	529	310	165	200	7.	92	188	1.6	
22	153	284	141	566	191	194	355	125	157	191	193	190	526	141	211	132	333	181	210	161	552	200	175	152	315	253	215	281	178	197	2.1	
21	145	352	155	270	187	174	346	124	122	173	196	153	204	123	212	546	318	161	197	119	154	198	178	101	335	280	211	231	101	190	2.1	
20	159	:	174	105	199	187	308	121	131	340	508	194	178	128	213	267	328	202	193	163	202	202	187	147	334	338	506	222	88	200	5.4	
19	190	68	188	301	199	201	596	122	143	278	204	194	156	129	214	217	330	211	193	150	592	198	143	27	335	331	199	231	176	502	2.3	
18	213	16	190	251	195	203	311	149	143	241	201	212	341	134	221	201	346	195	195	163	297	190	159	251	341	356	204	287	192	212	2.5	
1.7	212	341	210	235	208	210	346	163	188	558	211	569	301	161	210	516	80	519	185	187	337	220	129	559	337	324	206	315	192	222	3.2	
16	203	250	213	217	213	203	330	170	208	221	228	594	562	185	214	212	359	220	195	199	324	526	159	177	332	2	210	315	187	554	3.6	
TIME)	204	206	509	213	227	202	328	203	216	213	214	348	306	216	218	202	357	233	200	554	325	526	169	169	328	356	205	594	198	222	3.5	
STANDARD 13 14	216	240	214	202	237	204	315	238	201	214	556	333	330	220	226	197	355	83	195	189	288	223	193	180	337	9	215	245	201	220	3.5	
	212	230	213	207	302	197	306	265	301	211	27	0	315	201	214	199	332	339	208	161	307	290	161	181	337	344	216	258	202	228	3.3	
LOCAL 12	223	27	246	508	295	186	301	349	39	506	65	315	297	902	235	202	331	317	208	166	312	228	189	180	339	343	188	257	197	235	2.3	
IOUR (	218	75	339	213	329	188	312	75	09	202	862	311	282	210	214	197	320	332	506	175	301	207	192	157	336	336	06	241	199	232	2.2	
	200	47	19	186	38	189	333	101	120	191	225	268	284	170	202	207	346	279	198	195	297	109	192	142	323	333	=	559	195	519	1.9	
6	1117	114	132	15	95	190	328	06	151	101	58	290	283	135	162	205		251	199	182	312	***	188	138	326	323	200	289	184	210	1:1	
00	125	343	114	69	183	187	337	355	149	188	51	252	290	136	115	180	* * *	265	198	183	309	***	186	150	329	301	175	9	164	210	8.0	
~	157	12	100	119	262	183	308	355	691	173	227	276	287	140	130	96	***	295	192	225	962	589	171	125	325	588	201	208	174	235	1.0	
9	157	274	140	124	216	155	297	352	117	112	276	216	293	135	125	151	335	8	186	204	962	345	171	178	332	305	143	202	155	217	1.3	
5	163	*	147	156	174	140	294	354	158	136	240	509	559	139	121	143	129	6	194	72	290	200	187	151	323	308	184	206	119	207	1.5	
4	160	***	216	149	148	62	335	355	153	159	177	214	256	161	106	169	134	338	174	15	233	210	176	120	317	308	186	213	45	210	1.4	
æ	165	540	166	157	42	188	302	355	101	168	171	211	262	141	120	153	11	338	185	33	221	199	184	132	317	308	199	202	*	210	1.4	
2	178	133		114	63	179	223	354	148	126	320	201	275	129	128	137	199	333	194	195	193	119	187	151	284	301	202	205	172	207	1.7	
-	128	100	73	20	216	178	218	355	139	143	256	187	266	205	161	173	181	330	202	161	150	212	192	85	287	297	152	208	160	199	1.7	
>		40	7 4	rus	9	1	8	6		-	2	3	4	5	9	1	8	6	0	_	2	3	4	5	9	1	8	6	0	0	>	

TOTAL NUMBER OF OBSERVATIONS = 710

NOTE: \*\*\* = MISSING DATA

VECTOR DIR VEL

= 707 OBSERVATIONS 0F NUMBER OTAL

5.6

DATA SNISSIN = \*\*\*\*

II- 423

207

HOUR (LOCAL STANDARD TIME)

EAK

P																																
AVE	12	= :	5 -	::	::	•	*	-	S	0	17	=	*	5	90	13	13	1	14	12	=	8	=	13	14	_	9	8	0	<u>*</u>	=	
24	4.	,	- 5	7	9 :	13	•	0	2	=	0	-	=	80	9	0	_	2	15	10	10	9	-	13	80	9	2	1	9	54	æ	24
23	99	21		9 0	?	0 1	5	0	9	14	00	2	-	89	S	21	9	~	0	15	0	0	9	15	13	9	0	80	3	35	6	32
22	0.0	20	10	n u	n	<b>1</b> 0 1	00	0	9	13	52	80	=	6	4	18	*	0	15	4	13	_	9	22	9	9	-	89	8	16	6	52
21	13	•	="	יו ני		8	9	_	_	6	0	_	61	9	٣	80	1	0	6	0	<b>*</b>	_	~	<b>6</b> 0	13	9	4	6	S	13	8	19
20	18	0	5	0 0	2 '	20	00	Ξ	e	æ	17	9	12	m	4	_	13	~	0	15	2	S	_	23	9	1	9	6	1	*	0	21
19	4	10	(E)	::	2	0	<b>x</b>	9	4	12	13	00	9	89	4	-	=	S)	10	15	00	S	-	52	S	6	9	0	89	18	6	52
18	m	•	œ ·		7	9	00	1	e	9	12	~	_	9	*	80	10	9	80	80	14	9	9	17	=	-	9	89	8	18	00	18
11	00 1	-	ı n	- 0	,	20	0	00	S	15	80	6	0	_	9	28	10	_	6	80	80	9	80	1	10	_	6	6	00	8	0	58
91	12	00	13	•	2 :	=	12	9	89	17	89	6	12	16	6	80	15	S	12	0	01	6	07	=	80	_	6	6	6	59	=	59
15	14	16	53	77	77	54	12	7	Ξ	13	10	0	15	11	0	0.	15	_	18	0.1	=	1.4	13	=	7	1	0	•	10	13	12	54
14	15	=	9:		5	54	=	80	19	24	=	17	7	17	13	10	13	80	19	0	=	14	13	=	6	_	6	Ξ	0.1	10	13	54
13	*	52	34	2:	7	34	10	80	15	-	13	22	34	13	17	13	=	6	52	10	12	12	17	10	16	20	10	12	12	14	15	34
15	<b>*</b>	7	21	35	7	27	12	80	80	10	23	34	17	15	*	28	10	10	28	*	6	12	55	10	33	80	6	36	6	19	17	36
Ξ	*	6	3	2 '	2	52	12	8	12	19	16	7	30	12	12	54	6	6	56	15	10	12	25	12	20	6	_	25	10	12	15	31
10	1	16	14	7	*	2	6	89	6	12	27	89	27	=	13	52	6	(CM)	31	13	10	13	15	12	Ξ	0	1	Ξ	10	13	14	31
0	20	19	12	E :	0	~	0	10	9	10	34	=	50	10	_	18	Ξ	(CM)	9	50	=	9	15	15	52	1	9	0	19	32	13	34
80	Ξ	12	-	22	0	=	0	8	0	S	27	1	=	9	S	=	(CM)	(CM)	(MK)	16	6	1	23	7	13	60	9	0	9	60	10	27
-	7	S	6	= :	13	13	10	10	0	1	30	10	10	0	4	9	20	(CM)	(MK)	10	12	1	13	16	14	1	9	0	14	10	10	30
9	1,4	6	6	20	28	4	27	89	0	9	19	13	8	0	ភេ	18	10	9	(MK)	15	=	_	13	13	=	1	1	0	6	0	10	28
5	18	00	6	5	9	4	4	8	0	S	13	9	6	9	8	14	31	3	(WR)	13	3	80	9	6	28	_	9	0	6	0	10	41
4	80	17	(CH)	2	*	12	22	10	0	_	1.1	80	60	4	15	12	12	S	(MK)	*	18	Ξ	S	_	30	6	90	0	6	3	10	30
8	(CM)	14	12	S	9	(CH)	27	6	0	1	14	20	6	2	15	S	31	14	2	Ξ	20	S	1	80	10	89	10	0	6	12	10	31
~	13	12	(CM)	=	20	1	17	10	0	2	21	8	8	=	1	S	21	19	9	=	13	2	1	9	=	1	8	0	8	=	10	21
-	9	3	(CH)	0	6	6	32	6	0	10	20	6	8	16	6	8	1	16	9	10	16	80	2	1	14	9	9	0	6	8	6	32
DAY	-	2	3	4	2	9	1	8	6	10	=	12	13	14	15	16	17	18	19	20	21	22	23	54	52	92	27	28	58	30	A	¥

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEAK	34	54	31	27	0 4	33	64	6	22	28	34	34	38	17	16	31	40	56	33	21	24	32	20	56	36	9	=	37	39	0 4	64
	AVE	12	13	*	12	15	15	14	5	7	=	11	13	14	10	89	14	15	6	14	12	12	6	10	12	15	9	1	10	10	11	12
	54	16	12	15	=	6	=	89	0	_	6	12	9	10	3.0	2	12	14	80	=	10	10	15	_	12	1	2	S	_	4	0 4	10
	23	77	-1	0 7	4	S	00	00	0	•	15	6	6	52	10	ß	31	9	90	10	=	Ξ	35	4	14	91	S	_	~	8	39	39
	22	10	00	-	4	S	90	00	0	10	15	23	1	12	1	9	18	ស	1	12	14	12	15	S	25	S	ı,	S	_	9	91	23
	21	01	•	o	Ξ	23	23	2	1	19	0	<u>+</u>	9	25	ເດ	*	S	6	_	8	=	*	e	9	8	12	ស	=	80	_	20	23
	50	21	*	Œ	18	35	80	6	4	9	_	18	4	1	4	4	ស	=	9	60	12	01	'n	9	18	_	9	_	80	9	18	10
	19	*	0.7	*	16	19	S	1	2	4	14	13	_	4	16	*	s	10	9	6	12	80	9	S	56	Ξ	9	S	80	9	22	10
	18	e :	12	4	e	=	S	1	9	4	-	=	1	80	6	4	_	80	9	80	89	14	œ	S	11	01	9	9	1	9	50	8 50
	-	91	s	4	9	8	9	89	7	9	13	7	=	Ξ	~	4	50	=	7	80	8	9	S	9	9	6	-	6	6	_	00	8 20
	91	12	20	11	80	89	6	=	S	8	18	80	*	10	13	00	1	14	1	=	6	0	0	0.1	10	89	1	80	89	8	59	10
(IME)	15	=:	12	25	=	10	50	=	0	10	=	6	6	15	15	8	6	15	9	18	6	10	14	12	12	7	9	80	_	10	13	11
ARD	4	13	10	13	15	12	31	10	6	22	28	10	19	13	17	13	10	12	8	20	0	=	12	12	10	89	9	6	6	6	6	13
STANDARD	13	12	42	28	=	=	58	0	9	91	18	=	56	37	12	16	01	10	80	52	6	=	10	17	10	17	1	6	12	10	13	15
LOCAL	15	12																														16
IOUR (L	Ξ	15																														15
Ĭ	10	=:																														14
	6	18																														14
	<b>x</b> 0	00 1																	_					_								12
	_																		_		6			_								12
	•	15																	٥													12
	ır.	12																														12
	4			-																	16											38 4
	e.			-																												12 1 34 3
	~																				1 1										S	
	_				٦																											1 13
	)AY	-	-	3 1	1	5 1	1 9	1	·	•	10										10											7 11
	0			200	-	91	_	,-	•	5	10	=	-	-	1	15	1	11	16	15	20	2	5,	2	2	2,5	2	2	2	5	3(	P A

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE 01L CO.

	PEAK	11	22	59	52	36	53	53	12	19	17	37	56	35	15	15	32	34	21	56	16	22	12	19	21	43	7	80	20	40	36		53	,
	AVE	80	90	80	_	12	6	=	1	90	6	17	6	=	8	9	13	13	89	=	10	10	9	9	10	14	ທ	S	2	80	13	đ	•	
	54	4	S	4	00	e	-	9	10	9	6	6	S	6	3	S	10	12	-	10	10	8	(CM)	4	Ξ	D.	9	9	9	S	39	٥	9 0	,
	23	9	9	4	4	4	S	1	6	00	Ξ	•	-	13	9	4	32	4	1	6	10	80	-	2	15	80	4	0	9	4	35	a	350	
	22	4	12	9	00	4	9	9	9	6	12	16	S	10	ß	S	10	S	9	10	=	8	9	e	19	*	4	2	ß	4	15	٥	0 0	
	21	9	1	S	00	9	=	S	89	01	6	12	*	15	4	n	4	_	9	-	6	13	2	4	1	12	4	٣	9	2	23	a	9	2
	50	0	17	9	60	ß	s	1	12	6	60	18	9	S	4	'n	•	=	*	1	12	8	~	9	*	6	S	'n	2	9	50	۰	000	2
	19	3	9	9	*	8	9	9	6	ស	13	Ξ	4	٣	=	ß	S	6	'n	80	Ξ	80	9	٣	21	13	1	•	9	9	15	,	- :	1 2
	18	9	60	*	6	=	*	S	_	9	9	10	S	S	9	9	S	9	9	_	1	9	٥	2	*	80	S	*	S	*	21	,	0 -	1
	11	4	+	4	•	-	*	1	80	*	Ξ	-	1	00	9	2	18	60	9	1	1	9	4	•	6	00	9	89	9	S	7	•	- 0	10
	91	10	-	-	-	_	_	6	60	-	16	9	1	8	Ξ	9	9	Ξ	1	10	8	80	1	89	80	9	9	1	1	9	30	•	30	30
TIME)	15	10	13	18	10	80	15	10	9	٥	10	00	1	13	7	7	80	14	9	17	6	6	12	10	10	S	S	9	9	6	15	5	2 0	91
DARD	<b>*</b>							0																								:	3.1	,
STAN	13	=	22	53	10	10	53	1	9	*	*	10	56	53	Ξ	15	6	6	CH)	21	8	10	8	15	8	13	9	8	10	6	=	2	000	۲,
LOCAL	15							10																								:	1 6	2
OUR	Ξ							Ξ											-													:	+ u	22
I	10							_											_													:	11	35
	٥							00																								-	3 4 6	1
	60							-											_					_								(	,	*
	7							9																								-	2 2	
	•							27											ч					-									30	36
	S	60	1	9	٣	24	-	28	4	0	4	13	1	_	9	9	8	33	10	9	=	6	S	0	8	27	9	3	-	1	4		33	2
	4	9	9	-	4	7	2	53	_	60	9	18	13	9	~	S	56	12	1	9	14	20	10	2	4	43	-	9	-	9	-	-	0 5	0
	m	15	80	4	4	4	3	80	7	9	10	12	4	1	80	9	-	54	CH)	9	=	22	3	۳,	9	6	9	9	-	_	е		90	4.7
	~							6											_														2 4	33
	-	0	3	3	2	52	5	2	9	9	9	28	2	1	13	7	9	12	=	7	6	14	6	2	4	13	4	3	3	2	6	c	000	92
	DAY	-	2	6	4	5	9	7	8	6	10	11	12	13	14	15	91	17	18	19	50	21	22	23	54	52	92	27	88	59	30		A 0	4

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

	PEA	-	~	-	~	=	=	=			_				Ĩ	Ĭ	=	-					•	١			•	ĭ		•			2	
	AVE P	6	1	8	10	6	89	10	-2	-3	2	ıs	4	4	7	0	4	4	7	-5	0	-5	6	6-	-3	0	6-	61	-5	9	-3	-		
	54	9	3	3	9	4	_	1	9-	-3	0	۳	*	٣	5	7	2	0	-3	-5	-	5	-14	6-	-	4	-15	6-	9	6-	-5	7	-	-14
	23	9	60	9	00	S	_	1	9	e-	-	9	9	2	-5	-	2	0	-3	-5	-	9	-15	-10	0	-3	-15	6-		7	7	7	00	-15
	22	7	4	4	89	_	1	=	9-	e-	-	4	6	2	4	~	2	0	-3	-5	0	9-	-14	6	7	4	-12	6-	9-	-	7	7	=	-14
	21	1	*	9	89	8	1	-	-5	-3	0	4	9	2	-3	-	m	-	-3	-5	-	9-	-13	6-	-5	4	-15	6-	9-	=	-5	~	=	-13
	20	8	9	1	00	00	80	-	5	4-	-	4	9	2	-2	-	9	4	e-	-5	~	-5	-15	6	7	4	-15	6-	9	6-	-5	0	=	-15
	19	6	1	9	0	6	0	12	-5	*	-	2	9	2	-2	-	9	9	-2	-5	-	7	=	-10	7	-3	=	6-	9-	9-	7	0	15	-11
	18	10	8	11	13	=	0.7	15	4-	£-	9	9	4	3	7	2	4	9	-2	-5	-	4-	-10	6	-5	-5	7	9	9	-	7	-	13	-
	17	12	10	13	16	<u> </u>	13	*	4	•	*	_	9	9	2	e	_	9	7	7	0	-3	6	-	-5	7	7	-8	4-	9	7	3	16	-
	16			17																												*	18	6-
TIME	15	17	13	11	50	13	18	18	-2	٣	0	6	8	1	4	9	10	00	7	e	2	-5	7	£.	7	-	6	9-	-5	-3	-	S.	50	6-
STANDARD	14	16	7	17	19	13	18	17	7	S	=	•	1	8	6	6	0	10	7	2	2	0	-3	-5	-	-	6-	4	0	-3	-	9	19	6-
	13	17	14	17	19	13	17	16	-1	٣	11	-	-	6	9	8	10	6	0	-	8	0	e-	7	-5	2	-8	-5	-	7	-	NO.	19	- 8
ILOCAL	12	16	12	16	18	13	16	16	7	4	6	00	9	89	2	9	10	-	0	-	9	7	9-	7	-5	9	8	*	-	-3	2	un.	18	-8
HOUR	11	14	10	13	15	*	+	*	-1	2	1	6	9	1	2	*	6	-	-	-	2	-5	-1	-5	-5	2	9	-1	~	-3	7	4	15	89
	10	13	0	10	15	13	11	=	7	-5	*	80	2	9	-	8	9	-	7	7	7	7	6-	-1	-3	-	6	-8	-3	9	-5	2	13	6-
	•	1	1	9	_	6	1	6	-5	9-	0	S	2	~	-2	-2	9	S	7	*	-2	-2	=	-15	*	-	6-	6-	-	9	9-	0	0	-15
	80	4	9	2	4	_	2	8	-2	6-	e-	4	2	-	4-	e-	-	9	7	-	-5	-2	7	-15	9-	-	-10	-	-8		-1	-2	80	-15
	7	4	S	-	4	9	-	_	7	-10	£-	4	~	2	4-	-3	-	3	7	-1	-3	-5	-10	-11	-1	-	-10	-	6-	-1	-8	-2	_	-17
	9	9	4	~	3	9	-	9	-	6-	4	4	3	9	-3	4	7	2	7	9-	-3	7	6	-16	-1	-	6-	-11	61	-1	9	-2	9	-16
	S	1	4	2	e	9	-	9	0	-8	-3	4	3	S	-2	41	-2	-	-	-2	-3	7	6-	-15	-1	-	6-	-	6-	-	6-	-2	-	-15
	4	9	4	2	e	9	-	9	N	-1	-3	4	~	ın	-	9	-	~	8	4	-3	7	6-	-15	-1	-	-1	-15	6-	9	6-	-2	9	-15
	е	9	4	N	2	~		9	S	-1	-5	e	2	ß	-	9-	7	2	-	4	-3	7	-8	-14	-8	-	9-	-15	6-	9-	6-	-2	_	-14
	2	9	9	6	~	9	~	9	9		-2	2	3	4	-	9-	0	3	2	4-	-3	-	9-	-14	-8	-	+-	-12	6-	-1	6-	-	9	-14
	-	5	9	0	3	9	3	9	9	9-	-3	~	3	4	0	9-	7	3	-	-3	2-	-	9-	-14	-8	0	4-	-12	6-		6-	7	9	41-
	DAY	~	~	0	4	2	9	1	80	6	10	11	12	13	14	15	16	11	18	19	20	21	25	23	54	52	56	27	58	58	30	AV	r x	Z

HONTHLY MINIMUM = -17

II- 427

CB-TRACT	TRAILER AA23	CATHEDRAL BLUFFS SHALE OIL CO.	

HOUR (LOCAL STANDARD TIME) 10 11 12 13 14 15

PEAK	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11
AVE		•
24		-1 8
23		-11
22	8 2 6 6 6 7 7 8 7 7 8 7 8 7 8 7 8 7 8 7 8 7	-12
21		-12
20	8 9 9 5 7 7 7 1 8 1 1 4 4 4 6 7 7 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-12
10	2 C 8 2 8 4 2 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-100
18	000000000000000000000000000000000000000	-137
11	11	-14
16	1184 11 12 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14	-91
15	11111111111111111111111111111111111111	13 -9
7	######################################	4 9 6-
13	00000000000000000000000000000000000000	* * 6
12	111111111111111111111111111111111111111	13
Ξ	111111111111111111111111111111111111111	133
10		12 9
۰	- w o - c o o o o o o o o o o o o o o o o o	7 ° 7
œ	000000000000000000000000000000000000000	-15
~	04000001111111111111111111111111111111	-16
•	4404-04-04-06-06-06-06-06-06-06-06-06-06-06-06-06-	-2
S	8 6 6 8 1 4 0 1 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-14
4	- R 2 C C C C C C C C C C C C C C C C C C	- 1 4 - 1
е		- 1- 4-
2		-13
-		-13
DAY		Y X X

DAY

5 8 8 5 5 6 1 5 4 8 1 1 4 4 1 E 1 5 5 6 E 0 5 6 8 6 E

PEAK

AVE

11 MONTHLY MINIMUM

18

Z X Z

TIME)
STANDARD
(LOCAL
HOUR

CB-TRACT TRAILER AA23 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.

PEAK	200 200 200 200 200 200 200 200 300 300	311
AVE	23 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<del>-</del> <del>-</del> <del>-</del> -
54	20 10 10 10 10 10 10 10 10 10 10 10 10 10	29
23	11111111111111111111111111111111111111	39 161 -50
25	1172 1106 1106 1106 1106 1106 1106 1106 110	43 172 -50
21	1100 1128 1128 1128 1128 1128 1138 1138 1138	36 167 -56
20	100 11 11 11 11 11 11 11 11 11 11 11 11	29 194 -50
19	72 111111111111111111111111111111111111	19 189 -56
18	1334 144 174 174 174 174 174 174 174 174 17	-16 44 -61
11		-67 -17 -156
16	11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	-94 -28 -194
15	1.178 2.22 2.22 2.33 2.34 2.35 2.35 2.35 2.35 2.35 2.35 2.35 2.35	-116
14	106 106 106 107 108 108 108 108 108 108 108 108 108 108	-117
13	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	-121 -33 -228
12	11111111111111111111111111111111111111	139
Ξ	1.12	-87 33
10	1117 1117 1117 1117 1117 1117 1117 111	-59 61 -150
•	933 944444 1256 1256 1256 1256 1256 1256 1256 1256	189
œ	1117 2225 2225 2226 2226 1339 1339 1339 1339 1339 1339 1339 133	35 222 -67
~	128 222 222 222 222 223 244 161 161 161 161 161 161 161 161 161 1	39 222 -72
9	50 1128 1128 1156 1106 1106 1106 1106 1106 1106 1106	39 244 -78
un .	2822 2822 2820 2820 2820 2820 2820 2820	45 311 -67
*	261 261 261 261 261 261 261 261 261 261	45 261 -61
Э	2444 1467 1167 1167 1167 1167 1167 1167 1	43 244 -61
2	11117771111777111177711111777111117771111	33 178 -61
-	134 + 15	37 178 -56
DAY	00000000000000000000000000000000000000	S Z Z

DAY

		PEAK	197	197	800	197	198	195	196	199	198	700	190	199	800	197	793	789	16.	782	787	192	192	787	193	792	791	193	800
		AVE	196	195	197	195	196	191	161	198	101	101	788	793	661	194	190	786	189	778	185	789	161	781	188	790	787	192	161
,		54	197	194	199	197	195	188	961	198	195	100	784	199	198	194	187	789	185	700	787	261	188	181	193	786	101	192	791 799 778
11 00.		53	197	194	799	196	195	188	961	198	195	1002	784	661	198	194	787	789	185	782	787	161	788	780	193	787	101	792	791 799 777
SHALE OIL		22	191	194	799	196	195	188	961	198	195	701	785	198	198	194	788	789	186	701	787	161	188	780	193	787	100	192	791 799 778
FS SF		12	961	194	799	196	195	188	195	198	176	701	786	198	198	194	189	789	187	701	787	161	788	780	193	788	700	192	791 799 778
B23 BLUFFS		20	961	193	799	195	195	188	194	198	100	701	786	198	198	193	189	788	187	900	787	190	190	780	261	788	200	192	791 799 778
CB-TRACT TRAILER AB23 NOV 1983 CATHEORAL BL		19	961	193	662	195	195	188	194	198	196	101	786	161	198	193	788	788	787	200	787	190	190	780	261	788	780	192	791 799 778
TRAI NOV CATH		18	961	193	199	794	195	189	793	861	195	201	787	196	198	193	788	787	788	22	787	190	191	780	261	788	780	192	791 799 779
		11	961	193	661	194	195	188	792	198	96/	101	787	961	861	193	187	786	788	270	786	189	161	179	161	789	789	192	791 799 778
		16	961	194	799	793	195	189	161	198	96/	200	787	262	198	193	787	786	188	170	786	189	161	778	067	780	788	192	790
	TIME)	15	961	193	661	193	195	189	064	198	0 6 6	100	188	195	198	193	188	785	788	27.0	784	188	192	778	697	780	787	192	790 799 778
	STANDARD TIME	14	961	193	198	194	262	189	189	198	200	100	188	195	661	193	189	785	189	111	185	188	261	778	188	200	787	262	790
		13	961	192	197	194	961	190	189	198	190	100	189	194	661	193	189	185	189	77.	186	188	192	621	188	761	787	192	190
	(LOCAL	12	161	193	197	196	161	161	064	198	200	202	684	193	300	161	062	186	061	190	186	. 881	261	611	788	261	787	193	791 800 777
	HOUR (	=	197	194	197	2 2	161	261	062	661		100	190	193	900	194	061	186	161	191	786	188	192	780	187	200	787	193	191
	Ĭ	10			196										_														800
		•			800																								191
		80			197										_														900 6
		-	161	161	562	5 5	161	193	188	661	96	261	064	161	800	96	192	185	16	70	185	188 7	195	182	92	260	785	26	300
		9	96	161	195	200	161	193	188	661	200	261	187	061	661	96	192	185	06	103	184	187	195	85	40	200	185	16	191
SOURE		S	96	161	194	200	96	193	88	86		101	187	68	008	96	192	982	06	26	94	187	26,	484	83	26	185	16	791 800 776
PRE		4			461										_														191
BAROMETRIC PRESSURE MILLIBARS		е	,-	,	194			,-	-				- ,-			-	-	,-,	- '	- "	-	-	-	- ,	- '	- ,-			191
BARON		2			194 7				-	_			,,-	-		-	-	,-,	_ ,			-	,-			- ,-		. ,-	1991
		-			194				-				-	,-	,-	-	_	, ,	- '	- /-	-	-	-	,,		- /-			791 7 800 7 777 7
			1	-	~ 1	-	1	1	-	- 1	~ ^		1	-	8	1	-	-	- 1	- 1	-	1	-	- 1	- 1	-	-	-	- 0 -

II- 434

TL PEAK

z	
0	
$\vdash$	
-	
⋖	
jan-	
<b>Inter</b>	
Q.	0
3000	0
O	~
w	*
$\bar{z}$	Σ
<u>-</u>	-

		TOTAL		28 178 23	33	15	28	20	411
		-							
,		54		10	13			<b>6</b> 0	30
IL C0		23		15				œ	23
ALE 0		22				en		œ	10
FS SH		12				10		un .	15
CB TRACT MRI AD28 NOV 1983 CATHEDRAL BLUFFS SHALE OIL CO.		20				m			
CB TRACT MRI AD28 NOV 1983 CATHEDRAL BI		19							
MRI NOV CATH		18							
		17						νn	ıs
		91						m	m
	INE)	15		w					ın
	HOUR (LOCAL STANDARD TIME)	14						m	m
	STAND	13		m.				e	ມ
	CAL	12		3.8					50
	R CC	:		0.0					10
	HO	10		202				18	43
		6		u m		m		-	10 4
		90		រោ	m	ın		е.	15 1
		_			un.	60			
		ø		10		_	en .		9 52
		un.		15	13	ıs			30
ž				13			10		28
PRECIPITATION CM*100		4		20		'n	ED.		30
*100		m		52			œ	ហ	38
T. P.		~		38				œ	4.6
		-		S.				æ	13
		DAY	= 0 E 4 S	10 98 78	51 41	19 19 19 19	22	24 25 26 27 28 29 30	7

STABILITY CLASS USING DT/DZ DT 60-10H WS 10H

CB-TRACT
TRAILER AA23
NOV 1983
OCCIDENTAL OIL SHALE, INC.

	AVE		
	54		
	53		
	22		
	21		
	20		
	13		
	18		
	11		
	16	#U<###################################	
(E)	15	m < < m \ m \ m \ m \ m \ m \ m \ m \ m	
HOUR (LOCAL STANDARD TIME)	<b>±</b>	@U@@@< </td <td></td>	
ANDAR	13	######################################	
AL ST	12		
100	Ξ	B044U4U0MW0048BC0004U044CWUU460 U	
нои	10	######################################	
	6		
	<b>6</b> 0		
	-		
	9	######################################	
	S		
	4	rr_rrr0mrmmcmrrmmcomrmomcomom m	
	е		
	~		
	-		
	DAY	11111111111111111111111111111111111111	

HOURS MISSING= 12

F=113

E=231

0=239

C= 28

B= 5A

TOTAL OCCURRENCES: A= 39

ERS	
0 1	
A 1	
NO	
IMECI	
9	
3	
AND	
201	
¥	
CONCE	
A	
SAMPLES	
Y SA	
HOOM	
ONE	
5	
NUMBER	

NITRIC OXIDE (NO)

CATHEDRAL BLUFFS SHALE OIL

HATTON NNE NE ENE ENE SE SSE SSE NIN DINECTION NN N					_	TRAILER		AB23	-	PERIOD(11/01/83 TO 11/30/83)	1100	01/83	101	1/30/1	83)						
2 1 1 1 1 2 2 2 1 2 2 1 2 2 1 1 1 1 2 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 2 1 1 1 1 1 2 2 2 1 1 1 1 1 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				INE	NE NE	ENE	w	ESE	SE	SSE	TO OF	RECTI	MS NO	M S M	3	3	3	3 3	CALM	101	Ā
65. I 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UG/M**3			-	-	~	2	2	2	-	2	2	~	-	-	-	2	2	-		
65. I 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
66. I 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		Ŭ
- 55, 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	55 60.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**	_
- 45. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		_
- 45. 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		_
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1	**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		_
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	_
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	_
25. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	••	_
20. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	••	_
15. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		**	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		_
10. : 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5. : 18 18 8 13 19 34 47 37 68 167 90 24 27 31 39 54 12 :  AAL : 18 18 8 13 19 34 47 37 68 167 90 24 27 31 39 54 12 :  AAC 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	_
: 18 18 8 13 19 34 47 37 68 167 90 24 27 31 39 54 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5.		90	18	89	13	19	34	4.7	37	68	167	06	54	27	31	39	54	12	••	706
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TOTAL	-	8	18	8	13	19	34	47	37	68	167	06	54	27	31	39	54	12		700
0	MEAN		0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0		0
			NO	HSER	VATIC	SNC															

(12/09/83-RPI)

OXIDES OF NITROGEN (NOX)

CATHEDRAL BLUFFS SHALE OIL

5	30110	5	2011														100		1	110 1
					TRAILER		AB23	ů.	PERTOD(11/01/83 TO 11/30/83)	3/10	1783	T0 11	/30/83	=						
		z	NNE	N Fi	ENE	•	ESE	SE	SSE	D DIF	SSE S SSW	N S	MSM	3	3 2 3	3 2	3 Z Z	CALM	10	TOTAL
CONCENTRATION MAX UG/M**3	2	٠	_	5	-	D.	ιn	_	in .	_	-	_	6	~	-	,	6	ē.		
6T 65.		0	٥	•	0	0	0	•	0	0	o	0	0	0	0		0	٥		9
60 65.	••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
55 60.	••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
50 55.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
45 50.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
40 45.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	••	0
35 40.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
30 35.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
25 30.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
20: - 25.	••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
15 20.	••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10 15.	••	0	0	0	0	0	0	0	0	0	0	0	0	•	0	o	0	0	••	0
5 10.		_	4	2	7	7	20	Ξ	-	15	53	23	20	1	10	1,4	23	2		515
LT 5.	••	Ξ	<del>*</del>	9	9	15	92	36	30	53	114	63	16	20	21	52	31	7	••	165
TOTAL	:	18	18	80	13	61	34	47	37	68	167	90	24	27	31	39	54	12		706
ME AN		4	m	4	4	4	m	e	e	٣	4	6	4	4	4	4	4	4		4

0 = NO OBSERVATIONS

NUMBER OF ONE HOUR SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

	NITR	OGEN D	NITROGEN DIOXIDE (NO2) TR	ON)	2) TRAILER		AB23		PERTOD(11/01/83 TO 11/30/83)	) in	.01/83	1 01	1/30/6	33)	CAT	нЕрна	CATHEDRAL RLUFFS SHALE OIL	JFFS S	SHAL	E 01
		z	NNE	S	ENE	ш	ESE	SE	SSE	10 01	SSE S SSW	MS NO	MSM	3	3 2 3	3 2		NNW CALM	10	TOTAL
CONCENTRATION MAX UG/M**3	3	S	2	S	ις.	S	6	Ω.	S	~	-	-	-	-	-	-	-	S		
9 19	65. :	0	0	0	0	0	0	0	•	0	0	0	0	0	0	9	0	0		9
909	: •59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**	0
55 6	: *09	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
50 5	55. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
45 5	50. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
40 4	45. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**	0
35 4	: 0 %	0	0	0	0	0	0	0	0.	0	0	0	0	0	0	0	0	9	••	0
30 3	35. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
25 3	30. :	0	0	0	0	0	0	0	c	0	0	0	0	0	0	0	0	0		0
20 2	25. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
15 2	20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
10 1	15. :	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	••	0
5 1	: .01	4	4	-	9	4	0	9	2	9	52	Ξ	3	2	4	æ	11	*	**	101
5	5. :	14	14	1	10	15	34	4	35	62	142	4	21	22	27	31	37	00	••	599
TOTAL	:	1.8	18	00	13	19	34	4.7	37	68	167	06	24	27	31	39	54	12		106
MEAN CONC.		æ	6	6	m	m	2	~	e	20	ED.	m	ED.	m	æ	m	m	(E)		9
	J	0N = 0	= NO OBSERVATIONS	VATI	ONS															

CARBC	NO MC	CARBON MONOXIDE (CO)	00)	_										CAT	HEDRAL	L BLU	FFS (	SHAL	CATHEDRAL BLUFFS SHALE OIL
				TRA	TRAILER	AB23		PERI	00 (11	PERTOD (11/01/83 TO 11/30/83)	3 TO 1	1/30/	(83)						
The state of the s	-	NNE	NE NE	ENE	w	ESE	E SE		IND D	SSE S SSW	NOI	MSM	3	3 2 3	3 2	3 2	NNW CALM		TOTAL
CONCENIRATION MAX UG/M**3	57	72 /		57 57	7 57	57	7 57		57 57		57 57 57	57	57	57	57	57	57 57		
67 1300. :		0			9				0		0	0	0		9	0	0		9
12001300. :	Ĭ	0 0	0	Ĭ	0 0	Ĭ	0	0	0	0	0	0	0	0	0	0	0		0
11001200. :	Ĭ	0 0	0	Ĭ	0 0	Ī	0	0	0	0	0	0	0	0	0	0	9	••	0
10001100. :	Ĭ	0 0	0	Ĭ	0 0	Ĭ	0	0	0	0	0	0	0	0	0	0	0		0
9001000. :	Ŭ	0 0	0	Ĭ	0 0	Ĭ	0 0	0	0	0	0	0	0	0	0	0	0		0
800° - 900° :	J	0 0	0	Ĭ	0 0		0 0	0	0	0	0	0	0	•	0	0	0		0
700 800.	Ŭ	0 0	0	Ĭ	0 0	Ĭ	0 0	0	0	0	0	0	0	0	0	0	0	••	0
: •000 - 0009	Ŭ	0 0	0	Ĭ	0 0	Ĭ	0 0	•	•	0	0	0	0	0	0	0	0	••	0
5000 - 6000	Ŭ	0 0	0	Ī	0 0	Ī	0	0	0	0	0	0	0	0	0	0	0	••	0
005004	J	0 0	0	Ī	0 0	Ĭ	0 0	•	•	0	0	0	0	0	0	0	9	••	0
300 400. :	Ŭ	0 0	0	Ī	0 0		0	•	0	0	0	0	0	0	0	0	0	••	0
200 300. :	Ŭ	0 0	0	Ĭ	0 0	Ĭ	0 0	0	0	.0	0	0	0	0	0	0	0		0
100 200. :	J	0 0	0	Ĭ	0 0		0	0	0	0	0	0	0	0	9	0	0		0
LT 100. :	18	9 19	6	14	61 9	35	5 47	37	68	166	88	54	27	30	4 0	53	12	••	901
TOTAL	18	9 19	6	7-	61 4	35	5 47	37	68	166	88	24	27	30	0,4	53	12		706
MEAN CONC.	32	84	33	39	34	36	62 9	32	32	31	35	35	36	33	30	56	0 4		33
9	-	SNOTTENATIONS	PVAT	SNO															

0 = NO OBSERVATIONS

I I -

0Z0	0Z0NE (03)	_												CATH	CATHEDRAL	HLUF	FS St	SHALE	011
				THAILER		AB23	٥	ERIOD	0/110	PERIOD(11/01/83 TO 11/30/83)	TO 11	/30/8	3)						
	z	NNE	Ä	ENE	E	ESE	SE	SSE	N DIR	SSE S SSW	MS	MSM	3	3 2 3	3	3 NN	CALM	TOTAL	_
CONCENIRATION MAX UG/M**3	90	70	72	92	7.2	7.4	4,4	90	82	88	98	9.0	9,2	7.8	78	76	99		:
GT 140.	0	0	0	0	0	0	0	0	0	0	0	0	•	0	0	0	0		
130 140. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	9	0		0
120 130. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_	0
110 120. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
100 110. :	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	9		0
90 100. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	0	_	0
80 90.	-	0	0	0	0	0	0	~	2	6	80	-	0	0	9	0	0	: 23	3
70 80. :	4	-	~	٣	-	6	13	2	6	11	9.	1.0	9	9	90	2	. 0	110	0
60 70. 3	20	9	5	S	15	15	21	24	43	88	37	5	13	10	20	31	~	354	4
50 60.	-	12		4	٣	10	12	9	•	94	19	4	1	6	9	13	5	166	9
40 50.	4	0	0	~	0	1	-	0	S	9	1	4	~	9	5	2	. 0	57	~
30 40. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_	0
20 30.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	_	0
LT 20. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
TOTAL	18	61	6	*	16	35	47	37	68	167	89	24	27	31	0 \$	54	15	710	0
PERCENT	3.	e,	-	°2	e°	υ •	7.	ů,	10.	24.	13.	3.	4	4	•	8.	. 2	100.	

0 = NO OBSERVATIONS

II- 441

	SULFUR DIOXIDE (SO2)	010	XIDE	(505)											CAT	HEDHA	L BLI	JFFS	SHA	CATHEDRAL BLUFFS SHALE OIL
					TRAILER	ER	AB23	_	PERIG	11100	PERIOD (11/01/83 TO 11/30/83)	TO 1	1/30/	831						
		z	NNE	Ä	ENE	u	ESE	SE		O ONI	SSE S SSW	NO SW	MSM	3	3 2 3	3	N N	NNW CALM		TOTAL
CONCENTRATION MAX UG/M**3	1 10N	0	~	0	0	2			0	2			S	0	~	~	~	2		
GT 1	13. :	•	0	٥	0	٥		•	0 0	0	0	•	0 0	0	0	0	٥	0		0
12 1	13. :	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	••	0
11 12	12. :	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0		0
10 1		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	••	0
9 10	10. :	0	0	0	0	0		0 0	0	0	0	0	0	0	0	0	0	0	••	0
8	6	0	0	0	0	0		0 0	0	0	0	0	0	0	0	0	0	0	••	0
7	8. :	0	0	0	0	0		0 0	0	0	0		0	0	0	0	0	0	••	0
- •9	7. :	0	0	0	0	0		0 0	0	0	0	0	0	0	0	0	0	0	••	0
5 6	: •9	0	0	0	0	•		0	0	0	0	0	-	0	0	0	0	0	••	-
4	5. :	0	0	0	0	0		0 0	0	0	0	•	0	0	0	0	0	0	••	0
3 4		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	••	0
2	3. :	0	6	0	0	2	2	-	0	~	e	7	-	0	~	-	2	-	••	34

0 = NO OBSERVATIONS

TOTAL MEAN CONC.

673

11

Ī	YDRO	GEN S	HYDROGEN SULFIDE (H2S)	E (H2	(S)										CATE	CATHEDRAL BLUFFS SHALE	. BLU	FFS	SHA	LE OI
					TRAILER		AB23		PERIOD(11/01/83 TO 11/30/83)	1	01/83	10 1	1/30/6	33)						
		z	NNE	Ä	ENE	L	ESE	SE	SSE	10 01	SSE S SSW S	MS NO	MSM	3	3 2 3	3	3 2 2	NNW CALM		TOTAL
CONCENTRATION MAX UG/M**3	NO.	c	0	٥	-	•	2	~	~	~	-	-	-	•	-	4	2	0		
61 13.		0	0	0	0	0	•	0	0	•	0	0	0	0	0	0	0	0		0
12 13.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	0	••	0
11 12.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
10 11.	••	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
9 10.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	••	0
8 9.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	**	0
7 8.		0	0	0	0	0	0	0	•	0	0	0	0	0	0	0	0	0	••	0
6 7.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	••	0
5 6.		0	0	9	0	0	0	0	0	0	0	0	0	0	9	0	0	0	••	-
4 5.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0		_
3 4.		0	0	0	0	0	0	•	0	0	0	0	0	0	0	9	0	0	••	0
2 3.		0	0	0	0	0	-	-	_	-	9	0	0	0	0	-	-	0	••	9
1 2.		0	0	0	-	0	0	1	0	2	7	2	-	0	-	2	0	0	**	56
1.		18	19	6	13	19	34	39	36	9	162	85	23	27	53	36	53	12	••	619
TOTAL	:	18	19	3	14	19	35	4.1	37	68	169	06	54	27	30	0 %	54	12		712
MEAN CONC.	;	0	0	0	0	0	0	0	0	0	0	0	0	0	0	э	0	0		0

0 = NO OBSERVATIONS

10 WETER LEVEL

CATHEDRAL BLUFFS SHALE OIL

PERIOD(11/01/83 TO 11/30/83) STATION AA23

									2 3	910 (	WIND DIRECTION	7							
Object Contract		z	NNE	N F	ENE	ш	ESE	SE	SSE	S	MSS	MS	MSM	3	3 2 3	3 2	3 2 2	VAR	TOTAL
METERS/SEC		4	m	-	~	N .	2	e	4	æ	٥	10	4	٠	4	٥	œ	0	
61 11.		0	0	0	0	0	0		ō	0	0	0	٥	۰	0	۰	0	٥	
8 11.	••	0	0	0	0	0	0	0	0	-	8	9	0	0	0	0	~	0	
5 8.	••	0	0	0	0	0	0	0	0	10	88	30	0	3	0	2	11	0	: 62
3 5.	••	8	7	0	0	0	0	3	2	11	69	33	6	3	30	10	22	0	: 188
1 3.	••	3	6	3	2	12	22	32	28	30	39	52	6	10	19	23	15	0	: 284
1.	••	~	6	9	3	1	13	12	4	10	92	18	9	Ξ	S	S	4	0	: 152
TOTAL	:	1.8	61	5	*	61	35	7	37	68	170	96	54	27	32	40	54	0	703
PERCENT		3,	3.	-	2	3,	5.	7.	5.	10.	24.	13.	3.	;	J.	•	8	0	100

STATION AA23 PERIOD(11/01/83 TO 11/30/83)

CATHEDRAL BLUFFS SHALE OIL

30 METER LEVEL

TOTAL	17	8 4	133	181	218	113	710	100
Ĕ	:		••					
VAR	•	0	0	0	0	0	0	ő
NN 12	-	4	14	19	12	9	56	0
3 =	-	ŝ	3	12	11	0	41	٥
3 0		0	9	20	14	4	4	ģ
38 05		~	2	4	20	ю	22	m.
M S M	۰	0	00	6	12	6	92	4
3 E	*	S	11	12	14	80	09	20
WIND DIRECTION F. S SSW 5 11 14	10 4 0	21	62	56	16	12	: 27 7 6 14 14 31 52 59 101 150 60 26 22 44 41 56 0 710	21.
S S 11	-	=	16	30	56	11	101	8. 14. 21.
SSE	•	0	4	11	27	=	65	.00
SE	0	0	-	Ξ	32	80	52	;
E SE	•	0	0	4	15	12	31	4
ш 4	۰	0	0	3	30	3	14	2.
ENE 2	0	0	0	0	9	20	14	4. 1. 1. 2.
NE .	0	0	0	0	3	9	æ	-
NNE 2	0	0	0	0	2	S	-	÷
Z 4	0	0	0	9	12	7	27	<i>;</i>
		**	**	**	**	**		
03	11.	11.	æ	5.	3. :	-		=
WIND SPEED MAX METERS/SEC	61 11	8 1	5	3 6	- :	5	TOTAL	PERCENT

0 = NO OBSERVATIONS

CATHEDRAL BLUFFS SHALE OIL

PERIOD(11/01/83 TO 11/30/83) STATION AA23

									413	NO OIL	WIND DIRECTION	z								
WIND COFFD		z	NNE	NE.	ENE	ш	ESE	SE	SSE	s	MSS	MS	MSM	3	3 2 3	3	3 2	VAR.	101	TOTAL
MAX METERS/SEC		S	2	~	2	4	4	r.	-	13	16	16	6	10	9	3	12	0		
	:			:			•••••••••••••••••••••••••••••••••••••••							:				:		:
6T 11.		0	0	0	0	0	0	0	0	6	21	3	0	0	0	0	2	. 0		62
8 11.		0	0	0	0	0	0	0	0	20	31	9	2	5	0	4	7	0	••	75
5 8.	**	6	0	0	0	0	0	~	•	21	99	15	-	e	0	9	19	0		149
3 5.	••	4	0	0	0	~	-	15	56	59	22	14	6	80	13	23	15	. 0		181
1 3. :		5	6	4	9	e	6	19	36	28	21	10	6	12	13	12	9	. 0		199
11.		5	0	4	6	4	2	2	٠	14	-	9	2	2	2	~	4	0	**	14
TOTAL	:	11	3	10	6	3	12	37	74	115	168	54	92	33	39	14	99	0	,-	707
PERCENT		2.	0	-	÷	-	2	ņ		16.	10. 16. 24. B.	æ	4. 5.	5.	ڼ	6. 1. B.	æ	0		100.

0 = NO OBSERVATIONS

XIMUM SLIDING AVERAGE	AVERA	16E				C-B TRACT SITE AB23
						CATHEDRAL BLUFFS SHALE OIL CO.
COMPONENT	AVG.	TIME	RANK	DAY	HOUR (BEG)	VALUE
205	9	HR				
			<b></b> ળન4ા	2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3	2 2 4 2 4 3	พงจงจ
802	24	Ŧ	<b>⊣</b> ഗയ4ഗ	22 22 10	21 18 17 21	
00	7	Ŧ	<b>-</b> ₩4₩		⊸∾ო4Ⴠ	00000 00000 00000
00	00	Ŧ	<b>~</b> ∪≈4v		1 <sub>9</sub> 1	00000
03	-	æ.		251 251 16	29479	00000000000000000000000000000000000000
PART	24	Ħ.	<b>-</b> 0m45	306 26 26		80 80 80 80 80 80 80 80 80 80 80 80 80

### DATA ACQUISITION INSTRUMENT EFFICIENCY CATHEDRAL BLUFFS SHALE OIL COMPANY A.Q. TRAILER AB23

### NOVEMBER 1983

GASEOUS PARAMETERS	METEOROLOGICAL PARAMETERS	
NOX: 100 %	WIND SPEED	120 2
NO: 100	10 M: 30 M: 60 M:	100 %
NO2: 100 O3: 100	WIND DIRECTION 10 M:	99
co: 100	- 30 M: 60 M:	100
S02: 100 H2S: 100	SIGMA HORIZONTAL WIND DIRECTION 10 M: 30 M: 60 M:	99 100 100
	TEMPERATURE 10 M: 30 M: 60 M:	100 100 100
	DELTA TEMPERATURE:	100
	RELATIVE HUMIDITY:	100
PARTICULATES: 100 %	SOLAR RADIATION:	100
	BAROMETRIC PRESSURE:	100
	PRECIPITATION:	100



### 1.3.8 Date Corrections

Corrected data during this monitoring period include 1982 visual range data. Data reported previously was converted from photographic density readings to visual range incorrectly.

 $\label{eq:plase replace the incorrect tables with these corrected} \mbox{\tt data.}$ 

## MEAN DAILY VISUAL RANGE BY VIEW 1982

DATE	VIEW	MILE
SHYAMEE	1	87
SHYANFU	2	85
SHYAPEC	3	35
58YAME0	4	45
O7MAY82	1	90
SEYAM70	5	90
07MAY82	3 4	91
26YAM70 11MAY92	1	122 87
11-A132	5	60
11MAY82	3	74
11MAY82	4	85
SRYAMPI	1	55
194AY82	2	7.0
19MAY32	3	70
SFYAMPI	4	76
SEYAMES	1	72
SHAYHE	2	73
SHYANHS	3	41
23MAY82	4	95
274AY82	1	84
27MAY82	2	89 89
27MAY82 27MAY82	3 4	106
04JUN82	1	89
0400782	2	85
04JUN82	3	100
04JUN82	4	105
SBNULPO	1	80
SBNULED	2	69
SEMULED	3	85
SEMULED	4	91
12JUNB2	1	118
12JUN92	2	117
1570485	3	124
12JUN82	4	131
16JUN82 16JUN82	2	112 105
16JUN32	3	109
15JUN82	4	119
04SEP82	i	87
04SEP82	2	77
04SEP32	3	81
04SEP82	4	92
16SEP82	1	112
16SEP82	2	94
16SEP82	3	109
16SEP82	4	120
20SEP82	1	86
20SEPA2	3	75 84
SUSERAS	4	93
245EPH2	1	115
245EP42	2	103
245EFA2	3	120

## MEAN DAILY VISUAL MANGE MY VIEW 1982

DATE	VIEw	MILE
24SEP82	4	139
CASEMAZ	1	76
243EPH2	8	べち
CHSEPAZ	3	H4
28SEP82	4	73
020CT42	1	89
J20CT42	5	74
0200145	3	89
0206192	4	113
05UCT82	1	104
060CT82	S	87
060CT82	3	95
JAUCISZ	4	117
1000182	1	104
100CT82	2	92
100CT#2	3	92
LOUCTAZ	4	114
1400182	1	98
140CTa2	2	7.7
140CT92	3	٤5
1400182	4	132
180CT82	1	49
1400185	2	82
1800182	3	93
1800182	4	117
250C195	1	104
550CT85	2	9.0
S50CL35	3	108
280CT82	4	142

## MEAN SEASONAL VISUAL RANGE BY VIEW 1982

SEASUN	YEAR	VIEW	MILE
SPRING	42	1	તક
SPRING	32	2	- 36
SPRING	88	3	91
SPRING	56	4	103
FALL	86	1	98
FALL	82	2	85
FALL	82	3	95
FALL	경근	4	115



## 1.3.9 Supplemental Data

This section contains quarterly frequency tables of wind speed by direction, and quarterly annual particulate concentration frequency tables for Station AB23.

	List of Tables and Figures	
Table/Figure No.		Page No.
Table 1.3.10-1	Quarterly Particulate Concentration Frequency Distribution December 1982 - February 1983	11_454
Table 1.3.10-2 Table 1.3.10-3	March - May 1983	II-455
Table 1.3.10-4	September - November 1983	
	Annual Particulate Concentration Frequency Distribution	
Table 1.3.10-5	December 1982 - November 1983	II-458
	Quarterly Frequency Table of Wind Speed by Directi	
Table 1.3.10-6	Station AA23 (10M) December 1982 - February 1983 .	
Table 1.3.10-7	Station AA23 (30M) December 1982 - February 1983 .	
Table 1.3.10-8	Station AA23 (60M) December 1982 - February 1983 .	II-461
Table 1.3.10-9	Station AA23 (10M) March - May 1983	II-462
Table 1.3.10-10	Station AA23 (30M) March - May 1983	II-463
Table 1.3.10-11	Station AA23 (60M) March - May 1983	
Table 1.3.10-12	Station AA23 (10M) June - August 1983	
Table 1.3.10-13	Station AA23 (30M) June - August 1983	
Table 1.3.10-14	Station AA23 (60M) June - August 1983	II-467
Table 1.3.10-15	Station AA23 (10M) September - November 1983	
Table 1.3.10-16	Station AA23 (30M) September - November 1983	
Table 1.3.10-17	Station AA23 (60M) September - November 1983	II-470
	Annual Frequency Table of Wind Speed by Direction	
Table 1.3.10-18	Station AA23 (10M) December 1982 - November 1983 .	II-471
Table 1.3.10-19	Station AA23 (30M) December 1982 - November 1983 .	II-472
Table 1.3.10-20	Station AA23 (60M) December 1982 - November 1983 .	II-473

NUMBER OF DAILY SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

PARTICULATES (TSP)

B23 PERIOD(12/01/82 TO 2/28/83)

CATHEDRAL BLUFFS SHALE OIL

				TRAILER		AB23		PERIOD(12/01/82 TO 2/28/83)	(15/	01/82	10	2/28/8	3)						
HOTTAGTHER	z	NNE	Ä	ENE	ш	ESE	SE.	Š	0 DIF	WIND DIRECTION SE S SSW	38 N	MSM	3	3 2 3	3 2	NNW CALM	ALM	TOTAL	ب
UG/M**3	0	0	0	0	Ö	0	2	~	9	~	0	0	~	r.	4	•	0		
67 76. :	0	0	0	0	0	•	0	0	0	0	•	0	•	0	•	•	0		
35 76. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
25 35. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
15 25. :	0	0	0	0	0	0	0	0	0	0 7	0	0	0	•	0	0	0		0
5 15. :	0	0	0	0	0	0	0	0	2	0	0	0	0	-	0	0	0		~
LT 5. :	0	0	0	0	0	0	2	~	4	e	2	-	-	0	2	0	. 0		17
TOTAL :		0	0	0	0	0	2	2	9	e	2	7	-	-	2	0	. 0	~	20
PERCENT	•	0 0 0	o	0	0	•	10.	0, 10, 10, 30, 15, 10, 5, 5, 5, 10, 0, 0, 100,	30.	15.	10.	5.	5.	5.	10.	0	0	0. 100.	: :

0 = NO OBSERVATIONS

II- 454

NUMBER OF DAILY SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

CATHEDRAL BLUFFS SHALE OIL		NNW CALM TOTAL		: 0 0	: 0 0	: 0 0	: 0	: 0 0	: 0 0	. 0 1 0 0 0 0 3 3 0 1 1 4 3 1 1 0: 18	
AL BL			23	_	-		-	-			
THEDR		3 2		-	-	0	-	-	-		
CA		3 2 3	æ	0	0	0	0	~	-	£	
	(83)	3	14	0	0	0	0	6	-	*	
	5/31/83)	MSM	٠	0	0	0	0 0	0	0 0		
	33 TO	I SW	0 27		_	_	_	_	0		
	3/01/6	DIRECT! S SSW	19				2 ,	_		e	
	PERIOD( 3/01/83 TO	Q	10 13					~	_	9	
	PER	56	0		0					0	
	3	ESE									
	AB23	E ESE		0	0	0	0	0	0	0	
	TRAILER	ENE	٥	0	0	0	0	0	0	0	
	=	Ä	0	0	0	0	0	0	0	0	
S(TSP		NNE	4	0	0	0	0	0	1	-	
ULATE		z	0	0	0	0	0	0	0	0	
PARTICULATES (TSP)			CONCENTRATION MAX UG/M**3	67 76. :	35 76. :	25 35. :	15 25. :	5 15. :	LT 5. :	TOTAL :	

0 = NO OBSERVATIONS

NUMBER OF DAILY SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

																			CATHEORNE DEUT 3 SHALE UIL
				TRAILER		AB23	_	ERIOD	0/9 )	1783	10	PERIOD( 6/01/83 TO 8/31/83)	3)						
	z	NE	N	ENE	ш	ESE	SE	WIN	D DIR	WIND DIRECTION	N. S.	MSM	3	3 2 3	3	NNW CALM	CALM	TOTAL	A.
CONCENTRATION MAX UG/M**3	۰	0	11	N 0 0 17 0 0 25 18 27 34 21 24 0 0 20 0 0 0	•	25	18	27	34	21	24	0	0	20	•	0	0		
67 76. :	0	•	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0		•
35., - 76. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0,		0
25 35. :	0	0	0	0	0	-	0	2	~	0	•	0	0	0	0	•	0	••	S
15 25. :	0	0	-	0	0	-	-	0	25	~	7	0	0	-	0	•	0		12
5 15. :	0	0	0	0	0	0	-	0	8	0	-	•	0	-	0	•	. 0	••	ស
LT 5. :	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	•	0	••	0
TOTAL :	0	0	-	0	0	2	2	2	6	2	2	0	0	2	0	0	. 0		22
PERCENT		d	ď	0, 0, 5, 0, 0, 0, 0, 41, 0, 0, 0, 0, 0, 0, 0, 0, 100.	-	0	ő		=		9		-		ď	d	d	0 1 0 0	: 3

0 = NO OBSERVATIONS

Table 1.3.10-4

NUMBER OF DAILY SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

	PARTICULATES (TSP)						104 11 50		4003	ľ	150,000, 11 OT 50,100,0 VOOTB	0/0	11/03	10	27.067	100						
							RAILE		ABCS		001 N 3 L		11/83	2	1/30/1	150						
HOTTAGTE PORCE	1			z	NNE	Ä	ENE	ш	ESE	SE	WIN	D DIR	WIND DIRECTION E S SSW	NC SE	MSM	3	3 2 3	3 2	NNW CALM TOTAL	ALM	10	TAL
9n	MAX UG/M**3			_	0	0	1 0 0 0 0 0 14 22 15 0 46 22 24 0 2 0	0		0	41	22	15	•	9.4	22	24	0	~	0		
19		76. :	••	0	0	0	0	0	0	0	0	0	•	0	0	0	0	0	0	•		۰
35	- 76	76. 3	**	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	••	-
52		35. :	**	0	0	0	0	0	0	0	0	0	0	0	-	0	•	0	0	0	••	-
15		25. :	••	0	0	0	0	0	•	0	0	-	, ,		~	1	-	0	0	0		10
5		15. :	••	0	0	0	0	0	0	0	2	3	-	0	•	2	0	0	0	0	••	20
LT		5 .		-	0	0	0	0	0	0	2	0	0	0	0	2	0	0	-	0	••	10
F	TOTAL		:	_	0	0	: 1 0 0 0 0 0 4 4 2 0 4 5 1 0 1 0; 22	0	0	•	4	4	2	0	*	Z.	-	•	-	0		22
ā	PERCENT			9	•	•	0.0	•	•	•	0. 0. 18. 18.	18.	•	•	0. 18.	23.	ທີ	•	ν.	•	0. 100.	00

0 = NO OBSERVATIONS

NUMBER OF DAILY SAMPLES BY CONCENTRATION AND WIND DIRECTION AT 10 METERS

211111111111111111111111111111111111111	ULAIR	PARTICULATESTISES	•											2	CAINEDNAL BLUFFS SHALE UI	ר פרר	2		ш
				TRAILER		AB23	а.	PERIOD(12/01/82 TO 11/30/83)	115/	01/82	1 01	1/30/	33)						
	:	L	į	1		L	L	NIN	10 0		NO		:						
CONCENTRATION	z	NNE	Z	FNE		E SE	N.	SSE	n	221	20	30	3	2 3	3	3 2 2	NNW CALM	TOTAL	₹
MAX UG/M**3	-	4	1.1	1 4 17 0 0 25 18 27 34 21 27 46 22 24 4 23 0		25	18	27	34	21	27	9,4	22	24	4	23	0		
67 76. :	0	0	0	0	•	0	0	0	0	0	0	0	0	0	0	0	0		
35 76. :	0	0	0	0	0	•	0.	0	0	0	0	-	0	•	0	0	0,		
25 35. :	0	0	0	0	0	-	0	2	2	0	-	-	0	0	0	0	0	. 0	
15 25. :	0	0	-	0	0	-	-	0	60	6	-	2	-	۸ .	0	-	0	: 0	21
5 15. :	0	0	0	0	0	0	-	4	20	-	-	-	Ŋ	4	0	0	0	: 0	25
LT 5. :	-	-	0	0	0	•	2	ro	4	6	2	-	4	-	e	-	0	0	28
TOTAL :	-	-	-	: 1 1 1 0 0 2 4 11 22 7 5 6 10 7 3 2 0 : 82	0	2	4	=	22	1	SO.	9	10	-	m	2	. 0		82
PERCENT	-		÷	0	•	2.	ů,	13.	27.	÷	ڼ	÷	. 12	ۀ	4	2	•	100.	0

0 = NO OBSERVATIONS

10 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

323 STATION AA23 PERIOD(12/01/82 TO 2/28/83) MSM MS 9 WIND DIRECTION SSW 8 = 9 SSE SE ESE w ENE ¥ NNE z WIND SPEED METERS/SEC

CATHEDRAL BLUFFS SHALE OIL

FREQUENCY TABLE OF WIND SPEED BY DIRECTION

30 METER LEVEL

TOTAL VAR ¥ Z Z 156 195 STATION AA23 PERIOD(12/01/82 TO 2/28/83) NSM MS MSS **\*** \* WIND DIRECTION Ξ N SSE SE ESE w ~ ENE 핗 NNE S z : : 3, : WIND SPEED METERS/SEC TOTAL 8. -5. -3. -GT - : 

0 = NO OBSERVATIONS

100.

•

8. 12. 16.

:

PERCENT

CATHEDRAL BLUFFS SHALE OIL		R TOTAL	10 7 6 16 3 6 7 10 16 13 16 8 12 8 9 11 0	65 1 0	0 : 148	0 : 324	915 1 0	0 : 730	0 1 290	: 66 30 24 33 40 75 131 182 300 362 176 86 113 162 218 127 0 2127	
UFFS		VAR									,
ار 1		Z	=	~	=	14	32	48	20	127	
HEDR/		3 2	6	•	*	21	80	18	56	218	
CAT		3 2 3	<b>a</b>	۰	*	=	49	75	20	162	,
	=	3	12	2	0	9	13	19	28	88 113 162	
	788/83	ASA	æ	۰	1	9	16	35	30	98	
	PERIOD(12/01/82 TO 2/28/83)	N SK	13 16	20	24	;	35	35	18	176	
	1/82	WIND DIRECTION	13	18	65	fzı	16	58	6	362	
	112/0]	80 OTR	2	16	34	22	109	72	*	300	
	RIOD	WIN	7 10	0	S	23	16	57	21	75 131 182	
		SE	-	•	0	2	45	69	15	131	
	AA23	ESE	۰	0	0	-	=	4	19	75	
	STATION AA23	w	e e	•	0	0	-	23	16	40	,
	ST	ENE	16	-	•	0	-	18	13	33	1
		Ä	ø	•	0	7	0	10	13	24	
VEL		NNE	-	•	0	4	S	10	=	30	
60 METER LEVEL		z	10	•	9	12	6	22	11	99	,
¥ E				00	**					:	
9		4	SEC	:	11.	8	5. :	3. :		i.	
		UTAID COFFE	MIND SPEED MAX METERS/SEC	67 11. :	8	5	3		ב	TOTAL	***************************************

0 = NO OBSERVATIONS

(12/30/83-RPI)

10 METER LEVEL

STATION AA23 PERIOD( 3/01/83 TO 5/31/83)

CATHEDRAL BLUFFS SHALE OIL

30 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

STATION AA23 PERIOD( 3/01/83 TO 5/31/83)

										H	NO DIE	WIND DIRECTION	z							
direct current	5		z	NNE	N N	ENE	ш	ESE	SE	55	s	MSS	NS.	MSM	3	3 2 3	3	Z	VAR	TOTAL
METERS/SEC	EC .		1	Ξ	-	7 5	*	•	•		9 12	:	15	:	10	•	10	10	0	
67 1	: :	:	0	-	•	•	0	•	•	•	2	2	2	-	•	•	۰	۰	.0	=
8 1	Ë	••	0	0	0	0	0	0	0	e	23	20	38	80	-	0	00	6	0	134
5	θ.	••	-	S	~	-	0	0	~	1	48	103	99	13	Ξ	15	39	38	. 0	357
3	5.	••	10	==	N	S	2	13	56	39	40	61	20	32	43	62	100	63	0	591
1:	3. :	••	56	19	16	54	31	54	52	‡	9	43	15	4.1	4.7	55	99	63	. 0	698
17		••	13	12	19	50	15	15	54	18	28	30	27	52	21	13	16	56		322
TOTAL		:	56	84	39	50	48	82	82 104 111	Ξ	215	307	237	126	123	145	229	215 307 237 126 123 145 229 193		2113
PERCENT	Z	3	3.	2.	۶.	2.		*	2. 4. 5.	ທ	10.	15.	Ë	•	•	۲.	5. 10. 15. 11. 6. 6. 7. 11. 9.	٥		0. 100.

0 = NO OBSERVATIONS

(12/30/83-RPI)

FREQUENCY TABLE OF WIND SPEED BY DIRECTION

ייריים ואחרר מו

60 METER LEVEL

STATION AA23 PERIOD( 3/01/83 TO 5/31/83)

CATHEDRAL BLUFFS SHALE OIL

									3	WIND DIRECTION	RECTI	NO								
WIND SPEED	_	z	NNE	NE	ENE	ш	ESE	SE	SE SSE		ASS	NS NSS S	MSM	3	323	ž	Z Z	VAR TOTAL	2	TAL
METERS/SEC		8 7	-		12 6 5 4 7 10 14 12 16 15	N.	•	-	01	1	12	16		7 11 10	Ξ	10	=	11 0		
GT 111. : 0 0	•	۰	0	-	•	۰	۰	•	٥	9 0 0 0 0	~		N	•	-	•	23 2 0 1 0 1 0: 41	0	:	. 4
8 11. :	•		2 0	0	•	•	0	•	9	39	93	*	ī,	•	0	=	13	0	••	0 : 216
5 8. : 12		12	2	2	-	-	0	=	18	18 45 103	103	10	18	118 17	11	51	37	0	••	0 : 412
3 5. :	•	21	13	8	6	ß	13	27	<b>4</b> 3	48	65	54	22	43	11	101	11	0	••	626
1 3	3. :	33	20	14	18	92	45	48		56 53 48	48	35	54		44 48	63	58	0		999
1 1		1.: 9	Ξ	ນ	=	15	11 15 17	15	6	15 9 17 15	15	22 11 12 16 19	==	12	16	19	0	0	. 0	213
T0TAL :		11	64	33	: 77 49 33 39 47 72 101 132 208 331 248 112 117 162 251 189 0 2168	1.4	47 72 101 132	101	132	208	331	248	112	11	117 162	251	189	0	~	2168
PERCENT 4. 2. 2. 2. 3. 5. 6. 10. 15. 11. 5. 5. 7. 12. 9. 0. 100.	-	4	~	۶.	2	2	9	'n	٠	10	15	Ξ	Ŋ	īυ	~	12.	٥	0		00

10 METER LEVEL

CATHEDRAL BLUFFS SHALE

PERIOD( 6/01/83 TO 8/31/83) STATION AA23

VAR TOTAL 3 Z Z 3 5 114 323 7 55 5. MSM 101 28 8. 10. 17. 13. 285 NS 132 94 WIND DIRECTION 150 203 182 209 375 SSW 66 99 SSE .6 SE ESE 7. Ξ 33 \* 95 u 9 32 ENE 2 56 21 핃 2 38 5 42 NNE 9 z 92 45 27 WIND SPEED METERS/SEC PERCENT TOTAL . - .8 GT

426 1032 506 214 100

30 METER LEVEL

PERIOD( 6/01/83 TO 8/31/83) STATION AA23

CATHEDRAL BLUFFS SHALE OIL

0 = NO OBSERVATIONS

CATHEDRAL BLUFFS SHALE OIL PERIOD( 6/01/83 TO 8/31/83) STATION AA23

60 METER LEVEL

										5	WIND DIRECTION	ECTIO	2								
CONTROL CONTRO	4		z	NNE	NE.	ENE	ш	ESE	SE	SSE	S	S SSW	NS.	MSM	3	3 2 3	3	2 2	VAR		TOTAL
METERS/SEC	SEC		v	7	۰	λ R	<b>8</b> 0	9		8 11 12		15	15	<b>*</b>	<b>6</b> 0	92	•	œ	•		
67 11. :	=		0	0	۰	۰	0	0	۰	0 1 3 9	m	•	e	2	0	0	-	•	0		18
8 11.	=	••	0	0	0	•	-	•	60	3 . 12	42	66	22	9	-	12	*	-	0		197
5	8. :	••	8	-	~	-	-	10	52	45	89	113	51	12	S.	10	100	20	. 0	**	374
•	5. :	••	<b>±</b>	12	1	-	•	30	93	15	51	19	12	23	56	21	37	56	. 0		570
1 3. 1	3,	••	37	18	15	92	40	58	16	80	54	94	0.4	35	39	7	53	4.7	0		726
5		••	16	15	6	13	11	52	19	16	52	11	<b>:</b>	52	52	=	14	10	0		274
TOTAL :	_	:	69	46	33	4.7	89	123	231	558	243	345	202	123 231 229 243 345 202 103 96	96	86	122	104	•	~	2159
PERC	L N		9	PERCENT 3. 2. 2. 2. 3. 6. 11. 11. 11. 16. 9. 5. 4. 5. 6. 5. 0. 100.	8	2	3,	9	=	=	=	16.	٥	ហ		'n	ė	5.	c		0 100

10 METER LEVEL

AA23 PERIOD ( 9/01/83 TO 11/30/83)

CATHEDRAL BLUFFS SHALE OIL

					S	TATI	ON AA	23	PER	100	9/01	/83 1	0 11/	STATION AA23 PERIOD( 9/01/83 TO 11/30/83)							
0	,	z	NNE	N	ENE	ш	ESE	SE		WING	O DIR	WIND DIRECTION	MS.	MSM	3	3 2 3	3 2	3 2 2	VAR	TOTAL	TAL
METERS/SEC		ZC .	τι 4.	m	2	9	3 2		_	4	5 3 4 9	9 10	2 3 2 3 4 9 9 10 8 6 7	æ	٠	-	80	80	0		
67 11.		0	0	0	0	0				0	•	O,	0	0	0	0	0	0	. 0		
8 111		0	0	0	0	0	0	Ĭ		0	4	Ξ	=	7	0	0	2	2	. 0		31
5 8.		-	0	0	0	0	0		0	•	28 , 61	61	54	4	9	10	4	12	. 0		180
3 5.	5. :	Ξ	S	-	0	-	•	•	5	19	62	147	91	23	13	56	35	35	. 0		414
1 3,	3. :	20	56	9	27	41	16	72		. 75	99	120	108	39	36	51	98	9	. 0		904
1 11		54	18	54	38	32	33	45		56	51	81	49	82	23	18	23	21	. 0		547
TOTAL		95	64	31	69	14	74 109	15	122 120	20 6	201	420	328	95	7.8	105	148	135		2	2136
PERCENT		e e	2	-	3. 2. 1. 3. 3.	m m	r.	r,		•	6	20.	3. 2. 1. 3. 3. 5. 6. 6. 9. 20. 15. 4. 4. 5. 7. 6. 0. 100.	;	4	5	7.	٠	0. 100.	-	0

0 = NO OBSERVATIONS

30 METER LEVEL

PERIOD( 9/01/83 TO 11/30/83)

CATHEDRAL BLUFFS SHALE OIL

STATION AA23

										3	10 0	WIND DIRECTION	z								
WIND SPEED	0	z	NNE	ш	Ä	ENE	ш	ESE	SE	SSE	S	MSS S	MS	MSM	3	3 2 3	3	3 2 2	VAR		TOTAL
MAX METERS/SEC	ن د	1		S	6	6	S	ī.	ru.	8 12		4	15	Ξ	5	10	12	12	0		
6T 11. :					0	•	•	0	0	٥	ß	15	_	-	•	۰	m	-	0		35
8 111.				0	0	0	0	0	0	7	53	45	32	2	4	ın	9	5	0	. 0	129
5 8				N	0	0	-	-	-	22		47 , 152	63	16	12	22	14	15	0	••	37.1
3 5. :		: 13		9	-	-	9	20	36	40	49	80	4	21	21	4.7	62	4.1	0	. 0	503
1 3	3. :	36		16	Ξ	27	31	68	7.0	54	95	95	44	39	33	38	63	43	0	: 0	686
LT 1.:		. 24		18	18	22	19	30	34	37	45	33	39	27	54	12	11	52.	0	. 0	433
TOTAL		16		42	30	50	57	119	141	154	246	381	229	106	96	133	165	130	0	0	2153
PERCENT	<u> </u>	4	4	۶.	-	2.	e,	9	1. 2. 3. 6. 7. 7. 11. 18. 11. 5. 4. 6. 8. 6. 0. 100	-	Ë	18.	ä	5	÷	٠	9	9	0		100

PERIOD( 9/01/83 TO 11/30/83) STATION AA23

60 METER LEVEL

CATHEDRAL RLUFFS SHALE OIL

0 0 0 0	ENE	E ESE	SE	SSE	s	WIND DIRECTION	NS.	MSM	3	323	3	3 N N	VAR	TOTAL
	2	9	9	9 14 16 16	14	16	16	12	10	Ξ	13	12	0	
											•			
0 0	0	0		0	=	34	6	-		0 1 2	2	2	. 0	
5 0	0	0 0	0	9	45	7.2	43	9	10	7	ß	00	. 0	: 200
	0	-	8	27	69	156	22	1.0	Ξ	52	23	56	0	0 : 407
14 6 2	0	6 16	38	6.0	09	65	43	30	56	43	7.0	46	0	: 519
35 13 12	15 21	1 44	57	19	61	99	36	62	4 0	41	57	45	. 0	: 636
21 9 13	14 23	3 23	28	28	59	27	54	92	19	22	23	13	. 0	: 345
75 33 27	29 5	51 84	125	185 2	592	414	212	102	106	139	180	137	0	2164
3. 2. 1. 1. 2. 4. 6. 9. 12. 19. 10. 5. 5. 6. 8. 6. 0. 100.	-	2. 4.	ڼ	6	12.	19.	10.	5.	5.	•	8	٠	0	0. 100.

CATHEDRAL BLUFFS SHALE OIL

PERIOD(12/01/82 TO 11/30/83)

STATION AA23

10 METER LEVEL

## 0 = NO OBSERVATIONS

•••••••••••

577

321

191 2

139 2.

244

..................

2 161

PERCENT TOTAL

100

• 9

8

5. 460

•

7. 11. 17. 13.

7. 009

20 461

. 4

8470

0

504

199

301 4

FREQUENCY TABLE OF WIND SPEED BY DIRECTION

DINECTION		
THE STATE OF THE S		
ישטרר מי		
	1	LEVEL
	1	30 METER LEVEL
		m

PERIOD(12/01/82 TO 11/30/83)

STATION AA23

CATHEDRAL BLUFFS SHALE OIL

		z	NNE	Z H	ENE	ш	ESE	SE	WIN	AD DIA	WIND DIRECTION	NC SW	MSM	3	3 2 3	3	322	VAR	TOTAL
WIND SPEED MAX METERS/SEC		•	=	-	2 5	-	9	-	6	15	14	15	12	10	10	12	12	0	
ET 11. :		. 0 1 0 0	-	0	0	0 0 0	0	٥	ь	15 19	19	29 3 0	۳	0	0	٣	7		1, 1,
8 11. :	••	-	0	0	0	0	0	0	10	86	196	66	13	7	16	11	17	: 0	414
5 8.	••	17	6	4	2	е	9	92	81	203	<b>\$</b> 56	508	45	31	57	11	7.8		1301
3 5.	5. :	4 0	32	9	Ξ	22	100	200	191	569	370	199	96	68	183	239	153	. 0	: 2198
1 3.	3. :	108	53	45	87	143	162	567	526	223	195	196	153	170	196	529	188	0	: 2827
1.	:	82	65	11	7.8	84	86	124	105	139	123	133	122	116	14	108	16	0	: 1625
TOTAL		: 248	160	132	178	252	495	949	613	947	1359	862	430	413	526	703	534		
PERCENT		3. 2. 2. 2. 3. 6. 8. 7. 11. 16. 10. 5. 5. 6. 8. 6.	2	2	2.	œ.	é	80	-	i	16.	7. 11. 16. 10.	'n	Ŋ	ٷ	æ	٥	0	100.

0 = NO OBSERVATIONS

60 METER LEVEL

CATHEDRAL BLUFFS SHALE OIL

•



## 1.4 Noise

No noise measurements are being collected during the Interim Monitoring Period.

